
Command Execution and Purpose

S. No.	Linux Command	Purpose	Example Command	Expected Result
1	`comm`	Compares two sorted files line by line.	`comm <(printf 'apple\nbanana\n') <(printf 'banana\ncherry\n')`	Displays lines unique to each file and lines common to both.
2	`join`	Combines lines from two files using a common field.	`join <(printf '1 Alice\n2 Bob\n') <(printf '1 Admin\n2 User\n')`	Displays matching IDs with their associated names and roles.
3	`split`	Divides a file into smaller files.	`printf 'A\nB\nC\nD\n' | split -l 2 - /tmp/linux_split_`	Creates two files containing two lines each.
4	`shuf`	Randomly shuffles input lines.	`printf 'red\nblue\ngreen\n' | shuf`	Displays the three colors in random order.
5	`factor`	Displays the prime factors of integers.	`factor 84`	Displays the prime factors `2 2 3 7`.
6	`seq`	Generates a sequence of numbers.	`seq 2 2 10`	Displays `2, 4, 6, 8, 10`, each on a new line.

7	`cksum`	Calculates a checksum and byte count for a file or input.	`printf 'Linux' | cksum`	Displays a checksum and the number of input bytes.
8	`od`	Displays data in octal or hexadecimal format.	`printf 'Hi' | od -An -tc`	Displays the characters in the input.
9	`xargs`	Builds and executes commands using input from standard input.	`printf 'one\ntwo\n' | xargs -n 1 echo Item:`	Displays `Item: one` and `Item: two`.
10	`tee`	Displays output and writes it to a file.	`echo "Linux practice" | tee /tmp/linux_tee.txt`	Displays the text and saves it to the file.


abishek1703@AAAD: ~
abishek1703@AAAD:~$ comm <(printf 'apple\nbanana\n') <(printf 'banana\ncherry\n')
apple
banana
cherry
abishek1703@AAAD:~$ join <(printf '1 Alice\n2 Bob\n') <(printf '1 Admin\n2 User\n')
1 Alice Admin
2 Bob User
abishek1703@AAAD:~$ printf 'A\nB\nC\nD\n' | split -l 2 - /tmp/linux_split_
ls -l /tmp/linux_split_*
cat /tmp/linux_split_aa /tmp/linux_split_ab
-rw-r--r-- 1 abishek1703 abishek1703 4 Oct 27 12:46 /tmp/linux_split_aa
-rw-r--r-- 1 abishek1703 abishek1703 4 Oct 27 12:46 /tmp/linux_split_ab
A
B
C
D
abishek1703@AAAD:~$ printf 'red\nblue\ngreen\n' | shuf
blue
green
red
abishek1703@AAAD:~$ factor 84
84: 2 2 3 7
abishek1703@AAAD:~$ seq 2 2 10
2
4
6
8
10
abishek1703@AAAD:~$ printf 'Linux' | cksum
790197486 5
abishek1703@AAAD:~$ printf 'Hi' | od -An -tc
H i
abishek1703@AAAD:~$ printf 'one\ntwo\n' | xargs -n 1 echo Item:
Item: one
Item: two
abishek1703@AAAD:~$ echo "Linux practice" | tee /tmp/linux_tee.txt
cat /tmp/linux_tee.txt
Linux practice
Linux practice
abishek1703@AAAD:~$