






MySQL Workbench
Local instance MySQL80
1WN25CS014
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Performance Schema Setup
Administration Schemas
Information
No object selected
Query 1
Limit to 1000 rows
78 select accident_date,location from accident;
79
80 select driver_id from participated
81 where damage_amount>=25000;
82
83 DESC participated;
84 SELECT * from car ORDER BY year ASC;
Result Grid
Filter Rows:
Edit:
Export/Import:
Wrap Cell Content:
reg_num model year
ka031181 lancer 1957
ka052250 indica 1990
ka095477 toyota 1998
ka041702 audi 2005
ka053408 honda 2008
Result Grid
Form Editor
Field Types
Query Stats
Execution Plan



Local instance MySQL80
1WN25CS014
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Performance Schema Setup
Administration Schemas
Information
No object selected
Query 1
Limit to 1000 rows
81 where damage_amount>=25000;
82
83 DESC participated;
84 SELECT * from car ORDER BY year ASC;
85 SELECT COUNT(distinct a.report_num) as number_of_accidents
86 from car c, participated p, accident a
87 where c.reg_num=p.reg_num and p.report_num=a.report_num and c.model="lancer";
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
number_of_accidents
1
Result Grid
Form Editor
Field Types
Query Stats
Execution Plan
Result 2
Read Only



MySQL Workbench
Local instance MySQL80
1WN25CS014
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Performance Schema Setup
Administration Schemas
Information
No object selected
Query 1
Limit to 1000 rows
85 SELECT COUNT(distinct a.report_num) as number_of_accidents
86 from car c, participated p, accident a
87 where c.reg_num=p.reg_num and p.report_num=a.report_num and c.model="lancer";
88
89 SELECT COUNT(c.driver_id) as number_of_people
90 from person c, participated p, accident a
91 where c.driver_id=p.driver_id and p.report_num=a.report_num and year(a.accident_date)=2008;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
number_of_people
1
Result Grid
Form Editor
Field Types
Query Stats
Execution Plan
Result 3
Read Only



MySQL Workbench
Local instance MySQL80
1WN25CS014
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Performance Schema Setup
Administration Schemas
Information
No object selected
Query 1
Limit to 1000 rows
89 SELECT COUNT(c.driver_id) as number_of_people
90 from person c, participated p, accident a
91 where c.driver_id=p.driver_id and p.report_num=a.report_num and year(a.accident_date)=2008;
92
93 SELECT COUNT(c.model) as number_of_accidents
94 from car c, participated p, accident a
95 where c.reg_num=p.reg_num and p.report_num=a.report_num and year(a.accident_date)=2008 and c.model="Lancer";
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
number_of_accidents
1
Result Grid
Form Editor
Field Types
Query Stats
Execution Plan
Result 5
Read Only


MySQL Workbench
Local instance MySQL80
1WN25CS014
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Performance Schema Setup
Administration Schemas
Information
No object selected
Query 1
Limit to 1000 rows
91 where c.driver_id=p.driver_id and p.report_num=a.report_num and year(a.accident_date)=2008;
92
93 • SELECT COUNT(c.model) as number_of_accidents
94 from car c, participated p, accident a
95 where c.reg_num=p.reg_num and p.report_num=a.report_num and year(a.accident_date)=2008 and c.model="Lancer";
96
97 • select * from Participated ORDER BY damage_amount DESC;
Result Grid
Filter Rows:
Edit:
Export/Import:
Wrap Cell Content:
driver_id reg_num report_num damage_amount
A02 KA053408 12 25000
A03 KA095477 13 25000
A01 KA052250 11 10000
A05 KA041702 15 5000
A04 KA031181 14 3000
Participated 6
Apply
Revert


MySQL Workbench
Local instance MySQL80
1WN25CS014
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Performance Schema Setup
Administration Schemas
Information
No object selected
Query 1
Limit to 1000 rows
95 where c.reg_num=p.reg_num and p.report_num=a.report_num and year(a.accident_date)=2008 and c.model="Lancer";
96
97 • select * from Participated ORDER BY damage_amount DESC;
98
99 • SELECT COUNT(p.driver_id) as number_of_people
100 from participated p, accident a
101 where p.report_num=a.report_num and year(a.accident_date)=2008;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
number_of_people
1
Result 7
Read Only


MySQL Workbench
Local instance MySQL80
1WN25CS014
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Performance Schema Setup
Administration Schemas
Information
No object selected
Query 1
Limit to 1000 rows
where c.driver_id=p.driver_id and p.report_num=a.report_num and year(a.accident_date)=2008;
SELECT COUNT(c.model) as number_of_accidents
from car c, participated p, accident a
where c.reg_num=p.reg_num and p.report_num=a.report_num and year(a.accident_date)=2008 and c.model="Lancer";
select * from Participated ORDER BY damage_amount DESC;
SELECT COUNT(p.driver_id) as number_of_people
from participated p, accident a
where p.report_num=a.report_num and year(a.accident_date)=2008;
select avg(damage_amount) from participated;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
avg(damage_amount)
13600.0000
Result 8
Read Only


MySQL Workbench
Local instance MySQL80
1WN25CS014
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Performance Schema Setup
Administration Schemas
Information
No object selected
Query 1
Limit to 1000 rows
select * from Participated ORDER BY damage_amount DESC;
SELECT COUNT(p.driver_id) as number_of_people
from participated p, accident a
where p.report_num=a.report_num and year(a.accident_date)=2008;
select avg(damage_amount) from participated;
select name from person where
damage_amount>(select avg(damage_amount) from participated;
select max(damage_amount) from Participated;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
max(damage_amount)
25000
Result 9
Read Only


MySQL Workbench
Local instance MySQL80
1WN25CS014
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Performance Schema Setup
Administration Schemas
Information
No object selected
Query 1
Limit to 1000 rows
99 SELECT COUNT(p.driver_id) as number_of_people
100 from participated p, accident a
101 where p.report_num=a.report_num and year(a.accident_date)=2008;
102
103 select avg(damage_amount) from participated;
104
105 select name from person where
106 damage_amount>(select avg(p.damage_amount) from participated p);
107
108 select max(damage_amount) from Participated;
109
110 select p.name from person p, participated a where
111 p.driver_id=a.driver_id and
112 a.damage_amount>(select avg(damage_amount) from participated);
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
name
pradeep
Smith
Result 10
Read Only
Form Editor
Field Types
Query Stats