

Dose — medication reminders

Design report · iOS · Android · 2026-10-09

Contents

1. Brief
2. Research
3. Architecture
4. Content
5. Wireframes
6. Design system
7. UI
8. Critique
9. Prototype
10. Assumptions, open questions and decisions

Brief

Design a mobile app that helps adults who manage several daily medications — for themselves or for a parent they care for — take the right dose at the right time.

Today people juggle phone alarms, paper charts and pill organisers. Missed or doubled doses are common, especially when schedules change after a doctor's visit, and carers have no easy way to know whether a parent took their evening dose.

The first release should:

- let someone add a medication with its dose and schedule in under a minute;
- remind them at the right time and let them mark a dose as taken, skipped or snoozed;
- show today's plan and a simple history;
- let a carer follow one other person's doses, with that person's consent.

Constraints: iOS and Android at launch. No medical advice or dosage recommendations. Must work offline for reminders. Accessible to older adults with low vision or limited dexterity.

Research

Version 1 · approved

Problem

Adults managing several daily medications, for themselves or a parent, lose track of what has been taken and when, which leads to missed or doubled doses.

Schedules change after doctor visits, doses vary by time of day, and carers often live apart from the person they support. Current tools remind but rarely help when plans change or when someone else needs to know a dose was taken.

Who is affected

- Adults taking three or more medications a day
- Adult children or partners who help manage someone else's medications
- Older adults with low vision or limited dexterity

What people do today

- Phone alarms with ad-hoc labels
- Paper charts on the fridge
- Weekly pill organisers
- General-purpose medication apps
- Phone calls or messages between carer and parent

Constraints

- iOS and Android at launch
- No medical advice or dosage recommendations
- Reminders must work offline
- Must be usable by older adults with low vision or limited dexterity
- A carer may only follow someone with that person's consent

Signs of success

- Most scheduled doses are marked taken, skipped or snoozed rather than left unanswered
- New users add their first medication in under a minute
- Carers check in less often by phone because the app tells them what they need
- Schedule changes are made in the app instead of on paper

Competitors and alternatives

Medisafe · direct

Dedicated medication reminder app with dose tracking and an optional supporter who is notified about missed doses.

Strengths

- Mature, focused reminder and tracking flow
- Supporter concept is close to the carer use case

Weaknesses

- Broad feature set can make simple tasks feel busy
- Some features sit behind a paid tier

Patterns to note

- Supporter is alerted only when a dose is missed, not on every dose

Sources: Medisafe website (read 2026-10-09)

MyTherapy · direct

Free medication reminder and health journal combining doses with measurements and symptoms.

Strengths

- Free to use
- Combines reminders with a simple health diary

Weaknesses

- Diary features add steps for people who only want reminders

Patterns to note

- Daily to-do list framing of doses

Sources: MyTherapy website (read 2026-10-09)

Apple Health (Medications) · indirect

Built-in iPhone health app that includes medication lists, schedules and logging.

Strengths

- Preinstalled and trusted on iPhone
- Integrates with the wider Health app

Weaknesses

- iPhone only, so mixed-platform families can't share
- Medications are one feature among many in Health

Patterns to note

- Logging from the notification without opening the app

Sources: Apple — iOS Health (read 2026-10-09)

Phone clock alarms · substitute

Many people simply set repeating alarms, labelled with the medication name.

Strengths

- Already on every phone, no setup to learn
- Loud and reliable, works offline

Weaknesses

- No record of whether a dose was taken
- Painful to update when a schedule changes
- Nothing for a carer to see

Patterns to note

- Labels on alarms used as a makeshift dose list

Sources: Google Clock Help (read 2026-10-09)

Personas

The juggling self-manager · Assumption

Takes four to six medications at different times of day, works, and has a schedule that changes every few months after check-ups.

Based on: No user research was uploaded. Based on the brief and on patterns in competitor products; validate with interviews.

Goals

- Never wonder whether a dose was already taken
- Update the plan quickly after a doctor's visit

Frustrations

- Alarms don't record anything
- Re-entering a whole schedule when one dose changes

Behaviours

- Relies on phone notifications
- Keeps an organiser at home and a few pills in a bag

The remote carer · Assumption

An adult child who lives apart from a parent and helps manage their medications by phone and occasional visits.

Based on: No user research was uploaded. Derived from the brief's carer requirement; validate with carers.

Goals

- Know the evening dose was taken without calling
- Be told when something is missed, not on every dose

Frustrations

- Calling feels like nagging
- Learning about missed doses days later

Behaviours

- Checks in by phone or message
- Sets up the parent's phone

The independent older adult · Assumption

Manages their own medications, has some loss of vision and finds small touch targets hard to use.

Based on: No user research was uploaded. Based on the brief's accessibility constraint; validate with older users.

Goals

- Stay independent
- Answer a reminder with one clear tap

Frustrations

- Small text and crowded screens
- Apps that change layout after updates

Behaviours

- Uses large text settings
- Prefers routines that stay the same

Jobs to be done

- When a reminder goes off while I'm busy, I want to answer it in one step, so I can keep an accurate record without stopping what I'm doing. *(Assumption)*
- When my doctor changes one of my doses, I want to update just that medication from a given date, so I can trust that tomorrow's reminders are right. *(Assumption)*

- When it's evening and I haven't heard from my parent, I want to see whether today's doses were taken, so I can only call when something is actually wrong. *(Assumption)*
- When I can't remember if I took my morning pill, I want to check today's history at a glance, so I can avoid taking a double dose. *(Assumption)*

Insights

- **I1. Alarms remind but don't remember: people still can't tell later whether a dose was taken.** *(Evidence)*

Implication: Every reminder should end in an explicit taken / skipped / snoozed answer, and today's view should show those answers clearly. Supported by:

<https://support.google.com/clock>

- **I2. Carer apps that notify on every dose risk becoming noise; alerting on missed doses respects both people.** *(Evidence)*

Implication: Default carer notifications to missed or skipped doses, with a calm daily summary available on demand. Supported by: <https://www.medisafe.com>

- **I3. Schedules change often, and editing a whole plan to change one dose is where people give up and go back to paper.** *(Assumption)*

Implication: Make 'change from a date' a first-class action on a single medication, keeping history intact.

- **I4. Older adults and people in a hurry both need one obvious action per reminder.** *(Assumption)*

Implication: Large, clearly labelled primary actions; minimum 44–48 pt targets; text that scales with system settings.

How might we

- How might we make answering a reminder a single, confident tap? *(from I1, I4)*
- How might we let carers feel reassured without watching every dose? *(from I2)*
- How might we make a schedule change feel as easy as telling a friend? *(from I3)*
- How might we help someone check today's doses in under five seconds? *(from I1)*

Assumptions

- Most target users already rely on phone notifications for reminders
- Carers want alerts about missed doses rather than every dose
- Schedule changes after check-ups are frequent enough to design for
- Older users will accept an app if it stays simple and predictable

Open questions

- How do carers and the people they support want consent to work, and how is it withdrawn?
- How long after a missed reminder should a carer be alerted?

- Do people need to record pills taken outside the schedule (as-needed doses) in the first release?
- Which accessibility settings do target users actually use day to day?

Architecture

Version 1 · approved

Journeys

J1. The juggling self-manager: Take every dose on time and keep the plan current

Stage	Actions	Pain points	Opportunities
Set up	Installs the app; Adds each medication with dose and times	Typing several medications is tedious	Add one medication in under a minute; add more later from Today
Daily use	Gets a reminder; Marks the dose as taken, skipped or snoozed	Alarms don't record anything	Answer from the reminder in one tap
Check	Wonders whether the morning dose was taken; Opens Today or History	Risk of a double dose	Today shows each dose's answer at a glance
Change	Doctor changes a dose; Updates that medication from a date	Re-entering the whole schedule	Change one medication from a date, keeping history


J2. The remote carer: Know a parent's doses are on track without calling

Stage	Actions	Pain points	Opportunities
Connect	Parent invites them from Family; Accepts the invitation	Consent must be clear to both	Plain explanation of what is shared, and how to stop
Stay informed	Gets an alert only when a dose isn't marked; Opens Family to see today	Too many alerts feel like surveillance	Alert on missed doses only, with a calm tone

Task flows

F1. Add a first medication


Trigger: Opens the app with no medications



- 1. Tap Add medication on the empty Today screen
- 2. Enter name, dose and times
- 3. Save
- 4. See the doses on Today

F2. Answer a dose reminder


Trigger: A dose is due



- 1. Notification arrives
- 2. Open the reminder
- 3. Mark as taken
- 4. See it confirmed on Today

F3. Check whether a dose was taken


Trigger: Can't remember taking a dose



- 1. Open Today
- 2. Look at the dose's status
- 3. Open History for earlier days

F4. Change a schedule after a doctor's visit


Trigger: Dose or time changes



- 1. Open the medication from Today
- 2. Change schedule
- 3. Pick the new times and start date
- 4. Save


F5. Let a carer follow my doses

Trigger: Wants a family member to be reassured



- 1. Open Family
- 2. Invite someone by email or phone
- 3. They accept
- 4. They see your doses

Sitemap



Screen inventory

Screen	Priority	Primary action	States
Today (today)	P0	Mark the next due dose as taken	default, empty, loading, error, offline
Add medication (add-medication)	P0	Save medication	default, error, loading
Dose reminder (dose-reminder)	P0	Mark as taken	default, loading, error, success
History (history)	P0	Log a past dose	default, empty, loading, error
Medication detail (medication-detail)	P1	Change schedule	default, loading, error
Change schedule (change-schedule)	P1	Save new schedule	default, error
Invite someone to follow (carer-invite)	P1	Send invitation	default, success, error
Family (carer-overview)	P1	View today's doses	default, empty, loading, error
Settings (settings)	P2	Change notification settings	default

Today · P0

Show today's doses and their status, and answer the next one.

Key content

- Next due dose
- Doses grouped by time of day with status
- Add medication

States

- default: Doses listed with taken, due, skipped or missed status
- empty: No medications yet
- loading: Fetching today's plan
- error: Plan couldn't load
- offline: No connection; reminders still work and changes sync later

Add medication · P0

Add a medication with its dose and schedule in under a minute.

Key content

- Name
- Dose

- Times
- Repeat
- Start date

States

- default: Blank form with one time row
- error: Missing fields or save failed
- loading: Saving

States not needed

- empty: A blank form is this screen's default state.

Dose reminder · P0

Answer a due dose: taken, snoozed or skipped.

Key content

- Medication and dose
- Due time
- Taken, snooze, skip

States

- default: Due dose with answers
- loading: Saving the answer
- error: Answer couldn't be saved
- success: Confirmation

States not needed

- empty: Only opens for a specific due dose.

History · P0

See past doses by day.

Key content

- Days with each dose and its answer
- Period filter

States

- default: Doses by day
- empty: Nothing logged yet
- loading: Fetching history
- error: History couldn't load

Medication detail · P1

See one medication's schedule and manage it.

Key content

- Name and dose
- Schedule
- Pause or delete

States

- default: Schedule shown
- loading: Fetching
- error: Couldn't load

Change schedule · P1

Change times or dose from a date, keeping history.

Key content

- Start date
- New times
- Note that history stays

States

- default: Current schedule pre-filled
- error: Invalid date or save failed

Invite someone to follow · P1

Invite a carer with clear consent.

Key content

- What they will see
- Contact field
- How to stop sharing

States

- default: Explanation and contact field
- success: Invitation sent
- error: Couldn't send

Family · P1

See the people you follow and whether their doses are on track.

Key content

- People followed and today's status
- Invite someone

States

- default: People with status
- empty: Not following anyone
- loading: Fetching
- error: Couldn't load

Settings · P2

Notification, accessibility and account settings.

Key content

- Reminder sound
- Text size follows system
- Account

States

- default: Settings list

Assumptions

- Most reminders are answered from the notification, so the reminder sheet must work on its own
- Four tabs (Today, History, Family, Settings) are enough for the first release
- Carers use the same app, with a Family tab, rather than a separate app

Open questions

- Should Family be hidden until someone is invited, to keep the app simpler for people who don't need it?
- Is 'Log a past dose' needed in the first release, or can History be read-only?

Content

Version 2 · approved

Voice

- Calm, never alarming
- Plain words, short sentences
- Facts, not advice: we never tell anyone what to take
- Respect independence

Context	Tone
Reminders	Brief and neutral; name the medication and dose first
Errors	Reassuring; say reminders still work when that's true; give one next step
Carer alerts	Gentle; describe what happened without implying blame
Success	Quiet confirmation; no celebration

Glossary

Use	When	Avoid
dose	One scheduled intake of a medication	pill, intake, event
medication	Anything the person takes on a schedule	drug, med, prescription
mark as taken	The action of recording a dose	check off, complete, log
follow	What a carer does with consent	monitor, track, watch

Copy by screen

today

Key	Kind	State	Text	Notes
today.title	title	default	Today	
today.next-due-label	label	default	Next dose	
today.take-button	button	default	Mark as taken	
today.add-button	button	default	Add medication	
today.add-ally	ally	default	Add a medication	
today.section-morning	label	default	Morning	
today.section-evening	label	default	Evening	
today.status-taken	label	default	Taken	
today.status-due	label	default	Due	
today.status-missed	label	default	Not marked	Avoid 'missed' on the person's own screen; it can feel judgemental
today.empty-title	empty	empty	No medications yet	
today.empty-body	empty	empty	Add your first medication and we'll remind you when each dose is due.	
today.empty-button	button	empty	Add medication	
today.loading-ally	ally	loading	Loading today's doses	
today.retry-button	button	error	Try again	
today.offline-banner	body	offline	You're offline. Reminders still work, and changes will sync later.	
today.tab-today	nav	default	Today	
today.tab-history	nav	default	History	

Key	Kind	State	Text	Notes
today.tab-family	nav	default	Family	
today.tab-settings	nav	default	Settings	
today.taken-toast	toast	taken	{medication} marked as taken	Shown for 10 seconds, or until dismissed; announced politely
today.undo-button	button	taken	Undo	Restores the dose to Due
today.pending-sync	label	offline	Waiting to sync	Shown on rows answered while offline

add-medication

Key	Kind	State	Text	Notes
add-medication.title	title	default	Add medication	
add-medication.name-label	label	default	Medication name	
add-medication.name-placeholder	placeholder	default	For example, Metformin	
add-medication.dose-label	label	default	Dose	
add-medication.dose-helper	helper	default	As written on the label, like 500 mg or 1 tablet	
add-medication.times-label	label	default	When do you take it?	
add-medication.add-time-button	button	default	Add a time	
add-medication.repeat-label	label	default	Repeats	
add-medication.start-label	label	default	Starting	
add-medication.save-button	button	default	Save medication	
add-medication.cancel-button	button	default	Cancel	
add-medication.saving-ally	ally	loading	Saving medication	
add-medication.name-error	error	error	Enter the medication name	
add-medication.times-error	error	error	Add at least one time	

dose-reminder

Key	Kind	State	Text	Notes
dose-reminder.title	title	default	Time for {medication}	
dose-reminder.dose-line	body	default	{dose} · due at {time}	
dose-reminder.taken-button	button	default	Mark as taken	
dose-reminder.snooze-button	button	default	Remind me in 10 minutes	
dose-reminder.skip-button	button	default	Skip this dose	
dose-reminder.saving-ally	ally	loading	Saving your answer	
dose-reminder.success-title	success	success	Marked as taken	
dose-reminder.success-body	body	success	{medication} {dose}, taken at {time}.	
dose-reminder.done-button	button	success	Back to Today	
dose-reminder.retry-button	button	error	Try again	
dose-reminder.undo-button	button	success	Undo	Available while the confirmation is shown

history

Key	Kind	State	Text	Notes
history.title	title	default	History	
history.filter-week	label	default	This week	
history.filter-month	label	default	This month	
history.status-taken	label	default	Taken	
history.status-skipped	label	default	Skipped	
history.status-unmarked	label	default	Not marked	
history.log-past-button	button	default	Log a past dose	
history.empty-title	empty	empty	Nothing here yet	
history.empty-body	empty	empty	Doses you mark as taken or skipped will appear here.	
history.empty-button	button	empty	Go to Today	
history.loading-ally	a11y	loading	Loading history	
history.retry-button	button	error	Try again	
history.loading-ally-note	a11y	loading	Loading history	Same text as history.loading-ally; announced politely

medication-detail

Key	Kind	State	Text	Notes
medication-detail.schedule-label	label	default	Schedule	
medication-detail.change-button	button	default	Change schedule	
medication-detail.pause-button	button	default	Pause reminders	
medication-detail.delete-button	button	default	Delete medication	
medication-detail.loading-ally	a11y	loading	Loading medication	
medication-detail.retry-button	button	error	Try again	

change-schedule

Key	Kind	State	Text	Notes
change-schedule.title	title	default	Change schedule	
change-schedule.from-label	label	default	Change from	
change-schedule.times-label	label	default	New times	
change-schedule.history-note	helper	default	Your past doses stay as they were.	
change-schedule.save-button	button	default	Save new schedule	

carer-invite

Key	Kind	State	Text	Notes
carer-invite.title	title	default	Invite someone to follow	
carer-invite.body	body	default	They'll see whether today's doses are marked and get an alert if one isn't. You can stop sharing at any time.	
carer-invite.contact-label	label	default	Their email or phone number	
carer-invite.send-button	button	default	Send invitation	
carer-invite.success-title	success	success	Invitation sent	
carer-invite.success-body	body	success	We'll let you know when they accept.	
carer-invite.done-button	button	success	Back to Family	

carer-overview

Key	Kind	State	Text	Notes
carer-overview.title	title	default	Family	
carer-overview.status-on-track	label	default	All doses marked today	
carer-overview.status-unmarked	label	default	{count} dose not marked yet	
carer-overview.view-button	button	default	View today's doses	
carer-overview.invite-button	button	default	Invite someone	
carer-overview.empty-title	empty	empty	You're not following anyone yet	
carer-overview.empty-body	empty	empty	Ask the person you help to invite you, or invite someone to follow your doses.	
carer-overview.loading-ally	ally	loading	Loading family	
carer-overview.retry-button	button	error	Try again	

Error messages

Screen	Situation	Message	Action
today	Today's plan couldn't load	We couldn't load today's plan. Your reminders are still on. Check your connection and try again.	Try again
add-medication	Saving failed	We couldn't save this medication. Your entries are still here, so try again.	Try again
add-medication	Name or time missing	Enter a name and at least one time to save this medication.	
dose-reminder	Answer couldn't be saved	We couldn't save your answer. Check your connection and try again. The reminder stays until you answer.	Try again
history	History couldn't load	We couldn't load your history. Check your connection and try again.	Try again
medication-detail	Medication couldn't load	We couldn't load this medication. Try again in a moment.	Try again
change-schedule	Start date in the past	Choose today or a later date. Past doses stay as they were.	
carer-invite	Invitation didn't send	The invitation didn't send. Check the email or phone number and try again.	Try again
carer-overview	Family couldn't load	We couldn't load the people you follow. Check your connection and try again.	Try again

Notifications

Trigger	Title	Body
A dose is due	Time for {medication}	{dose} · tap to mark as taken
A followed person's dose is not marked 1 hour after it was due	{name}'s {time} dose	Not marked yet. You might want to check in.

Assumptions

- 'Not marked' is gentler than 'missed' and accurate, since we only know it wasn't recorded
- 10 seconds is long enough to notice a mistaken tap; people can also change an answer from Today

Open questions

- How long after a due time should the carer alert wait? The copy assumes 1 hour.

Wireframes

Version 2 · approved

Rendered as grey-box screens in UX Studio. Structure below.

Today (today, mobile)

default

- **appbar**: today.title
- **card**: today.next-due-label — *Largest element on screen*
- **button** (primary): today.take-button — *Marks the next due dose*
- **heading**: today.section-morning
- **list**: Metformin 500 mg · Taken 8:04 AM, Lisinopril 10 mg · Taken 8:04 AM
- **heading**: today.section-evening
- **list**: Metformin 500 mg · Due 8:00 PM, Atorvastatin 20 mg · Due 9:00 PM — *Tap a row to open Medication detail*
- **button** (secondary): today.add-button
- **tabbar**: today.tab-today, today.tab-history, today.tab-family, today.tab-settings

Next dose pinned at the top so the main action is one tap away.

empty

- **appbar**: today.title
- **empty**: today.empty-title
- **button** (primary): today.empty-button
- **tabbar**: today.tab-today, today.tab-history, today.tab-family, today.tab-settings

loading

- **appbar**: today.title
- **skeleton** — *Announces today.loading-a11y to screen readers*
- **tabbar**: today.tab-today, today.tab-history, today.tab-family, today.tab-settings

error

- **appbar**: today.title
- **banner** (error): today-load
- **button** (primary): today.retry-button
- **tabbar**: today.tab-today, today.tab-history, today.tab-family, today.tab-settings

offline

- **appbar**: today.title
- **banner** (warning): today.offline-banner

- **card:** today.next-due-label
- **button** (primary): today.take-button
- **list:** Metformin 500 mg · Taken 8:04 AM, Lisinopril 10 mg · Taken 8:04 AM
- **tabbar:** today.tab-today, today.tab-history, today.tab-family, today.tab-settings

Doses can still be marked; they sync when back online.

Add medication (add-medication, mobile)

default

- **appbar:** add-medication.title
- **input:** add-medication.name-label
- **input:** add-medication.dose-label — *Helper: add-medication.dose-helper*
- **heading:** add-medication.times-label
- **row**
 - **input:** 8:00 AM
 - **button** (tertiary): add-medication.add-time-button
- **select:** add-medication.repeat-label
- **select:** add-medication.start-label
- **button** (primary): add-medication.save-button — *Pinned above the keyboard*

Opens as a full-screen modal. Only name, dose and one time are needed to save.

error

- **appbar:** add-medication.title
- **banner** (error): add-missing-fields
- **input:** add-medication.name-label — *Error: add-medication.name-error*
- **input:** add-medication.dose-label
- **heading:** add-medication.times-label
- **button** (tertiary): add-medication.add-time-button — *Error: add-medication.times-error*
- **button** (primary): add-medication.save-button

Field errors appear under each field and the first one gets focus.

loading

- **appbar:** add-medication.title
- **input:** add-medication.name-label
- **input:** add-medication.dose-label
- **spinner:** add-medication.saving-a11y

Dose reminder (dose-reminder, mobile)

default

- **heading:** dose-reminder.title
- **text:** dose-reminder.dose-line
- **button** (primary): dose-reminder.taken-button
- **button** (secondary): dose-reminder.snooze-button
- **button** (tertiary): dose-reminder.skip-button

Bottom sheet. Large targets, one primary action.

loading

- **heading:** dose-reminder.title
- **spinner:** dose-reminder.saving-a11y

error

- **heading:** dose-reminder.title
- **banner** (error): reminder-save-failed
- **button** (primary): dose-reminder.retry-button
- **button** (tertiary): dose-reminder.skip-button

success

- **heading:** dose-reminder.success-title
- **text:** dose-reminder.success-body
- **button** (primary): dose-reminder.done-button

Closes on its own after 3 seconds.

History (history, mobile)

default

- **appbar:** history.title
- **chips:** history.filter-week, history.filter-month
- **heading:** Yesterday
- **list:** Metformin 500 mg · Taken 8:01 AM, Metformin 500 mg · Taken 8:15 PM, Atorvastatin 20 mg · Skipped
- **heading:** Monday
- **list:** Metformin 500 mg · Taken 7:58 AM, Metformin 500 mg · Not marked
- **button** (primary): history.log-past-button
- **tabbar:** today.tab-today, today.tab-history, today.tab-family, today.tab-settings

empty

- **appbar:** history.title
- **empty:** history.empty-title
- **button** (primary): history.empty-button
- **tabbar:** today.tab-today, today.tab-history, today.tab-family, today.tab-settings

loading

- **appbar**: history.title
- **skeleton**
- **tabbar**: today.tab-today, today.tab-history, today.tab-family, today.tab-settings

error

- **appbar**: history.title
- **banner** (error): history-load
- **button** (primary): history.retry-button
- **tabbar**: today.tab-today, today.tab-history, today.tab-family, today.tab-settings

Family (carer-overview, mobile)

default

- **appbar**: carer-overview.title
- **card**: Mum — *Unmarked doses shown first*
- **button** (primary): carer-overview.view-button
- **button** (tertiary): carer-overview.invite-button
- **tabbar**: today.tab-today, today.tab-history, today.tab-family, today.tab-settings

empty

- **appbar**: carer-overview.title
- **empty**: carer-overview.empty-title
- **button** (primary): carer-overview.invite-button
- **tabbar**: today.tab-today, today.tab-history, today.tab-family, today.tab-settings

Annotations

- Four tabs: Today, History, Family, Settings. Today is the launch screen.
- All touch targets at least 48 × 48 pt; text follows the system text size.
- Every loading state announces what is loading to screen readers.

Assumptions

- The reminder sheet can be opened directly from a notification action on both iOS and Android

Open questions

- Should 'Mark as taken' on Today confirm with an undo toast instead of a separate screen?

Design system

Version 2 · approved

Source: figma (Figma file 2p2wcD2i751EzR4dxG4auF). Android values were read from the Material 3 Design Kit attached to the file (Teal light and dark schemes, M3 text styles). Apple's iOS 26 kit doesn't allow its variables to be read through the API, so the iOS theme uses Apple's published system defaults, with the brand teal from Material 3 for actions.

Principles

- Calm and legible: generous type, one strong action per screen
- Native on each platform, one brand colour across both
- Status never relies on colour alone: always an icon and words

Libraries

- **Material 3 Design Kit** (android): Colours (Teal scheme), type scale and components for Android
- **iOS and iPadOS 26** (ios): Component structure and naming for iPhone; colours from Apple's system defaults

ios theme — iOS and iPadOS 26

Font: SF Pro Text. Minimum target: 44. Radius: 8/10/14. Spacing: 4, 8, 12, 16, 20, 24, 32.

Role	Light	Dark
background	#F2F2F7	#000000
surface	#FFFFFF	#1C1C1E
surfaceAlt	#E5E5EA	#2C2C2E
text	#000000	#FFFFFF
textMuted	#636366	#EBEBF599
primary	#006B60	#82D5C7
onPrimary	#FFFFFF	#003731
primaryContainer	#D3F1EC	#004D45
onPrimaryContainer	#00504A	#C9F5EE
border	#C6C6C8	#38383A
danger	#D70015	#FF6961
onDanger	#FFFFFF	#000000
dangerContainer	#FFE4E2	#5C1A16
onDangerContainer	#8C1D18	#FFDAD6
success	#248A3D	#30D158
warning	#B25000	#FFB340
focus	#006B60	#82D5C7

Type	Size / line	Weight
display	34/41	700
headline	22/28	700
title	20/25	600
body	17/22	400
label	17/22	600
caption	13/18	400

Sources:

- color.primary (light) ← M3 Schemes/Primary, Teal LT (#006B60) — brand colour shared with Android
- color.primary (dark) ← M3 Schemes/Primary, Teal DT (#82D5C7)

- color.background / surface / text ← Apple system defaults: systemGroupedBackground, secondarySystemGroupedBackground, label
- color.textMuted (light) ← Darkened from Apple secondaryLabel (#3C3C43 at 60%), which measures 3.3:1 on the grouped background
- color.danger (light) ← Apple systemRed, accessible variant (#D70015); default #FF3B30 measures 3.55:1 with white text
- type ← Apple Dynamic Type defaults at the Large size (Body 17/22, Large Title 34/41)

android theme — Material 3 Design Kit

Font: Roboto. Minimum target: 48. Radius: 8/12/16. Spacing: 4, 8, 12, 16, 20, 24, 32.

Role	Light	Dark
background	#F4FBF8	#0E1513
surface	#E9EFEC	#1A211F
surfaceAlt	#E3EAE7	#252B2A
text	#171D1B	#DDE4E1
textMuted	#3F4946	#BEC9C5
primary	#006B60	#82D5C7
onPrimary	#FFFFFF	#003731
primaryContainer	#9EF2E3	#006B5F
onPrimaryContainer	#2E4C47	#FFFFFF
border	#BEC9C5	#3F4946
danger	#B3261E	#F2B8B5
onDanger	#FFFFFF	#601410
dangerContainer	#F9DEDC	#8C1D18
onDangerContainer	#8C1D18	#F9DEDC
success	#376A3E	#9CD49F
warning	#795A0C	#E9C16C
focus	#006B60	#82D5C7

Type	Size / line	Weight
display	32/40	400
headline	22/28	400
title	16/24	500
body	16/24	400
label	14/20	500
caption	14/20	400

Sources:

- color.* ← M3 Schemes (Teal LT / Teal DT): Surface, Surface Container, Surface Container High, On Surface, On Surface Variant, Primary, On Primary, Primary Container, On Primary Container, Outline Variant, Error, On Error, Error Container, On Error Container
- color.success / warning ← M3 Schemes/Primary in the Green and Yellow schemes
- type.display / headline / body / label / caption ← M3 text styles headline/large, title/large, body/large, label/large, body/medium (Roboto)
- type.title ← M3 title/medium (16/24, 500) — standard value, not read from the file

Component mapping

Block	Variant	Platform	Component
appbar	—	ios	Navigation Bar (large title) (iOS and iPadOS 26)
appbar	—	android	App bar (Material 3 Design Kit)
button	primary	ios	Button - Content Area (filled) (iOS and iPadOS 26)
button	secondary	ios	Button - Content Area (tinted) (iOS and iPadOS 26)
button	tertiary	ios	Button - Content Area (plain) (iOS and iPadOS 26)
button	primary	android	Button (filled) (Material 3 Design Kit)
button	secondary	android	Button - outline (Material 3 Design Kit)
button	tertiary	android	Button - text (Material 3 Design Kit)
input	—	ios	Text Field (iOS and iPadOS 26)
input	—	android	Text field (outlined) (Material 3 Design Kit)
select	—	ios	Row - Button (with value) (iOS and iPadOS 26)
select	—	android	Text field (exposed dropdown) (Material 3 Design Kit)
list	—	ios	Grouped list rows (iOS and iPadOS 26)
list	—	android	List item (Material 3 Design Kit)
card	—	ios	Custom (iOS and iPadOS 26)
card	—	android	Horizontal card (Material 3 Design Kit)
tabbar	—	ios	Tab Bar - iPhone (iOS and iPadOS 26)
tabbar	—	android	Navigation Bar: Vertical items (Material 3 Design Kit)
chips	—	ios	Segmented control (iOS and iPadOS 26)
chips	—	android	Filter chip (Material 3 Design Kit)
spinner	—	ios	Progress indicator (iOS and iPadOS 26)
spinner	—	android	Circular-indeterminate progress indicator (Material 3 Design Kit)
skeleton	—	ios	Custom (iOS and iPadOS 26)
skeleton	—	android	Custom (Material 3 Design Kit)
banner	—	ios	Custom (iOS and iPadOS 26)
banner	—	android	Custom (M3 has no inline banner) (Material 3 Design Kit)
empty	—	ios	Custom (iOS and iPadOS 26)
empty	—	android	Custom (Material 3 Design Kit)
heading	—	ios	Text style: Title 3 (iOS and iPadOS 26)

Block	Variant	Platform	Component
heading	—	android	Text style: title/medium (Material 3 Design Kit)
text	—	ios	Text style: Body (iOS and iPadOS 26)
text	—	android	Text style: body/large (Material 3 Design Kit)

Contrast

Platform	Mode	Pair	Ratio
ios	light	Text on background	18.82:1 ✓
ios	light	Text on surface	21:1 ✓
ios	light	Muted text on background	5.37:1 ✓
ios	light	Muted text on surface	5.99:1 ✓
ios	light	Button text on primary	6.42:1 ✓
ios	light	Text on primary container	7.82:1 ✓
ios	light	Primary (links, text buttons) on background	5.75:1 ✓
ios	light	Text on danger	5.38:1 ✓
ios	light	Text on error banner	7.57:1 ✓
ios	light	Focus ring on background	5.75:1 ✓
ios	dark	Text on background	21:1 ✓
ios	dark	Text on surface	17.01:1 ✓
ios	dark	Muted text on background	6.36:1 ✓
ios	dark	Muted text on surface	5.95:1 ✓
ios	dark	Button text on primary	7.73:1 ✓
ios	dark	Text on primary container	8.28:1 ✓
ios	dark	Primary (links, text buttons) on background	12.29:1 ✓
ios	dark	Text on danger	7.45:1 ✓
ios	dark	Text on error banner	10.07:1 ✓
ios	dark	Focus ring on background	12.29:1 ✓
android	light	Text on background	16.29:1 ✓
android	light	Text on surface	14.68:1 ✓
android	light	Muted text on background	8.88:1 ✓
android	light	Muted text on surface	8:1 ✓
android	light	Button text on primary	6.42:1 ✓
android	light	Text on primary container	7.26:1 ✓
android	light	Primary (links, text buttons) on background	6.11:1 ✓
android	light	Text on danger	6.54:1 ✓
android	light	Text on error banner	7.17:1 ✓

Platform	Mode	Pair	Ratio
android	light	Focus ring on background	6.11:1 ✓
android	dark	Text on background	14.32:1 ✓
android	dark	Text on surface	12.69:1 ✓
android	dark	Muted text on background	10.88:1 ✓
android	dark	Muted text on surface	9.64:1 ✓
android	dark	Button text on primary	7.73:1 ✓
android	dark	Text on primary container	6.43:1 ✓
android	dark	Primary (links, text buttons) on background	10.83:1 ✓
android	dark	Text on danger	7.66:1 ✓
android	dark	Text on error banner	7.17:1 ✓
android	dark	Focus ring on background	10.83:1 ✓

Assumptions

- The brand colour is teal; no existing brand guidelines were provided

Open questions

- Is there a brand colour or logo to use instead of the Material 3 teal?
- Should the iOS app support Liquid Glass materials in the first release?

UI

Version 2 · approved

High-fidelity screens render in UX Studio with the design system's theme per platform, in light and dark mode.

Today (today, full)

default

- **appbar** [plus]: today.title
- **card** [pill]: today.next-due-label
- **button** (primary) [check]: today.take-button
- **heading**: today.section-morning
- **list** [pill]: Metformin 500 mg · Taken 8:04 AM, Lisinopril 10 mg · Taken 8:04 AM
- **heading**: today.section-evening
- **list** [pill]: Metformin 500 mg · Due 8:00 PM, Atorvastatin 20 mg · Due 9:00 PM
- **button** (secondary) [plus]: today.add-button
- **tabbar**: today.tab-today, today.tab-history, today.tab-family, today.tab-settings

Next dose pinned at the top so the main action is one tap away.

taken

- **appbar** [plus]: today.title
- **banner** (success) [check]: today.taken-toast
- **button** (tertiary) [refresh]: today.undo-button
- **card** [pill]: today.next-due-label
- **button** (primary) [check]: today.take-button
- **heading**: today.section-evening
- **list** [pill]: Metformin 500 mg · Taken 8:02 PM, Atorvastatin 20 mg · Due 9:00 PM
- **tabbar**: today.tab-today, today.tab-history, today.tab-family, today.tab-settings

After marking a dose: confirmation with Undo for 10 seconds (C1). The next due dose moves up.

empty

- **appbar** [plus]: today.title
- **empty** [pill]: today.empty-title
- **button** (primary) [plus]: today.empty-button
- **tabbar**: today.tab-today, today.tab-history, today.tab-family, today.tab-settings

loading

- **appbar** [plus]: today.title

- **skeleton:**
- **tabbar:** today.tab-today, today.tab-history, today.tab-family, today.tab-settings

error

- **appbar** [plus]: today.title
- **banner** (error): today-load
- **button** (primary) [refresh]: today.retry-button
- **tabbar:** today.tab-today, today.tab-history, today.tab-family, today.tab-settings

offline

- **appbar** [plus]: today.title
- **banner** (warning) [wifi-off]: today.offline-banner
- **card** [pill]: today.next-due-label
- **button** (primary) [check]: today.take-button
- **list** [pill]: Metformin 500 mg · Taken 8:04 AM · Waiting to sync, Lisinopril 10 mg · Taken 8:04 AM
- **tabbar:** today.tab-today, today.tab-history, today.tab-family, today.tab-settings

Doses can still be marked; rows answered offline say 'Waiting to sync' until they reach the server (C2).

Add medication (add-medication, modal)

default

- **appbar** [plus]: add-medication.title
- **input:** add-medication.name-label
- **input:** add-medication.dose-label
- **heading:** add-medication.times-label
- **row:**
- **select:** add-medication.repeat-label
- **select** [calendar]: add-medication.start-label
- **button** (primary): add-medication.save-button

Opens as a full-screen modal. Only name, dose and one time are needed to save.

error

- **appbar** [plus]: add-medication.title
- **banner** (error): add-missing-fields
- **input** {error}: add-medication.name-label
- **input:** add-medication.dose-label
- **heading:** add-medication.times-label
- **button** (tertiary) [plus]: add-medication.add-time-button

- **button** (primary): add-medication.save-button

Field errors appear under each field and the first one gets focus.

loading

- **appbar** [plus]: add-medication.title
- **input**: add-medication.name-label
- **input**: add-medication.dose-label
- **spinner**: add-medication.saving-a11y

Dose reminder (dose-reminder, sheet)

default

- **heading**: dose-reminder.title
- **text**: dose-reminder.dose-line
- **button** (primary) [check]: dose-reminder.taken-button
- **button** (secondary) [clock]: dose-reminder.snooze-button
- **button** (tertiary): dose-reminder.skip-button

Bottom sheet. On open, focus moves to the title and the screen behind is inert; on close, focus returns to the dose on Today (C4).

loading

- **heading**: dose-reminder.title
- **spinner**: dose-reminder.saving-a11y

error

- **heading**: dose-reminder.title
- **banner** (error): reminder-save-failed
- **button** (primary) [refresh]: dose-reminder.retry-button
- **button** (tertiary): dose-reminder.skip-button

success

- **heading**: dose-reminder.success-title
- **text**: dose-reminder.success-body
- **button** (tertiary) [refresh]: dose-reminder.undo-button
- **button** (primary): dose-reminder.done-button

Stays until dismissed while focused; Undo restores the dose (C1).

History (history, full)

default

- **appbar** [plus]: history.title

- **chips**: history.filter-week, history.filter-month
- **heading**: Yesterday
- **list** [pill]: Metformin 500 mg · Taken 8:01 AM, Metformin 500 mg · Taken 8:15 PM, Atorvastatin 20 mg · Skipped
- **heading**: Monday
- **list** [pill]: Metformin 500 mg · Taken 7:58 AM, Metformin 500 mg · Not marked
- **button** (primary) [plus]: history.log-past-button
- **tabbar**: today.tab-today, today.tab-history, today.tab-family, today.tab-settings

empty

- **appbar** [plus]: history.title
- **empty** [history]: history.empty-title
- **button** (primary) [plus]: history.empty-button
- **tabbar**: today.tab-today, today.tab-history, today.tab-family, today.tab-settings

loading

- **appbar** [plus]: history.title
- **skeleton**: history.loading-a11y
- **tabbar**: today.tab-today, today.tab-history, today.tab-family, today.tab-settings

error

- **appbar** [plus]: history.title
- **banner** (error): history-load
- **button** (primary) [refresh]: history.retry-button
- **tabbar**: today.tab-today, today.tab-history, today.tab-family, today.tab-settings

Family (carer-overview, full)

default

- **appbar** [plus]: carer-overview.title
- **card** [user]: Mum
- **button** (primary): carer-overview.view-button
- **button** (tertiary) [send]: carer-overview.invite-button
- **tabbar**: today.tab-today, today.tab-history, today.tab-family, today.tab-settings

empty

- **appbar** [plus]: carer-overview.title
- **empty** [people]: carer-overview.empty-title
- **button** (primary) [send]: carer-overview.invite-button
- **tabbar**: today.tab-today, today.tab-history, today.tab-family, today.tab-settings

Component states

button/primary

- default: primary fill, onPrimary label, radius lg (iOS) or full (Android), min height = target
- pressed: 8–14% onPrimary overlay; iOS also dims to 85%
- focus: 2pt focus-colour ring, 2pt offset
- disabled: 38% opacity; not announced as a button action
- loading: label replaced by a small spinner; width stays the same

button/secondary

- default: iOS: primaryContainer fill (tinted). Android: 1pt border outline, primary label
- pressed: 8% primary overlay
- focus: 2pt focus ring
- disabled: 38% opacity

button/tertiary

- default: primary label, no container; still a full-size target
- pressed: 8% primary overlay on the target area
- focus: 2pt focus ring around the target
- disabled: 38% opacity

input

- default: iOS: surfaceAlt fill. Android: 1pt border outline
- focus: 2pt primary border; label stays visible
- error: 2pt danger border, danger label and helper text with the message
- disabled: 38% opacity; value still readable
- pressed: same as focus (opens the keyboard)

select

- default: like input, with a chevron
- pressed: 8% text overlay; opens a picker (iOS) or menu (Android)
- focus: 2pt primary border
- disabled: 38% opacity

chips

- default: 1pt border, label in text colour
- selected: primaryContainer fill with a check icon
- pressed: 8% overlay
- focus: 2pt focus ring
- disabled: 38% opacity

tabbar

- default: muted icon and label

- selected: iOS: primary icon and label. Android: active indicator pill in primaryContainer
- pressed: 8% overlay on the item
- focus: 2pt focus ring around the item

banner/success

- default: primaryContainer fill with a check icon; announced politely
- focus: 2pt focus ring; the timer pauses while focused

Motion

- Dose reminder sheet slides up over 250 ms; respects Reduce Motion with a fade
- Marking a dose as taken: the row's icon morphs from clock to check, with a light haptic
- Skeletons pulse slowly (1.5 s); no shimmer when Reduce Motion is on
- The taken confirmation slides in from the top and stays 10 s; the timer pauses while it has focus or Reduce Motion is on

Assumptions

- The Today card's large type is acceptable at the largest Dynamic Type sizes if it wraps to two lines

Open questions

- Should the Dose reminder sheet be dismissible by swipe, or require an answer?

Critique

Version 2 · approved

Round 1 fixed all four major issues: Undo after marking a dose, a visible 'Waiting to sync' status, and specified focus handling in the reminder sheet. Three minor issues and one new minor finding remain.

Strengths

- One clear primary action on every screen, sized for older users
- Status is never shown by colour alone
- Errors are calm, specific and always offer a way forward
- The reminder sheet keeps the most common answer within thumb reach
- Undo is offered in both places a dose can be marked

Findings

ID	Severity	Finding	Rule	Where	Fix owner
C5	2	One generic message for two different form errors	H9 Help users recognize, diagnose, and recover from errors	add-medication/error	content
C6	2	'Log a past dose' is the primary action on History	H4 Consistency and standards	history/default	wireframes
C8	2	Undo confirmation is time-limited	2.2.1 Timing Adjustable	today/taken	ui
C7	1	Settings tab shown although Settings isn't designed	H8 Aesthetic and minimalist design	today/default	architecture

C5. One generic message for two different form errors (severity 2)

People have to work out which field is wrong.

Evidence: The banner says 'Enter a name and at least one time' even when only the time is missing.

Recommendation: Show only the message for the field that is missing; keep the banner as a summary when both are.

C6. 'Log a past dose' is the primary action on History (severity 2)

It draws attention away from reading the history, and the feature may not ship.

Evidence: A filled primary button on a read-mostly screen, for a feature the architecture lists as an open question.

Recommendation: Make it secondary, or remove it until the open question is decided.

C8. Undo confirmation is time-limited (severity 2)

Some people need longer to notice and act.

Evidence: The confirmation disappears after 10 seconds.

Recommendation: Keep the timer paused while focused (already specified) and make the answer changeable from Today afterwards.

C7. Settings tab shown although Settings isn't designed (severity 1)

An empty or placeholder Settings screen would feel unfinished.

Evidence: Settings is P2 with only a default state.

Recommendation: Keep the tab only if Settings ships in the first release.

Heuristics

- **H1 Visibility of system status:** good. Offline answers now say 'Waiting to sync'.
- **H2 Match between system and the real world:** good. Plain words; 'Not marked' avoids blaming people.
- **H3 User control and freedom:** good. Undo after marking a dose.
- **H4 Consistency and standards:** good. Platform conventions followed on iOS and Android.
- **H5 Error prevention:** good. Mistaken taps can be undone.
- **H6 Recognition rather than recall:** good. Today shows each dose's status; nothing to remember.
- **H7 Flexibility and efficiency of use:** good. Answering from the notification is one tap.
- **H8 Aesthetic and minimalist design:** good. One primary action per screen; calm layouts.
- **H9 Help users recognize, diagnose, and recover from errors:** issues. Generic validation message (C5).
- **H10 Help and documentation:** not applicable. No help content is in scope for the first release.

WCAG 2.2 AA

- **1.3.1 Info and Relationships:** pass. Lists, headings and labels are structured.
- **1.4.1 Use of Color:** pass. Status uses icons and words as well as colour.
- **1.4.3 Contrast (Minimum):** pass. All text pairs meet 4.5:1 in both modes (design-system check).
- **1.4.11 Non-text Contrast:** pass. Focus ring and control borders meet 3:1.
- **2.4.3 Focus Order:** pass. Focus moves into the sheet, the screen behind is inert, and focus returns on close.
- **2.4.7 Focus Visible:** pass. Focus states are defined for every interactive component.

- **2.5.8 Target Size (Minimum):** pass. 44pt (iOS) and 48dp (Android) minimums.
- **3.3.1 Error Identification:** pass. Field errors are named in text next to the field.
- **4.1.2 Name, Role, Value:** pass. Icon-only controls have accessible names.
- **4.1.3 Status Messages:** pass. Loading and confirmations are announced politely.

Prototype

Version 1 · not approved yet

Dose helps adults who manage several daily medications, and the carers who support them, take the right dose at the right time. This handoff covers the first-release P0 screens (Today, Add medication, Dose reminder, History) and the Family tab, on iOS and Android, in light and dark mode.

Prototype: exports/prototype/index.html (starts on today/default).

today

Today's doses and their status; answer the next one.

Behaviour

- 'Mark as taken' records the next due dose with the current time and shows the confirmation with Undo for 10 s (paused while focused).
- Tapping a due dose opens the Dose reminder sheet.
- Offline: answers are stored locally and shown with 'Waiting to sync' until confirmed by the server.

Data

- Reads today's schedule and answers
- Writes dose answers (taken, skipped, snoozed) with timestamps

Edge cases

- Two doses due at the same time: the card shows the earliest; the list shows both
- Device time zone changes while travelling

Acceptance criteria

- ☐ Marking a dose shows the confirmation within 300 ms, even offline
- ☐ Undo restores the dose to Due and removes the answer
- ☐ Rows answered offline show 'Waiting to sync' until synced

add-medication

Add a medication with dose and schedule in under a minute.

Behaviour

- Only name, dose and one time are required
- Errors show next to each field; the first invalid field gets focus
- Save keeps entries if it fails

Data

- Writes medication, dose and schedule

Edge cases

- Duplicate medication name
- Times entered in 12- or 24-hour format

Acceptance criteria

- ☐ A new medication can be added with keyboard or switch control only
- ☐ A failed save never loses entered data

dose-reminder

Answer a due dose from the notification or Today.

Behaviour

- Opens as a bottom sheet; focus moves to the title and the screen behind is inert
- Snooze schedules a new reminder in 10 minutes
- The reminder stays until answered

Data

- Writes the answer for one dose

Edge cases

- Answering a dose from a notification after it was answered on another device

Acceptance criteria

- ☐ The sheet can be answered with one tap from the notification on iOS and Android
- ☐ On close, focus returns to the dose on Today

history

See past doses by day.

Behaviour

- Filters by this week or this month
- Loading is announced to screen readers

Data

- Reads past answers

Edge cases

- Long gaps with no doses

- Medication deleted after doses were recorded

Acceptance criteria

- ☐ History shows each dose with its answer and time
- ☐ Empty history explains what will appear

carer-overview

People you follow and whether their doses are on track.

Behaviour

- Unmarked doses are listed first

Data

- Reads followed people's dose status (with their consent)

Edge cases

- Consent withdrawn while the screen is open

Acceptance criteria

- ☐ Only people who invited you are shown

Components

- **Buttons:** Material 3 Button (filled, outlined, text) on Android; filled, tinted and plain on iOS. Minimum target 48dp / 44pt.
- **Confirmation with Undo:** Custom banner in primaryContainer; polite live region; 10 s timer that pauses on focus.
- **Dose reminder sheet:** Material bottom sheet / iOS sheet with a grabber; inert background.

Accessibility

- Text follows the system text size; layouts reflow up to the largest Dynamic Type and font scale
- Status is always shown with an icon and words, not colour alone
- Loading states and confirmations are announced politely
- Focus moves into sheets and modals and returns on close

Analytics

- dose_answered (answer, source: notification | today, offline)
- dose_undone
- medication_added

Open issues

None.

Prototype links

From	Element	To
today/*	today.tab-today	today/default
today/*	today.tab-history	history/default
today/*	today.tab-family	carer-overview/default
history/*	today.tab-today	today/default
history/*	today.tab-history	history/default
history/*	today.tab-family	carer-overview/default
carer-overview/*	today.tab-today	today/default
carer-overview/*	today.tab-history	history/default
carer-overview/*	today.tab-family	carer-overview/default
today/default	today.take-button	today/taken
today/default	today.add-button	add-medication/default
today/*	today.add-ally	add-medication/default
today/default	Metformin 500 mg · Due 8:00 PM	dose-reminder/default
today/taken	today.undo-button	today/default
today/taken	today.take-button	dose-reminder/default
today/empty	today.empty-button	add-medication/default
today/error	today.retry-button	today/loading
today/loading	(auto)	today/default
today/offline	today.take-button	today/taken
add-medication/default	add-medication.save-button	add-medication/loading
add-medication/*	add-medication.cancel-button	today/default
add-medication/error	add-medication.save-button	add-medication/loading
add-medication/loading	(auto)	today/default
dose-reminder/default	dose-reminder.taken-button	dose-reminder/loading
dose-reminder/default	dose-reminder.snooze-button	today/default
dose-reminder/default	dose-reminder.skip-button	today/default
dose-reminder/loading	(auto)	dose-reminder/success
dose-reminder/error	dose-reminder.retry-button	dose-reminder/loading

From	Element	To
dose-reminder/error	dose-reminder.skip-button	today/default
dose-reminder/success	dose-reminder.done-button	today/taken
dose-reminder/success	dose-reminder.undo-button	dose-reminder/default
history/empty	history.empty-button	today/default
history/error	history.retry-button	history/loading
history/loading	(auto)	history/default

Assumptions, open questions and decisions

Assumptions

- Most target users already rely on phone notifications for reminders (*research*)
- Carers want alerts about missed doses rather than every dose (*research*)
- Schedule changes after check-ups are frequent enough to design for (*research*)
- Older users will accept an app if it stays simple and predictable (*research*)
- Most reminders are answered from the notification, so the reminder sheet must work on its own (*architecture*)
- Four tabs (Today, History, Family, Settings) are enough for the first release (*architecture*)
- Carers use the same app, with a Family tab, rather than a separate app (*architecture*)
- 'Not marked' is gentler than 'missed' and accurate, since we only know it wasn't recorded (*content*)
- 10 seconds is long enough to notice a mistaken tap; people can also change an answer from Today (*content*)
- The reminder sheet can be opened directly from a notification action on both iOS and Android (*wireframes*)
- The brand colour is teal; no existing brand guidelines were provided (*design-system*)
- The Today card's large type is acceptable at the largest Dynamic Type sizes if it wraps to two lines (*ui*)

Open questions


- How do carers and the people they support want consent to work, and how is it withdrawn? (*research*)
- How long after a missed reminder should a carer be alerted? (*research*)
- Do people need to record pills taken outside the schedule (as-needed doses) in the first release? (*research*)
- Which accessibility settings do target users actually use day to day? (*research*)
- Should Family be hidden until someone is invited, to keep the app simpler for people who don't need it? (*architecture*)
- Is 'Log a past dose' needed in the first release, or can History be read-only? (*architecture*)
- How long after a due time should the carer alert wait? The copy assumes 1 hour. (*content*)
- Should 'Mark as taken' on Today confirm with an undo toast instead of a separate screen? (*wireframes*)
- Is there a brand colour or logo to use instead of the Material 3 teal? (*design-system*)
- Should the iOS app support Liquid Glass materials in the first release? (*design-system*)
- Should the Dose reminder sheet be dismissible by swipe, or require an answer? (*ui*)

Decision log


- **2026-10-09 06:15** — Project created: Platforms: ios, android. Mode: approve.
- **2026-10-09 06:15** — Run started (run_20261009061521_81345a): Stages: research, architecture, content, wireframes, design-system, ui, critique, prototype. Mode: approve. Replay mode.
- **2026-10-09 06:15** — Research v1 produced: All done-checks passed.
- **2026-10-09 06:15** — Research v1 approved
- **2026-10-09 06:15** — Architecture v1 produced: All done-checks passed.
- **2026-10-09 06:15** — Architecture v1 approved
- **2026-10-09 06:15** — Content v1 produced: All done-checks passed.
- **2026-10-09 06:15** — Content v1 approved
- **2026-10-09 06:15** — Wireframes v1 produced: All done-checks passed.
- **2026-10-09 06:15** — Wireframes v1 approved
- **2026-10-09 06:15** — Design system v1 produced: All done-checks passed.
- **2026-10-09 06:15** — Design system v1 approved
- **2026-10-09 06:15** — UI v1 produced: All done-checks passed.
- **2026-10-09 06:15** — UI v1 approved
- **2026-10-09 06:15** — Critique v1 produced: All done-checks passed.
- **2026-10-09 06:15** — Critique round 1 started (run_20261009061550_b10b6c): Stages: content, wireframes, design-system, ui, critique. Mode: unattended. Replay mode.
- **2026-10-09 06:15** — Content v2 produced: All done-checks passed.
- **2026-10-09 06:15** — Content v2 auto-approved: Unattended run; all done-checks passed.
- **2026-10-09 06:15** — Wireframes v2 produced: All done-checks passed.
- **2026-10-09 06:15** — Wireframes v2 auto-approved: Unattended run; all done-checks passed.
- **2026-10-09 06:15** — Design system v2 produced: All done-checks passed.
- **2026-10-09 06:15** — Design system v2 auto-approved: Unattended run; all done-checks passed.
- **2026-10-09 06:16** — UI v2 produced: All done-checks passed.
- **2026-10-09 06:16** — UI v2 auto-approved: Unattended run; all done-checks passed.
- **2026-10-09 06:16** — Critique v2 produced: All done-checks passed.
- **2026-10-09 06:16** — Critique v2 approved
- **2026-10-09 06:16** — Run started (run_20261009061604_b230b3): Stages: prototype. Mode: approve. Replay mode.
- **2026-10-09 06:16** — Prototype v1 produced: All done-checks passed.

Screens


The first state of each screen, in light mode. The clickable prototype has every state.




Today · default




Add medication · default



Dose reminder · default




History · default




Family · default


Android




Today · default




Add medication · default



Dose reminder · default



History · default



Family · default