

1

A short manual

Below are several features available with the Unbuch setup. Unbuch uses the pandoc markdown syntax. Please see the pandoc documentation for details on that.

Numbered and unnumbered margin notes

To create a side note, use this syntax:¹

To create a side note, use this syntax:[^sidenote1]

[^sidenote1]:

Aenean id risus at nibh fermentum suscipit vel
risus. Fusce ornare, ante eget placerat congue.

To create an unnumbered margin notes, prefix the text with {-}.

To create an unnumbered margin notes,
prefix the text with '{-}'.[^unnumbered-marginnote]

[^unnumbered-marginnote]:

{-} Aenean id risus at nibh fermentum suscipit vel
risus. Fusce ornare, ante eget placerat congue.

¹ Aenean id risus at nibh fermentum
suscipit vel risus. Fusce ornare, ante
eget placerat congue.

Aenean id risus at nibh fermentum
suscipit vel risus. Fusce ornare, ante
eget placerat congue.

Math formulas

You can use inline and display math environments. These are handled by pdf_latex when compiling to pdf, and they're handled by katex when displaying html. Use a single \$ for inline math, and a double \$\$ for display.

$$\langle x, y \rangle \leq \|x\| \cdot \|y\|$$

Custom environments

Unbuch supports custom numbered and unnumbered environments.

Definition 1. *We call a thing a thing.*

Here is an unnumbered environment.

Example. *Something else.*

For this to work properly, the environment `Definition` must be defined as a latex macro. For html these are automatically converted to div classes that can be styled via css.

Citations

Citations go in the margin where they are cited and also appear at the end of the document.²

The syntax for citations is `[@hegel]`. We can also cite multiple papers at once.³ Simply separate multiple citations with a semi-colon: `[@hegel; @nietzsche]`. You see that repeated citations are abbreviated to save space.

² Hegel, *Phänomenologie Des Geistes* (Jospeh Anton Goebhardt, 1807).

³ Hegel; Nietzsche, *Götzen-dämmerung* (Verlag von C. G. Naumann, 1889).

Figures and images

Ideally, create images in both SVG and PDF format. Include them by their `.svg` extension. The compiler will figure out to substitute the pdf version for the pdf compilation. If vector graphics are not available use JPG or PNG. Those are the only other two formats that are supported.




Figure 1: Fancy plot

This image was included as:

```
![Fancy plot](assets/perceptron.svg)
```


Figures and images can go in the margin.⁴

You can specify the width of a figure by appending something like `{width="50%"}`.

This image was included as:

```
![Half width plot](assets/logistic_loss.svg){width="50%"}
```

⁴ Here's an image in the margin.






Figure 2: Half width plot

Tables

Tables work just as they would in pandoc markdown. Nothing is different here.

Table 1: A table of something

A	B	C
1	0	1
1	0	0
0	0	1
1	0	1

Cross references

Unbuch offers a minimalistic syntax for cross references. These aren't full-fledged latex cross references and don't work the same way. You can introduce a cross reference at any point by writing `@{counter:name}`. This will assign a number. You can retrieve this number by writing `@{counter:name}` again later on. You can increment the counter by using the same counter multiple times, e.g., by writing `@{theorem:abc}` and `@{theorem:planar}`. Here's an example:

This markdown snippet will turn out as follows:

Theorem 1. *Curabitur at vestibulum velit. Ut ac turpis purus.*

Theorem 2. $1 + 1 = 2$

We saw in Theorem 2 that $1 + 1 = 2$.

This also works with equations.

$$1 + 1 = 2 \quad (1)$$

References

- Hegel, Georg Wilhelm Friedrich. *Phänomenologie Des Geistes*. Josphe Anton Goebhardt, 1807.
- Nietzsche, Friedrich. *Götzen-dämmerung*. Verlag von C. G. Naumann, 1889.