

Problem-Solution Fit Canvas

Team ID: SWTID-2026-5919

Project Name: Script-Controlled ACL – Restrict Record Access Based on Field Value

1. CUSTOMER SEGMENT(S) [CS]

- ServiceNow administrators
- ServiceNow users who access student records
- Authorized users managing institution details
- Users with different access roles

2. PROBLEMS / PAINS + ITS FREQUENCY [PR]

- Unauthorized users may access student records.
- Users may have more access than required.
- Student records may be viewed or modified without proper authorization.
- **Frequency:** Occurs whenever users access or manage student records without proper access restrictions.

3. TRIGGERS TO ACT [TR]

- Need to protect student information.
- Need to restrict records based on branch.
- Need to provide different permissions to different users.
- Need to prevent unauthorized viewing, editing and deletion.

4. EMOTIONS BEFORE / AFTER [EM]

Before:

- Concerned about unauthorized access.
- Uncertain about record security.
- Worried about improper modifications.

After:

- More secure.
- Confident about access control.
- Satisfied with controlled record access.

5. AVAILABLE SOLUTIONS – PROS & CONS [AS]

Available Solution:

- Basic ServiceNow role-based access control.

Pros:

- Easy to configure.
- Uses built-in ServiceNow security features.
- Provides role-based permissions.

Cons:

- May not provide the required field-based record restriction by itself.
- More detailed access logic may require ACL scripting.

6. CUSTOMER LIMITATIONS [CL]

- Users must work within the ServiceNow platform.
- Access depends on assigned roles.
- Users can only perform operations allowed by the configured ACLs.
- The solution depends on correct user and role configuration.

7. BEHAVIOR + ITS INTENSITY [BE]

- Users log in to ServiceNow and access student records.
- Users attempt to view, create, edit or delete records.
- Users expect access based on their assigned roles and branch.
- **Intensity:** High, because student record access and security are important.

8. CHANNELS OF BEHAVIOR [CH]**Online:**

- ServiceNow application
- ServiceNow forms
- ServiceNow lists
- ServiceNow Developer Instance

Offline:

- Administrator configuration
- Project team testing

- Role and ACL planning

9. PROBLEM ROOT / CAUSE [RC]

- Lack of field-based record-level access control.
- Different users require different levels of permissions.
- Unauthorized users should not access sensitive student records.
- A combination of **user roles and field values** is required to control access.

10. YOUR SOLUTION [SL]

Script-Controlled ACL – Restrict Record Access Based on Field Value

The solution uses **ServiceNow Access Control Lists (ACLs)** with user roles and the **Branch** field to control access to Institution Details records.

The system provides separate access controls for:

- **Read → bb1**
- **Create → bb2**
- **Write → bb3**
- **Delete → bb4**
- **Admin → Full access**

The project document specifically describes using the Branch value and ACL scripts to control access to records.

Final Canvas – Short Version

Section	Content
Customer Segments	ServiceNow administrators and authorized users
Problems / Pains	Unauthorized access to student records
Triggers	Need for secure and controlled record access
Emotions	Concern → Security → Confidence
Available Solutions	ServiceNow role-based access control
Customer Limitations	Role and ACL dependent access
Behavior	View, create, edit and delete records

Section	Content
Channels	ServiceNow application, forms and lists
Root Cause	Lack of field-based record-level access control
Your Solution	Script-Controlled ACL based on roles and Branch field