Problem | Editorial | Submissions | Doubt Support

Row with max 1s

Medium Accuracy: 42.51% Submissions: 88757 Points: 4

Given a boolean 2D array of n x m dimensions where each row is sorted. Find the 0-based index of the first row that has the maximum number of **1's**.

Example 1:

```
Input:
N = 4 , M = 4
Arr[][] = {{0, 1, 1, 1},
           {0, 0, 1, 1},
           {1, 1, 1, 1},
           {0, 0, 0, 0}}
Output: 2
Explanation: Row 2 contains 4 1's (0-based
indexing).
```

Example 2:

```
Input:
N = 2, M = 2
Arr[][] = {{0, 0}, {1, 1}}
Output: 1
Explanation: Row 1 contains 2 1's (0-based
indexing).
```

Your Task:
You don't need to read input or print anything. Your task is to complete the function **rowWithMax1s()** which takes the array of booleans **arr[][], n** and **m** as input parameters and returns the 0-based index of the first row that has the most number of 1s. If no such row exists, return -1.

Expected Time Complexity: O(N+M)
Expected Auxiliary Space: O(1)

Constraints:
1 ≤ N, M ≤ 10^6
0 ≤ Arr[i][j] ≤ 1

C++ (g++ 5.4) Test against custom input

```
            iii) if(we find zero)
                    then store the column number and that row number
            iv) Traverse to next row in same column(straight direction)
            v)
                if(arr[row][column] == 0) continue;
                else{
                    go to step (ii)
                }
            vi) Go to step (v)
    */
    int ansColumn = m;
    int ansRow = 0;
    for(int row = 0; row < n; row++){
        while(ansColumn >= 1 and arr[row][ansColumn - 1] == 1){
            ansColumn--;
            ansRow = row;
        }
    }
    if(ansColumn == m)
        return -1;
    return ansRow;
}

}
```

Output Window

Problem Solved Successfully

Test Cases Passed: **10112** / 10112
Total Points Scored: **4**/4

Company Tags

Topic Tags

Total Time Taken:
Related Courses
0.2/1.74

Your Accuracy: **25%**

View Bookmarked Problems (https://practice.geeksforgeeks.org/explore/?problemType=bookmark)

We are replacing the old Disqus forum with the new Discussions section given below. Click here (https://practice.geeksforgeeks.org/comments/row-with-max-1s0023/1/?rel=https://practice.geeksforgeeks.org/problems/row-with-max-1s0023/1) to view old Disqus comments.

Attempts No.:

4 Discussions (593 Threads)

putyavka 6 hours ago

```
int rowWithMax1s(vector<vector<int>> A, int
    int row = -1, j = m;
    for (int i = 0; i < n && j; i++)
        while (j && A[i][j - 1]) { row = i;
    return row;
}
```

Reply Open Externally

Show 1 Replies

loganishanthcs19 1 day ago

PYTHON SOLUTION
class Solution:
def rowWithMax1s(self,arr, n, m):
large=0

Compile & Run Submit