
Ritsafn RÚBIK Reykjavíkur

RÚBIK Reykjavík ehf

May 14, 2024

CONTENTS:

1	Indices and tables	9
----------	---------------------------	----------

Smá meira dæmi þá æða áfram sýki. asdsdff afasf testing test. $1 + 2 = 9$. Hér verður flott síða. lj lkjlkjlkj. asdf adsfasdf.

Since Pythagoras, we know that $1 + 2 = 9$.

asdf asdfasdf asdf asdf asdf

asdf

```
alert('Hello, World!')
```

$$e^{i\pi} + 1 = 0 \quad (1)$$

Euler's identity, equation (1), was elected one of the most beautiful mathematical formulas.

$$\underline{x} = [x_1, \dots, x_n]^T$$

Setjum $b_y = -6b_x$ inn og fáum:

$$\begin{aligned} 9 &= \sqrt{b_x^2 + b_y^2} \\ 9 &= \sqrt{b_x^2 + b_y^2} \\ &= \sqrt{b_x^2 + (-6b_x)^2} \\ &= \sqrt{b_x^2 + 36b_x^2} \\ &= \sqrt{37b_x^2} \\ &= b_x \sqrt{37} \\ b_x &= \frac{9}{\sqrt{37}} \approx 1.480 \\ b_y &= -6b_x = \frac{-54}{\sqrt{37}} \approx -8.878 \end{aligned}$$

Vigur sem er samsíða $\bar{a} = (-1, 6)$ og hefur lengdina 9 er því

$$\bar{b} = \begin{pmatrix} \frac{9}{\sqrt{37}} \\ \frac{-54}{\sqrt{37}} \end{pmatrix}$$

Dæmi og lausn

Hér er dæmi og lausn

Annað dæmi og lausn sem er hægt að opna og loka

Hér er annað dæmi og lausn

Dæmi og lausn






Fig. 1: test2.tex – lkj lkj lkj lkj lkj lkj lkjlkjlkjlkj lkj lkj lkj lk jlkj lkj lk jlkj lkj lkJ LKJ


test.tex




Verðgólf inn í RST




test2.tex



test3.tex



test4.tex



test_table.tex

level	dof	error
1	4	0.25
2	16	$6.25 \cdot 10^{-2}$
3	64	$1.56 \cdot 10^{-2}$
4	256	$3.91 \cdot 10^{-3}$
5	1,024	$9.77 \cdot 10^{-4}$
6	4,096	$2.44 \cdot 10^{-4}$
7	16,384	$6.10 \cdot 10^{-5}$
8	65,536	$1.53 \cdot 10^{-5}$
9	$2.62 \cdot 10^5$	$3.81 \cdot 10^{-6}$
10	$1.05 \cdot 10^6$	$9.54 \cdot 10^{-7}$


test_table1.tex

level	dof	error
1	4	0.25
2	16	$6.25 \cdot 10^{-2}$
3	64	$1.56 \cdot 10^{-2}$
4	256	$3.91 \cdot 10^{-3}$
5	1,024	$9.77 \cdot 10^{-4}$
6	4,096	$2.44 \cdot 10^{-4}$
7	16,384	$6.10 \cdot 10^{-5}$
8	65,536	$1.53 \cdot 10^{-5}$
9	$2.62 \cdot 10^5$	$3.81 \cdot 10^{-6}$
10	$1.05 \cdot 10^6$	$9.54 \cdot 10^{-7}$


test_table2.tex

	Singular		Plural	
	English	Gaeilge	English	Gaeilge
1st	at me	agam	at us	againn
2st	at you	agat	at you	agaibh
3st	at him	aige	at them	acu
	at her	aici		


test_canvas1.tex - Error and Cost



test_canvas2.tex



test_canvas3.tex



Euler’s identity, asasadsfdfdf equation (1), was elected one of the most

Header 1	Header 2
1	one
1,5	test
2	two

INDICES AND TABLES

- `genindex`
- `modindex`
- `search`