

QORVENA · Bitumen Transport ERP

User Manual (Bilingual · English + తెలుగు)

Version: 1.0 · Feb 2026

Application: QORVENA / Bitumen Transport ERP

Scope: All modules, all workflows, current locked behaviour

This manual describes the application as it exists today. UI labels are kept in English (exactly as they appear in the app); Telugu explanations sit alongside so your local team can follow.

Table of Contents

1. Getting Started · పరిచయం
 2. Dashboard · డాష్బోర్డ్
 3. Masters · మాస్టర్ డేటా
 - 3.1 Customers · కస్టమర్లు (+ Ship-Sites, GSTIN → State)
 - 3.2 Suppliers · సప్లయర్లు (+ Deactivate / Reactivate)
 - 3.3 Consignor · కన్సైగ్నర్
 - 3.4 Vehicles · వాహనాలు
 - 3.5 Drivers · డ్రైవర్లు
 - 3.6 Products · ప్రొడక్ట్స్
 - 3.7 Shortage Policy · షార్ట్‌టేజ్ పాలసీ
 4. Trips · ట్రిప్‌లు
 - 4.1 Creating a Trip · కొత్త ట్రిప్
 - 4.2 Loading · లోడింగ్
 - 4.3 Unloading · అన్‌లోడింగ్
 - 4.4 Freight vs Shortage · ఫ్రైట్ vs షార్ట్‌టేజ్
 - 4.5 Trip Templates · టెంప్లేట్‌లు
 5. Fuel · ఫ్యూయల్
 6. Invoices · ఇన్‌వాయిస్‌లు
 - 6.1 Creating an Invoice · ఇన్‌వాయిస్ create చేయడం
 - 6.2 Ship-To handling · Ship-To నిర్వహణ
 - 6.3 Pre-unload vs Completed-unload · అన్‌లోడ్‌కు ముందు vs తర్వాత
 - 6.4 Invoice PDF · ఇన్‌వాయిస్ PDF (Page X of Y)
 7. Payments · పేమెంట్‌లు
 8. Reports · రిపోర్ట్‌లు
 9. Customer History · కస్టమర్ హిస్టరీ
 10. Files · ఫైల్‌లు
 11. Team & Roles · టీమ్ మరియు రోల్స్
 12. Settings · సెటింగ్స్
 13. Common Real-World Situations · సాధారణ పరిస్థితులు
 14. Form Draft Recovery · ఫారం డ్రాఫ్ట్ రికవరీ
 15. Save Retry / Resilience · Save విఫలమైతే
 16. Troubleshooting · సమస్యలు పరిష్కారం
 17. Do's and Don'ts · ఏం చేయాలి, ఏం చేయకూడదు
-

1. Getting Started · పరీచయం

English: QORVENA is a Bitumen transport ERP that tracks LRs, Trips, Freight, Shortage, Invoices, Payments, Suppliers, Customers, and Reports. It runs in your browser and stores data in the cloud.

తెలుగు: QORVENA అనేది Bitumen transport కోసం ERP. ఇది LR (Lorry Receipt), Trip, Freight, Shortage, Invoice, Payment, Supplier, Customer, Report — అన్నీ track చేస్తుంది. Browser లో run అవుతుంది, data cloud లో save అవుతుంది.

Login · లాగిన్:

1. Open the app URL in your browser.
2. Click **Sign in with Google** (Google account తో login చేయండి).
3. First-time users see the setup wizard for Company details.




2. Dashboard · డాష్బోర్డ్

Purpose · ఉద్దేశం: One-glance business overview — key numbers, top customers, top suppliers, recent activity.

Key Cards / ముఖ్యమైన కార్డులు:

- Total Outstanding** — customers ఎంత pending చెల్లించాలి
- Total Payable** — suppliers కి ఎంత pending pay చేయాలి
- Recent Trips** — తాజా trip records
- Top Suppliers by Outstanding** — ఎక్కువ pending ఉన్న suppliers
- Monthly Freight** — ఈ నెల total freight



3. Masters · మాస్టర్ డేటా

Masters are the foundational records. Set them up correctly ONCE, then all Trips / Invoices / Reports work automatically.

తెలుగు: Masters అంటే — Customers, Suppliers, Vehicles, Drivers, Products మొదలైనవి. వీటిని ఒకసారి సరిగ్గా setup చేస్తే, తర్వాత Trip / Invoice / Report వరకూ automatic గా పనిచేస్తుంది.

3.1 Customers · కస్టమర్లు

Path: `Suppliers → Customers` (left navigation).

Fields / ఫీల్డ్స్:

Field	Telugu	Required?
Name	పేరు	☐
Phone	ఫోన్	☐
GSTIN	జి.ఎస్.టి.ఐ.ఎన్	Optional but recommended
State	రాష్ట్రం	☐ (auto-fills from GSTIN if valid)
Pincode	పిన్ కోడ్	Optional
Opening Balance	ఓపెనింగ్ బ్యాలెన్స్	0 by default

Duplicate check · సరికొత్త చాక్:

The app blocks creating a customer with the same **name + phone** or **same GSTIN** as an existing customer. If you see the "Duplicate detected" warning, use **View existing** instead of creating a new record.

Do NOT · చేయకూడదు:

Do NOT create a duplicate customer to "fix" a spelling mistake — Edit the existing one instead.

Do NOT paste a GSTIN with extra "GSTIN " prefix — the app now cleans it on Save, but keep it neat.

3.1.1 Ship-Sites · షిప్-సైట్స్

Every customer can have multiple **delivery locations** (Ship-Sites). Example: a customer with sites in Nagarkurnool + Karwar.

Path: Customer row → **Ship Sites** action.

Fields:

Site Name · సైట్ పేరు

Address · చిరునామా

GSTIN · జి.ఎస్.టి.ఐ.ఎన్ — when you enter a valid GSTIN, the **State** and **State Code** auto-fill from the first 2 digits (e.g. `36AAUFM1425D1ZC` → Telangana / 36).

State / State Code / PIN — override manually if needed; app warns you if your entry conflicts with the GSTIN-derived state.

Important · ముఖ్యమైనది:

Ship-Site State is INDEPENDENT of Customer State. Customer State ≠ Ship-To State is allowed.

The app never silently copies Customer State onto a Ship-Site. What you enter, is what invoice shows.

[]
/04__.
—.

3.2 Suppliers · సవలయర్లు

Path: `Suppliers → List`.

Fields: Similar to Customers — Name, Phone, GSTIN, State, PAN, opening balance.

Duplicate check: same name + phone or same GSTIN is blocked.

3.2.1 Deactivate / Reactivate

Business need · అవసరం: A supplier who no longer works with you should be hidden from active screens BUT their historical trips + invoices must remain intact.

How to Deactivate · deactivate ఎలా చేయాలి:

1. Suppliers → **List** tab (not the dashboard).
2. Find the active supplier row.
3. Click the red **Deactivate** button (right-most column).
4. A modal shows any linked vehicles / trips / payments (dependency counts).
5. Enter a reason (mandatory) and click **Deactivate**.

How to Reactivate:

1. Toggle **Show Inactive** at the top-left.
2. Inactive suppliers appear in grey.
3. Click the green **Reactivate**.

Permissions · అనుమతులు: Only **Owner** or **Admin** roles can Deactivate/Reactivate. Other roles get a 403 error toast.

Do NOT:

Do NOT delete a supplier record — always Deactivate. Deleting would break historical invoices.

[]
/05__.
—.

3.3 Consignor · కన్సైనర్

Consignors are the parties who dispatch the product. Similar create/edit flow. Used when the consignor differs from the customer being billed.

3.4 Vehicles · వాహనాలు

Track each truck / tanker.

Fields: Vehicle number, capacity (MT), current supplier, insurance/permit expiry, RC number.

Duplicate check: same vehicle number is blocked.

3.5 Drivers · డ్రైవర్లు

Fields: Name, phone, licence number/expiry, associated supplier, salary/policy.

3.6 Products · ప్రొడక్ట్లు

E.g. Bitumen VG 40, VG 30, Emulsion. Each product carries:

Rate per MT — used when calculating shortage deductions.

Allowance % — the acceptable shortage window (Product Master or Customer Custom Allowance can override).

3.7 Shortage Policy · షార్ట్‌టేజ్ పాలసీ

Every trip snapshots the customer's shortage policy at trip-creation time. Common methods:

Net Shortage — deduct only the amount ABOVE the allowance

Full Shortage after Limit — deduct the entire shortage once the allowance is crossed

Policy changes on the Customer master do NOT retroactively change historical trips — they only apply to NEW trips going forward. This is intentional and protects your books.

4. Trips · ట్రిప్‌లు

4.1 Creating a Trip · కొత్త ట్రిప్

Path: Trips → Add (top-right +).

Sections:

1. Basics — Date, Vehicle, Driver, Customer, Consignor.
2. Loading — From location, Product, Loading Qty (MT), LR number.
3. Freight — Freight mode (Per Ton / Fixed / Round Trip), Rate.
4. Unloading (fill later) — Unload Date, Unload Qty, To location, Ship-Site.
5. Advances / Diesel from Customer — money you gave the driver.
6. Halting (fill after unload) — arrival date, waiting days.

Save · సేవ్:

Click Save Trip. Green toast confirms.

If your network is slow, the app retries automatically (Idempotency-Key protects against double-submit).

4.2 Loading · లోడింగ్

Enter the loading quantity in MT (tons). LR number should be unique per company.

4.3 Unloading · అన్‌లోడింగ్

IMPORTANT · ముఖ్యమైనది:

Unloading fields (Unload Date + Unload Qty) can be filled LATER, after the vehicle actually reaches the destination and unloading is done.

Unload Qty (in MT) — actual quantity that came out of the tanker.

Unload Date — the calendar date of unloading.

If you leave these blank because unloading hasn't happened yet, the invoice will correctly show `—` for Actual Short / Allowance / Net Short. **The app does NOT treat blank unload as zero unload.**

4.4 Freight vs Shortage · ఫ్రైట్ vs షార్ట్

These are TWO different business states:

When?	Freight	Shortage
Loading complete, dispatched	☐ Calculated	☐ Not available yet
Vehicle unloaded, qty entered	☐	☐ Calculated using existing policy

Rule · నియమం: Freight is available as soon as loading is done. Shortage is only meaningful after actual unloading data is entered. **Do NOT** invent an Unload Qty just to see a shortage number — leave it blank until you actually know.

4.5 Trip Templates · ట్రిప్ టెంప్లేట్లు

For repetitive routes (same customer, same product, same rate), save a **Template** so next time one click fills the whole form. Path: `Trips → Templates`.

5. Fuel · ఫ్యూయల్

Track fuel purchases and issues to vehicles. Optional but useful for costing.

6. Invoices · ఇన్వాయిస్లు

6.1 Creating an Invoice · ఇన్వాయిస్ create చేయడం

Path: `Invoices → Create`.

Steps · నేటివ్లు:

1. Select **Customer**.
2. Filter Trips (date range, ship-site).
3. **Tick the trips** to include.
4. Set **Invoice Date** and **Invoice Number** (or auto-generate).
5. Click **Preview**.
6. Click **Save**.

Invoice numbering: The app auto-generates the next number per company (e.g. `AKB/26-27/0018`). You can override once, but don't reuse a number.

6.2 Ship-To handling · Ship-To నిర్వహణ

The invoice header shows a single **Ship To** block if all selected trips point to the SAME physical delivery site — even when one trip has an explicit `ship_site_id` and another only has a `to_location` string that clearly matches the same site (name / pincode / address).

If the selected trips go to genuinely different Ship-Sites, the invoice shows:

"Mixed destinations — see trip rows below"

And each trip row prints its own Ship-To detail. This is intentional and protects invoice accuracy.

6.3 Pre-unload vs Completed-unload · అన్‌లోడ్ కు ముందు vs తర్వాత

You CAN raise an invoice as soon as the vehicle is dispatched — you don't have to wait for unloading.

Pre-unload invoice · అన్‌లోడ్ కు ముందు invoice:

Load MT ☐ actual value

Unload MT · Unload Date · Actual Short · Allowance · Net Short — all `—`

Freight — correctly calculated

Invoice total = Freight + Tax (no shortage deducted)

After unloading is entered, the shortage engine runs automatically and the invoice can be regenerated to reflect the actual short/allowance/net.

Do NOT · చేయకూడదు:

Do NOT enter `Unload Qty = 0` to force-close a trip. Leave it blank until the real number is known. `0` MT will be treated as a real zero-unloaded value — a total loss — which is almost never what you want.

6.4 Invoice PDF · ఇన్‌వాయిస్ PDF (Page X of Y)

Every invoice PDF shows **Page X of Y** in the bottom-right corner of every page:

1-page invoice → `Page 1 of 1`

2-page invoice → `Page 1 of 2` / `Page 2 of 2`

Long invoices flow across as many pages as needed.

Signature block appears only on the LAST page.

GSTIN: The Ship-To GSTIN is cleaned automatically — even if it was originally stored with prefix "GSTIN " or extra tabs, the PDF now displays only the 15-char GSTIN.

[]
/10__
..

7. Payments · పేమెంట్లు

Record customer receipts and supplier payments.

Path: `Payments → Add`.

Fields: Party (customer/supplier), amount, mode (cash/bank/UPI/cheque), reference, date, receipt/voucher number.

The app updates the party's balance immediately.

8. Reports · రిపోర్ట్లు

Path: `Reports` — a menu of pre-built reports:

- LR Register** — every LR with load/unload/freight/shortage
- Customer Statement** — invoice-wise ledger with running balance
- Supplier Settlement** — trip-wise settlement with driver/supplier splits
- GSTR-1 Ready** — invoice-wise GST summary
- Cash Flow** — receipts vs payments by date
- P&L** — freight income vs costs

Each report has date filters and Export to Excel / PDF.

9. Customer History · కస్టమర్ హిస్టరీ

Deep-drill single customer view: all trips, invoices, payments, running balance on one page. Also shows outstanding age buckets (0-30, 30-60, 60-90, 90+ days).

10. Files · ఫైల్లు

Attach documents (LR scans, delivery challans, driver docs) to trips / suppliers / drivers. Files are stored securely in cloud object storage.

11. Team & Roles · టీమ్ మరియు రోల్స్

Path: `Team`.

Roles · హతీరలు:

Owner · యజమాని — full access + Team management + Supplier Deactivate
Admin · అడ్మిన్ — most write access + Supplier Deactivate
Manager · మేనేజర్ — create/edit trips/invoices/payments; no Deactivate
Accountant · అకౌంటెంట్ — invoice & payment access; read-only masters
Viewer · వ్యూయర్ — read-only

Owner invites team members by email. Members log in via Google.

12. Settings · సెట్టింగ్స్

Path: `Settings`.

Company — legal name, address, PAN, GSTIN, bank details (used on Invoice PDF header + bottom)
Numbering — invoice number format
Products — see 3.6
Shortage policy — see 3.7
Notifications — email digests

13. Common Real-World Situations · సాధారణ పరిస్థితులు

Situation · పరిస్థితి	What to do · ఏం చేయాలి
Driver called; unloaded qty confirmed	Open trip → Unloading section → enter Unload Qty + Unload Date → Save. Then regenerate invoice PDF.
Customer says GSTIN was wrong on invoice	Edit the customer's GSTIN → app auto-updates State → regenerate the invoice. Do NOT edit invoice number.
Supplier retired; don't want in dropdowns	Suppliers → List → Deactivate. Old trips remain.
Ship-Site State was wrong	Edit Ship-Site → GSTIN auto-suggests correct State. Only future invoices reflect the change; already-issued invoices stay historical unless you re-open + Save them.
Vehicle broke down mid-trip; no unloading yet	Save the trip with Load MT and blank Unload. Invoice can still be raised for freight; shortage stays <code>></code> .
Duplicate customer created accidentally	Merge is not automatic. Deactivate the wrong one, move trips manually if needed. Ask an Admin.

14. Form Draft Recovery · ఫారం డ్రాఫ్ట్ రికవరీ

If your browser closes or the tab crashes while filling a Trip / Customer / Invoice form, the app **auto-saves a local draft**.

Next time you open that form, you'll see a subtle "Restore draft?" banner. Click it to restore your entries.

Important: drafts live in the browser only — they don't sync across devices. Save the form as soon as you're done to persist to cloud.

15. Save Retry / Resilience · Save విఫలమైతే

Every Save call carries a unique **Idempotency-Key**. If your network flickers and the app retries automatically:

The server recognises the duplicate and does NOT create two records.

You'll see one green toast, not two.

Business data stays consistent.

If a Save toast never appears, wait a moment — the app is retrying. If it still doesn't succeed after ~30s, refresh the page (Ctrl+Shift+R) and check whether the record was actually saved before re-entering.

16. Troubleshooting · సమస్యలు పరిష్కారం

Symptom · లక్షణం	Likely cause · కారణం	Fix · పరిష్కారం
"Duplicate detected"	Same name+phone or same GSTIN exists	Search & open the existing record
"REFRESHING..." pill visible	Backend health probe temporarily failing (often after browser sleep/wake)	Wait ~15 s; if persistent, Ctrl+Shift+R
Invoice PDF shows old State	Ship-Site wasn't saved with the new State	Edit Ship-Site → Save → regenerate invoice
Shortage shows <code>—</code> unexpectedly	Trip's Unload Qty is blank/0	Enter actual Unload Qty; shortage will auto-appear
Actual Short = full Load MT	Old cached invoice PDF	Hard-reload (Ctrl+Shift+R); latest engine will show <code>—</code> for pre-unload
Amber "App update available" nudge	A newer build has shipped	Click it — your drafts are preserved
403 on Supplier Deactivate	You're not Owner/Admin	Ask Owner to do it

17. Do's and Don'ts · ఏం చేయాలి, ఏం చేయకూడదు

□ DO

Set up all Masters (Customers, Vehicles, Drivers, Products) FIRST.
Use Ship-Sites for multi-location customers.
Enter GSTIN cleanly — the app will auto-fill State.
Leave Unload fields blank until the vehicle is actually unloaded.
Regenerate invoice PDFs after data corrections.
Use Trip Templates for repetitive routes.

❏ DO NOT

Do NOT delete old suppliers/customers — always Deactivate.
Do NOT enter `Unload Qty = 0` when unloading is pending.
Do NOT create duplicate customers — search & edit the existing record.
Do NOT hard-refresh during a Save — wait for the confirmation toast.
Do NOT reuse invoice numbers — the app blocks this, but avoid trying.
Do NOT modify Ship-Site State on historical customers expecting old invoices to change — they won't unless re-saved.
Do NOT share your Google login — invite team members with their own emails.

Appendix A · Keyboard Shortcuts

`Ctrl + K` — global search
`Ctrl + Shift + R` — force reload (use only if UI is stuck)
`Esc` — close any modal

Appendix B · Support

For questions about the application:

Check this manual first.
Contact your Owner / Admin.
For production support, email `bitumentra@gmail.com`.

End of manual · Version 1.0 · Feb 2026

QORVENA · Bitumen Transport ERP