

Codility

CodeCheck Report: trainingTYFC35-G89

Test Name:

[Check out Codility training tasks](#)

Summary

Timeline

Tasks summary

Task	Time spent	Score
MinAbsSum Python	4 min	54%

Total score



Tasks Details

Hard	1. MinAbsSum	Task Score	Correctness	Performance	
	Given array of integers, find the lowest absolute sum of elements.			100%	0%
		54%			

Task description

For a given array A of N integers and a sequence S of N integers from the set $\{-1, 1\}$, we define $\text{val}(A, S)$ as follows:

$$\text{val}(A, S) = |\text{sum}\{A[i] * S[i] \text{ for } i = 0..N-1\}|$$

(Assume that the sum of zero elements equals zero.)

For a given array A , we are looking for such a sequence S that minimizes $\text{val}(A, S)$.

Write a function:

```
def solution(A)
```

that, given an array A of N integers, computes the

Solution

Programming language used: Python

Total time used: 4 minutes



Effective time used: 4 minutes



Notes: *not defined yet*

Task timeline



minimum value of $\text{val}(A, S)$ from all possible values of $\text{val}(A, S)$ for all possible sequences S of N integers from the set $\{-1, 1\}$.

For example, given array:

```
A[0] = 1
A[1] = 5
A[2] = 2
A[3] = -2
```

your function should return 0, since for $S = [-1, 1, -1, 1]$, $\text{val}(A, S) = 0$, which is the minimum possible value.

Write an **efficient** algorithm for the following assumptions:

- N is an integer within the range $[0..20,000]$;
- each element of array A is an integer within the range $[-100..100]$.

Copyright 2009–2023 by Codility Limited. All Rights Reserved.
Unauthorized copying, publication or disclosure prohibited.



13:15:58

13:19:54

Code: 13:19:53 UTC, py, [show code in pop-up](#)
final, score: 54

```
1 # you can write to stdout for debugging
2 # print("this is a debug message")
3
4 def solution(A):
5     # Implement your solution here
6     # pass
7     total_sum = sum(A)
8     min_val = float('inf')
9
10    # Iterate over all possible subsets
11    for i in range(1 <= len(A)):
12        subset_sum = 0
13        for j in range(len(A)):
14            if i & (1 <= j):
15                subset_sum += A[j]
16            min_val = min(min_val, abs(subset_sum))
17
18    return min_val
19
```

Analysis summary

The following issues have been detected: timeout errors.

Analysis

Detected time complexity: $O(N^2 * \max(\text{abs}(A)))$

expand all	Example tests	
▶	example1 example test	✓ OK
expand all	Correctness tests	
▶	simple1 simple 1	✓ OK
▶	simple2 simple 2	✓ OK
▶	simple3 simple 3	✓ OK
▶	range range 2..20	✓ OK
▶	extreme empty and single element	✓ OK
▶	functional small functional test	✓ OK

expand all	Performance tests	
▶	medium1 medium random	✗ TIMEOUT ERROR Killed. Hard limit reached: 6.000 sec.
▶	medium2 multiples of 10 + 5	✗ TIMEOUT ERROR Killed. Hard limit reached: 6.000 sec.
▶	big1 multiples of 5 + 42	✗ TIMEOUT ERROR Killed. Hard limit reached: 9.000 sec.
▶	big3 all 4s and one 3	✗ TIMEOUT ERROR Killed. Hard limit reached: 6.000 sec.
▶	big4 multiples of 10	✗ TIMEOUT ERROR Killed. Hard limit reached: 11.000 sec.