



ABLESTACK Online Docs
ABLESTACK-V4.0-4.0.15

DB/Usage 서버

DB/Usage 서버

개요

ABLESTACK Mold 서비스에 사용되는 데이터베이스의 통계 및 사용 서버의 통계정보를 확인할 수 있습니다.

DB/Usage 서버 현황

1. 데이터베이스 통계 및 사용 서버 통계를 확인합니다.

The screenshot shows the 'DB/Usage 서버' (DB/Usage Server) status page. The left sidebar contains a navigation menu with items like '계정', '도메인', '인프라스트럭처', '요약', 'Zone', 'Pod', '클러스터', '호스트', '기본 스토리지', '2차 스토리지', 'Object 스토리지', '시스템 VM', '가상 라우터', '내부 LB', '관리 서버', '재난 복구 클러스터', 'CPU 소켓', 'DB/Usage 서버', '알림', '서비스 오퍼링', '구성', '도구', and 'API 문서'. The 'DB/Usage 서버' item is highlighted. The main content area is divided into two panels. The left panel, titled '데이터베이스 통계', shows a table of database statistics. The right panel, titled '사용 서버 통계', shows a table of usage server statistics. Both tables have columns for '이름' (Name) and '값' (Value). The database statistics table includes rows for 'collectiontime', 'hostname', 'connection attempts since start', 'uptime in seconds', 'tlsversions', 'version', 'versioncomment', 'queries', 'queries/second over the latest stats collection period', 'queries/seconds-2', and 'queries/seconds-3'. The usage server statistics table includes rows for 'collectiontime', 'hostname', 'state', 'lastheartbeat', and 'lastsuccessfuljob'. A note at the bottom of the usage server statistics panel states: '참고: 활성 사용 작업을 소유한 사용 서버만 여기에 표시됩니다.' (Note: Only usage servers with active usage jobs are displayed here.)

이름	값
collectiontime	2025. 4. 2. 오전 11:29:45
hostname	localhost
connection attempts since start	649559
uptime in seconds	5004784
tlsversions	TLSv1.2,TLSv1.3
version	8.0.36
versioncomment	Source distribution
queries	294812382
queries/second over the latest stats collection period	98
queries/seconds-2	203
queries/seconds-3	58

이름	값
collectiontime	2025. 4. 2. 오전 11:30:39
hostname	ccvm/10.10.22.10
state	Up
lastheartbeat	2025. 4. 2. 오전 11:29:55
lastsuccessfuljob	2025. 4. 2. 오전 8:59:59

참고: 활성 사용 작업을 소유한 사용 서버만 여기에 표시됩니다.

ABLESTACK Online Docs