



ABLESTACK Online Docs
ABLESTACK-V4.0-4.0.15

모니터

모니터

개요

Glue 클러스터의 핵심 구성 요소로, 클러스터 상태를 관리하고 전체 맵 정보를 유지하는 역할을 합니다.

클러스터 내의 각 구성 요소들 (OSD, MDS, MGR 등)의 상태와 변경 사항을 기록하고 공유합니다. 일반적으로 클러스터의 안정성과 일관성을 유지하기 위해 홀수 개의 MON 구성을 권장합니다.

본 페이지에서는 각 MON의 이름, IP 주소, 상태, 리더 여부 등을 확인할 수 있으며, 클러스터 전반의 정상 동작 여부를 판단하는데 활용됩니다. MON이 불안정할 경우 클러스터 전체가 영향을 받을 수 있으므로, 지속적인 모니터링이 필요합니다.

모니터 조회(Monitors)

1. 모니터에 대한 상태 및 우선 순위, 해당 서비스가 활성화가 되어 있는 호스트를 확인할 수 있습니다.

The screenshot displays the ABLSTACK web interface for monitoring cluster monitors. The left sidebar contains navigation links for Dashboard, Cluster, Hosts, Local Disk, Monitor (selected), Services, Storage Devices, Settings, Cluster Map, Ceph Users, Logs, Alerts, Upgrade, Data Tools, Block Devices, NFS, File System, and Object Gateway. The main content area is titled 'Cluster > Monitors' and shows the '상태' (Status) section with details for the cluster ID, map version, and quorum. The 'Quorum에 포함' (Included in Quorum) table lists three monitors (scvm1, scvm2, scvm3) with their ranks, public addresses, and status. The 'Quorum에 미포함' (Not included in Quorum) section shows no data.

이름	순위	Public 주소	활성 여부
scvm1	0	100.100.33.11:6789/0	
scvm2	1	100.100.33.12:6789/0	
scvm3	2	100.100.33.13:6789/0	

ABLESTACK Online Docs