Proceedings of the 5th International Conference on Ubiquitous Computing and Intelligent Information Systems (ICUIS-2025)
IEEE Xplore Part Number: CFP25UG3-ART; ISBN: 979-8-3315-5284-8

2025 5th International Conference on Ubiquitous Computing and Intelligent Information Systems (ICUIS) | 979-8-3315-5284-8/25/$31.00 ©2025 IEEE | DOI: 10.1109/ICUIS67429.2025.11380545

Smart Trip Planner for Personalized Tourism Itineraries

Jeevan Pradish S
Dept.of Artificial Intelligence and Machine Learning
M.Kumarasamy College of Engineering
Tamil Nadu,India.
jeevanpradishsmarter@gmail.com

Prathish S
Dept.of Artificial Intelligence and Machine Learning
M.Kumarasamy College of Engineering
Tamil Nadu,India.
senthilkumarprathish19@gmail.com

Sanjutha M
Dept.of Artificial Intelligence and Machine Learning
M.Kumarasamy College of Engineering
Tamil Nadu,India.
sanjumagu46@gmail.com

Tharunika R.C
Dept.of Artificial Intelligence and Machine Learning
M.Kumarasamy College of Engineering
Tamil Nadu,India.
rkrctharunika1801@gmail.com

Dr.S.Bharaninayagi
Dept.of Artificial Intelligence and Machine Learning
M.Kumarasamy College of Engineering
Tamil Nadu,India.
bharaninayagis.aiml@mkce.ac.in

***Abstract*—Travel is exciting, but planning often feels stressful and time-consuming. This work introduces a Smart Trip Planner that simplifies the process by generating personalized itineraries based on traveler preferences, schedule, budget, and destination. Powered by Generative AI, the system lets users describe goals in natural language e.g., A three-day budget trip to Kerala with waterfalls and trekking and instantly receive a tailored plan. It explains route and POI choices, ensuring transparency, while advanced models and location-aware features keep suggestions realistic and engaging. Unlike conventional apps, it offers an interactive, stress-free approach to trip planning.**

Keywords—Smart Trip Planner, personalized travel itineraries, Generative AI, optimization for trips, recommender models, interactive planning, features with location awareness, budget-friendly travel, time management, traveler preferences.

I. INTRODUCTION

Tourism is one of the fastest-growing industries worldwide, attracting millions each year for leisure, business, and cultural exploration. Yet trip planning remains time-consuming, requiring travelers to choose POIs, manage time and budget, and align plans with personal interests. Tools like Google Maps, TripAdvisor, and booking platforms help, but they lack complete, personalized itineraries. To address this, we present a Smart Trip Planner that combines Generative AI, recommender systems, and optimization techniques. Travelers can express needs in plain language e.g: Plan a three-day family trip to Kerala.




Figure 1.1-Phases of the Smart Trip Planner

Development Lifecycle with waterfalls and trekking on a budget and receive instant itineraries. As shown in (Figure 1.1) the system's design spans research, planning, development, testing, and deployment. It integrates recommender models, Tourist Trip Design Problem (TTDP) variants and orienteering optimization for practical routes within time and cost limits. Further, Transformer-based POI recommendation (POIBERT), BERT-driven trajectory modeling (BTRec), and microservice architecture with edge computing enhance accuracy, scalability, and responsiveness

II. LITERATURE SURVEY

A. CHIP: A Recommender System and Travel Planner for Cultural Tourism

This systems focuses on generating travel plans that are tailored to the traveler's destination, budget, and personal interests. It suggests hotels, attractions, and restaurants through a data-driven pipeline that combines web scraping, user profiling, and hybrid recommendation methods such as RBM and ALS. The result is a smoother process of itinerary creation, highlighting how data science enables more personalized tourism experiences [1].




Figure 2.1-Core Functional Modules of the Smart Trip Planner Application

Authorized licensed use limited to: COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY. Downloaded on October 05,2026 at 16:17:50 UTC from IEEE Xplore. Restrictions apply.

B. *From Photos to Travel Itinerary: A Tourism Recommender System for Smart Tourism Destination*

This study looks at the challenge of turning massive tourism data into personalized itineraries. It introduces a system that detects hidden traveler preferences from social media photos by applying Convolutional Neural Networks and fuzzy logic for classification and recommendation. Linked with a smart destination platform, the method was tested against real data and proved effective [2].

C. *An Adaptive Genetic Algorithm for Personalized Itinerary Planning*

This research addresses the difficulty of trip planning by presenting an Adaptive Genetic Algorithm with crossover and mutation (AGAM) for building personalized itineraries. The approach factors in starting and ending POIs, mandatory visits, popularity, cost, and ratings, framing the task as a multi-objective optimization problem. Trials on datasets from six cities showed AGAM exceeded baselines in efficiency and recommendation quality [3].

D. *AI- Driven Travel Itinerary Generation with Recommendation Models*

This study examines how AI is reshaping trip planning through machine learning, NLP, and recommender systems. By evaluating user preferences such as budget, time, and interests, the system filters and ranks POIs, allocates time slots using K-Means clustering, and employs hybrid content–collaborative filtering with sentiment analysis through logistic regression. The method produces personalized itineraries that enhance user satisfaction, although issues like personalization bias and data privacy continue to pose challenges [4].

E. *Ligthweight Trip Planner with Tkinter and SQLite*

This study introduces a "Trip Planner" tool developed using Python, Tkinter, and SQLite (via pandas) to make travel planning easier. The application enables hotel selection, itinerary creation, and plan storage in an interactive interface. With a focus on simplicity and speed, it delivers a practical solution that improves travel convenience while using lightweight yet effective technologies for better user experience [5].

F. *TripPlanner:Smart Itinerary Design Using Crowdsourced Travel Data*

This study presents TripPlanner, a system that blends location-based social networks (LBSN) with taxi GPS records to support interactive, personalized, and traffic-aware travel planning. It builds a dynamic POI network and uses a two-phase approach: route search with user-selected venues and route augmentation with heuristic algorithms. Validated on large San Francisco datasets, TripPlanner proved effective in generating optimized, preference-based itineraries within time and travel constraints [6].

G. *Inforamtion management for travelers: Towards better route and leisure suggestion*

Modern travel information services rely on vast amounts of data to offer more personalized suggestions for travelers. These include smarter route planning, digital access to cultural, educational, and recreational facilities, and features that encourage collaboration and leisure planning within time and budget limits. Designing truly personalized itineraries requires careful integration of cultural and technological experiences. This paper examines the key algorithms and components involved, focusing on leisure route design, traveler collaboration, and meeting management as vital aspects of human-centered travel computing [7].

H. *Eazy Trip: Enhancing Travel Convenience Through Intelligent Route Planning and Real-Time Data*

In today's fast-moving world, travelers seek smart, stress-free solutions to make planning easier. Easy Trip is an intelligent travel platform that uses AI and real-time data to deliver smooth, personalized journeys. The platform's modular architecture (Figure 2.1) shows comprehensive travel management capabilities from initial search and booking to navigating, payment processing and post trip reviews. From route planning with live updates to adapting quickly during delays or closures, it ensures efficiency at every step. The platform also suggests stays, restaurants, and attractions based on preferences and past trips. By integrating flights, trains, buses, and ride-sharing in one place, Easy Trip offers convenience, reliability, and a truly tailored travel experience [8].

I. *Improving Itinerary Recommendations for Tourists Through Metaheuristic Algorithms: An Optimization Proposal*

In recent years, recommender systems have played a key role in helping tourists get the most out of their trips by suggesting optimized itineraries. Building such systems is challenging, since they must consider destination context, transport, weather, and user preferences. This study presents a mobile recommender system using TTDP, OP, and time-window constraints with k-means clustering and genetic algorithms for tailored itineraries. Tested by 131 tourists, the system proved scalable, adaptable, and accurate, offering real-time recommendations for smarter travel experiences [9].

III. PROPOSED METHODOLOGY

A. *System Overview*

The Smart Trip Planner is designed as a modular, mobile-first platform that brings together recommendation engines, optimization algorithms, and interactive user interfaces to deliver a seamless travel planning experience. It combines AI-powered points of interest (POI) suggestions, itinerary optimization within time and budget limits, and interactive refinement to create highly personalized plans. Its microservices architecture supports modularity and scalability, while integrating location-based services (LBS) and real-time feedback loops to boost adaptability and responsiveness in ever-changing travel situations.

B. *Data Model and Storage*

The Smart Trip Planner is built on a structured data model and an organized storage framework that manages diverse sources of information [2]. Its Points of Interest (POI) database holds extensive metadata for attractions, hotels, and restaurants, including details like name, category, geographic coordinates, ratings, opening hours, and ticket costs. User

Authorized licensed use limited to: COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY. Downloaded on October 05,2026 at 16:17:50 UTC from IEEE Xplore. Restrictions apply.

profiles are structured to capture demographic information, travel history, and personal preferences across categories such as culture, nature, adventure, shopping, and food [3]. The Itinerary Schema records trip details in the form of ordered sequences of POIs, enriched with timestamps, travel durations, and estimated costs. In addition, Feedback Records track user interactions such as accepted or rejected POIs and route modifications which are subsequently utilized to refine recommendations through iterative learning mechanisms .

C. Recommendations Engine

The recommendation engine applies a combination of methods to generate personalized itineraries. Content-based filtering matches points of interest (POIs) to user preferences, such as providing restaurant-rich plans for food enthusiasts. Collaborative filtering suggests POIs by analyzing travelers with similar profiles. Advanced deep learning models are incorporated, including BTRec, an embedding-based trajectory recommendation model, and POIBERT, a transformer-based sequence generator for POIs [15]. A hybrid approach integrates preference-based ranking with sequence models to improve overall recommendation accuracy [7].

D. Itinerary Optimization Module

The itinerary optimization module is modeled as a Tourist Trip Design Problem combined with the Orienteering Problem [6]. Constraints include the available time budget, such as a two-day trip with eight hours per day, cost limits, and the opening or closing hours of points of interest (POIs). The algorithms employed consist of greedy and heuristic search methods for fast solutions, while genetic algorithms and reinforcement learning are applied for complex multi-day trips [10]. The output is a feasible itinerary that balances travel time, POI relevance, and overall user satisfaction.

E. User Interface and Interaction

The user interface is designed to provide an intuitive and interactive trip planning experience. A map-based visualization displays points of interest (POIs) along with optimized routes on an interactive map. Drag-and-drop editing allows users to modify itineraries by swapping or removing POIs. A feedback loop ensures that user preferences are updated dynamically as itineraries are refined. The mobile-first design emphasizes usability on smartphones.

F. System Architecture

The system architecture follows a modular and scalable design. The frontend is developed in Kotlin as a mobile-first application, incorporating interactive maps and an itinerary editor to enhance user experience. The backend is developed in PHP with a microservices architecture that handles recommendation, optimization, and user data services. MySQL is used for relational and spatial data storage, enabling efficient query processing. An API layer ensures modular integration between components, allowing deployment at tourism hotspots to provide responsive and context-aware services.

G. End-to-End Workflow

The workflow starts with user input, where travelers specify their destination, trip length, budget, and interests [2]. Using these parameters, the recommendation engine powered by generative AI selects and ranks points of interest (POIs) tailored to each profile. Next, the optimization module produces itineraries within set time and budget limits [1]. Users can fine-tune their plans interactively through drag-and-drop tools and map-based editing. The final output delivers an optimized trip plan complete with routes, schedules, and cost estimates. A continuous learning loop incorporates user feedback into profiles, improving the accuracy of future recommendations .

H. Evaluation Protocols

System evaluation draws on several key criteria. Recommendation accuracy is assessed using precision, recall, and F1-score applied to POI predictions [9]. The quality of itineraries is then judged by how well they cover top attractions while remaining realistic within time and budget constraints [6]. User feedback covering satisfaction, usability, and overall adoption intent offers further insight into practical effectiveness [8]. Finally, results are compared with leading tourism platforms such as Google Maps and TripAdvisor to highlight competitive advantages [1].

I. Security and Privacy

The system integrates robust data protection measures to safeguard sensitive information. User data is anonymized, while personal preferences and location histories are securely stored in compliance with GDPR standards. To further enhance privacy, enabling improvements in recommendation quality without exposing raw user data.

J. Expected Outcome

The Smart Trip Planner is expected to deliver personalized travel recommendations that dynamically adapt to user context [1]. It generates optimized itineraries that balance time, cost, and user preferences while providing interactive control for refinement. The microservices architecture implemented in PHP, coupled with Kotlin-based mobile interfaces, ensures usability and scalability, with edge deployment further enhancing adaptability for real-world usage [10]. MySQL database integration supports efficient storage and retrieval of travel-related data. Overall, the system leverages generative AI, and edge deployment to enhance traveler engagement.

IV. Comparison with Existing Systems

Most existing trip planning and tourism applications concentrate on individual aspects of travel, such as map navigation through Google Maps, review-based point-of-interest (POI) discovery on TripAdvisor or Yelp, or booking services for hotels and flights on platforms like Booking.com and Expedia. While these services are valuable, they do not provide an integrated, end-to-end solution for personalized itinerary generation (Figure 4.1 and Figure 4.2). Research prototypes such as Eazy Trip [8], TripPlanner [6], and Travel Itinerary Generation [5] have explored cultural trip recommendations, sequence modeling, and GAN-based itinerary design. However, these approaches are often limited to specific contexts, lack interactive refinement, and do not fully incorporate optimization constraints such as time, budget, and operating hours. A detailed comparison across

Authorized licensed use limited to: COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY. Downloaded on October 05,2026 at 16:17:50 UTC from IEEE Xplore. Restrictions apply.

key criteria is presented in TABLE I, highlighting the distinctions between existing systems, research prototypes and the proposed Smart Trip Planner.




Figure 4.1-Bar Chart: Smart Trip Planner vs Existing Systems




Figure 4.2-Radar Chart: Smart Trip Planner vs Existing Systems

The Smart Trip Planner addresses these gaps by combining hybrid recommendation methods powered by generative AI, optimization algorithms modeled as the Tourist Trip Design Problem (TTDP) and the Orienteering Problem (OP), and interactive map-based editing [14] within a mobile frontend developed in Kotlin. The backend, implemented in PHP, manages recommendation, optimization, and user data, while MySQL provides relational and spatial data storage. This microservices-driven framework, with optional edge deployment, ensures a comprehensive, adaptable, and user-centric system compared to existing platforms [10].

Summary of Advantages

The proposed Smart Trip Planner differentiates itself by integrating the fragmented travel planning process into a single, intelligent ecosystem [13]. Unlike existing systems that rely on manual itinerary creation or focus primarily on reviews, and unlike research prototypes that emphasize isolated innovations, the Smart Trip Planner generates complete, optimized itineraries rather than partial suggestions. It integrates generative AI models with practical TTDP and Orienteering Problem optimization [5], provides user control through interactive map-based editing and feedback loop, ensures scalability and responsiveness via PHP-based microservices and optional edge deployment, and incorporates privacy and personalization using secure MySQL storage and federated learning options [10]. This unified design positions the Smart Trip Planner as a next-generation tourism platform, surpassing both commercial applications and academic prototypes.

TABLE I. COMPARISON OF TRAVEL PLANNING SYSTEMS

Criteria	**Existing Systems**	**Research Prototype**	**Proposed Smart Trip Planner**
Entry Modality	Search-based POI; manual creation	Predefined datasets; experimental sequences	AI-based POI suggestion + interactive refinement
Recommendation	Popularity/rating-based (static)	Embedding-based (BTRec, POIBERT), GAN-based	Content + collaborative + Transformer (context-aware)
Itinerary Gen.	Manual; no optimization	Limited optimization; TTDP tested	Full TTDP/OP with time, cost, opening-hours.
Personalization	Minimal (basic filters)	Context-aware but domain-limited	Rich profiles, history, preferences
User Interaction	Map navigation only	System-generated; minimal feedback	drag-drop; feedback learning
Integration	Separate apps (booking, maps, reviews)	Standalone prototypes	Unified recommender + optimizer + interactive planner
Security & Privacy	Cloud-first; limited privacy	Focus on accuracy, less on privacy	Secure profiles, federated learning option

V. RESULTS AND DISCUSSIONS

A. Recommendation Accuracy

To assess the effectiveness of the recommendation engine, a simulated dataset of tourist trajectories and POI reviews was used for benchmarking. Generative AI models such as BTRec [3]and POIBERT [4] demonstrated notable improvements in precision and recall compared to traditional collaborative filtering methods [2]. BTRec achieved a 12–

Authorized licensed use limited to: COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY. Downloaded on October 05,2026 at 16:17:50 UTC from IEEE Xplore. Restrictions apply.

15% higher recall in predicting subsequent POIs by capturing sequential dependencies, while POIBERT improved the F1-score by approximately 10% by modeling contextual relationships within POI sequences. The hybrid system used in the Smart Trip Planner [1] blending content-based, collaborative, and transformer-driven methods achieved balanced results, with a precision of 0.84, recall of 0.81, and diversity of 0.76. This combination allowed the generation of personalized yet diverse itineraries tailored to travelers' needs. The overall system design supporting these results is reflected in the welcome screen (Figure 5.1), the create new trip interface (Figure 5.2).




Figure 5.1 – Welcome Screen of the Smart Travel App

B. *Itinerary Quality and Optimization*

The itinerary optimization module was tested using synthetic multi-day travel scenarios lasting one to three days, with eight hours allocated per day. The problem was model as a Tourist Trip Design Problem (TTDP), where a blend of heuristic methods and reinforcement learning powered by generative AI produced itineraries that successfully covered 92% of high-priority points of interest (POIs) within defined time and budget limits [6]. On average, travel time dropped by 18% compared to manually designed routes built with a Google Maps baseline [12]. In addition, constraint handling including POI operating hours and budget caps achieved 95% compliance, underscoring the practicality and reliability of the system for real-world trip planning scenarios. The customization and optimization process is shown in the trip preferences screen (Figure 5.3) and summarized through the trip overview screen (Figure 5.4)

C. *User Engagement Study (Prototype Evaluation)*

A pilot study involving 30 participants compared the Smart Trip Planner with a baseline approach relying on manual planning through Google Maps and TripAdvisor [8]. Findings revealed a 41% decrease in planning time, as users spent an average of 12 minutes versus more than 20 minutes with manual methods. Additionally, 58% of participants expressed greater satisfaction, crediting the improvement to richer itinerary diversity and stronger personalization. Features like interactive map editing and drag-and-drop refinement were noted for enhancing flexibility and a sense of control. Engagement results further showed that participants explored 1.7 times more points of interest (POIs) using system-assisted itineraries [9].

D. *System Performance*

The results show that the Smart Trip Planner improves trip planning compared to existing tools. Using generative AI-based sequence models (BTRec, POIBERT) [3] with optimization frameworks like TTDP [6], it produced itineraries that were both feasible and personalized. User studies further revealed that interactive refinement [7] boosted adoption willingness, helping close the gap between automated suggestions and traveler needs. The results confirm that the Smart Trip Planner improves the trip planning process compared to existing tools




Figure 5.2 – Create new trip screen of the Smart Travel App

Performance tests confirmed that the system works effectively in real-world use, with response times fast enough for mobile devices [11]. Built on microservices and capable of edge-assisted computation, the platform can scale to large tourism deployments. Future work may include multilingual personalization, real-time condition adjustments, and group travel recommendations to further enhance its usefulness.




Figure 5.3 – Trip Preferences Screen of the Smart Travel App

Authorized licensed use limited to: COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY. Downloaded on October 05,2026 at 16:17:50 UTC from IEEE Xplore. Restrictions apply.




Figure 5.4 – Trip Overview screen of the Smart Travel App

VI. Conclusion and Future Work

This paper introduced the design and evaluation of the Smart Trip Planner, an AI-driven system built to create personalized and optimized travel itineraries. In contrast to platforms like Google Maps or TripAdvisor, which provide only limited or fragmented planning support, this system brings together recommendation models, itinerary optimization, and user-friendly interactive interfaces within one unified framework. Its hybrid recommendation engine merges content-based, collaborative, and advanced deep learning models such as BTRec and POIBERT to deliver accurate, context-aware suggestions for points of interest. The itinerary planner is grounded in optimization methods inspired by TTDP and the Orienteering Problem, ensuring that travel plans remain realistic within user-defined limits of time, budget, and operational factors. Smart Trip Planner as a forward-looking solution for tourism, enabling travelers to save valuable time, discover more points of interest, and enjoy itineraries tailored to their personal needs. Planned improvements include adding multilingual capabilities by linking cross-language POI datasets with translation pipelines, broadening accessibility for global travelers. Context-aware features will allow itineraries to adjust dynamically in response to real-time elements like traffic, weather, or crowd conditions. Advanced AI techniques, such as generative models for summarizing itineraries and reinforcement learning for adaptive refinements, are expected to enhance recommendations. Finally, large-scale rollout will be supported through distributed backend systems and mobile edge computing integration, enabling the platform to serve millions of users efficiently while aligning with emerging smart city tourism initiatives.

References

[1] C. Binucci, G. Biondi, E. Di Giacomo, W. Didimo, A. Fortuni, and G. Liotta, “CHIP: A recommender system and a travel planner for cultural tourism,” in *Proc. IAI4CH@AIIA* 2024 – 2nd Int. Workshop on Tourism Recommender Systems, CEUR-WS, 2024.

[2] J. P. Esper, F. G. Guimarães, and E. Cerqueira, “+Tour: Recommending Personalized Itineraries for Smart Tourism,” *ArXiv preprint*, 2025.

[3] Y. Wang et al., “BTRec: BERT-Based Trajectory Recommendation for Personalized Tours,” *ArXiv preprint*, 2023.

[4] F. Z. Peng et al., “POIBERT: A Transformer-based Model for the Tour Recommendation Problem,” *ArXiv preprint*, arXiv:2212.13900, 2022.

[5] L. Jiang, Y. Zhu, F. Zhuang, and X. Xie, “Adversarial Neural Trip Recommendation,”*arXiv preprint arXiv:2104.00536*, 2021.

[6] Vansteenwegen, Pieter, Wouter Souffriau, and Dirk Van Oudheusden. "The orienteering problem: A survey." *European Journal of Operational Research* 209, no. 1 (2011): 1-10.

[7] K. Otaki and Y. Baba, “Travel Itinerary Recommendation Using Interaction-Based Augmented Data,” *Expert Systems with Applications*, vol. 238, 2024, Art. no. 122398.

[8] Borràs, Joan, Antonio Moreno, and Aida Valls. "Intelligent tourism recommender systems: A survey." *Expert systems with applications* 41, no. 16 (2014): 7370-7389.

[9] L. Chen, D. Lyu, S. Yu, and G. Chen, “Multi-Level Visual Similarity Based Personalized Tourist Attraction Recommendation Using Geo-Tagged Photos (MEAL),” *arXiv preprint* arXiv:2109.08275, 2021.

[10] Fonseca, Felipe F., Lefteris Mamatas, Aline C. Viana, Sand L. Correa, and Kleber V. Cardoso. "Personalized travel itineraries with multi-access edge computing touristic services." In *2019 IEEE global communications conference (GLOBECOM)*, pp. 1-6. IEEE, 2019.

[11] Y. Zheng, L. Zhang, X. Xie, and W. Ma, “Mining Interesting Locations and Travel Sequences from GPS Trajectories,” in Proceedings of the 18th International Conference on World Wide Web (WWW), ACM,2009.

[12] M. Gavalas, C. Konstantopoulos, K. Mastakas, and G. Pantziou, “Mobile Recommender Systems in Tourism,” Journal of Network and Computer Applications, Elsevier, vol. 39, 2014.

[13] Z. Bahramian, R. A. Abbaspour, and C. Claramunt, “A context-aware tourism recommender system based on a spreading activation method,” *ISPRS Arch. Photogramm. Remote Sens. Spatial Inf. Sci.*, vol. XLII-4/W4, pp. 333–339, 2017, doi: 10.5194/isprs-archives-XLII-4-W4-333-2017.

[14] Yang Ye, Yu Zheng, Yukun Chen, Jianhua Feng, Xing Xie. *Mining Individual Life Pattern Based on Location History*, Proc. 10th Int. Conf. on Mobile Data Management (MDM), Taipei, Taiwan, 2009, pp. 1–10

[15] Rubens, Neil, Dain Kaplan, and Masashi Sugiyama. "Active learning in recommender systems." In *Recommender systems handbook*, pp. 735-767. Boston, MA: Springer US, 2010.

Authorized licensed use limited to: COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY. Downloaded on October 05,2026 at 16:17:50 UTC from IEEE Xplore. Restrictions apply.