

14:54:20.442	Connection Closed	<pre> connectionId: mc1WST6qJF s ite: us-east-1- A mode: clean connectionSo urce: { "sourceIp": "3.235.183.80", "x-geoip": "US,Ashburn,39.046900,-77. 490300", "user-agent": "Amazon CloudFront" } auth: { "typ e": "Basic", "keyName": "X0JDHg.dSx83w", "isTls": true } </pre>
14:54:14.142	Connection Closed	<pre> connectionId: ynj870KxrE s ite: us-east-1- A mode: clean connectionSo urce: { "sourceIp": "3.235.183.80", "x-geoip": "US,Ashburn,39.046900,-77. 490300", "user-agent": "Amazon CloudFront" } auth: { "typ e": "Basic", "keyName": "X0JDHg.dSx83w", "isTls": true } </pre>
14:54:14.095	Connection Closed	<pre> connectionId: wZHenc9031 s ite: us-east-1- A mode: clean connectionSo urce: { "sourceIp": "3.235.183.80", "x-geoip": "US,Ashburn,39.046900,-77. 490300", "user-agent": "Amazon CloudFront" } auth: { "typ e": "Basic", "keyName": "X0JDHg.dSx83w", "isTls": true } </pre>
14:54:13.866	Connection Closed	<pre> connectionId: MZfdc2UQau s ite: us-east-1- A mode: clean connectionSo urce: { "sourceIp": "3.237.242.13", "x-geoip": "US,Ashburn,39.046900,-77. 490300", "user-agent": "Amazon CloudFront" } auth: { "typ e": "Basic", "keyName": "X0JDHg.dSx83w", "isTls": true } </pre>

14:54:13.862	Connection Closed	<pre> connectionId: qDiC- ze_9S site: us-east-1- A mode: clean connectionSo urce: { "sourceIp": "3.237.242.13", "x-geoip": "US,Ashburn,39.046900,-77. 490300", "user-agent": "Amazon CloudFront" } auth: { "typ e": "Basic", "keyName": "X0JDHg.dSx83w", "isTls": true } </pre>
14:54:13.853	Connection Closed	<pre> connectionId: B5bHJf_ahc s ite: us-east-1- A mode: clean connectionSo urce: { "sourceIp": "3.237.242.13", "x-geoip": "US,Ashburn,39.046900,-77. 490300", "user-agent": "Amazon CloudFront" } auth: { "typ e": "Basic", "keyName": "X0JDHg.dSx83w", "isTls": true } </pre>
14:53:38.531	Connection Closed	<pre> connectionId: ynj870KxrE s ite: us-east-1- A mode: clean connectionSo urce: { "sourceIp": "3.235.183.80", "x-geoip": "US,Ashburn,39.046900,-77. 490300", "user-agent": "Amazon CloudFront" } auth: { "typ e": "Basic", "keyName": "X0JDHg.dSx83w", "isTls": true } </pre>
14:52:20.438	Transport Closed	<pre> connectionId: mc1WST6qJF s ite: us-east-1- A mode: clean transport: { " id": "76", "type": "web_socket" } </pre>
14:52:14.157	Transport Closed	<pre> connectionId: ynj870KxrE s ite: us-east-1- A mode: resume transport: { "id": "2d392", "type": "web_socket" } </pre>
14:52:14.095	Transport Closed	<pre> connectionId: wZHenc9031 s ite: us-east-1- A mode: resume transport: { "id": "c9c3", "type": "web_socket" } </pre>
14:52:13.864	Transport Closed	<pre> connectionId: MZfdc2UQau s ite: us-east-1- A mode: clean transport: { " id": "2da92", "type": "web_socket" } </pre>

14:52:13.856	Transport Closed	<pre> connectionId: qDiC- ze_9S site: us-east-1- A mode: resume transport: { "id": "2c99e", "type": "web_socket" } </pre>
14:52:13.853	Transport Closed	<pre> connectionId: B5bHJf_ahc s ite: us-east-1- A mode: resume transport: { "id": "c94d", "type": "web_socket" } </pre>
14:51:50.508	Transport Opened	<pre> connectionId: mc1WST6qJF s ite: us-east-1- A mode: clean connectionSo urce: { "sourceIp": "3.235.183.80", "x-geoip": "US,Ashburn,39.046900,-77. 490300", "user-agent": "Amazon CloudFront" } auth: { "typ e": "Basic", "keyName": "X0JDHg.dSx83w", "isTls": true } transport: { "id": "76", "type": "web_socket" } </pre> <p>expand</p>
14:51:50.507	Connection Opened	<pre> connectionId: mc1WST6qJF s ite: us-east-1- A mode: clean connectionSo urce: { "sourceIp": "3.235.183.80", "x-geoip": "US,Ashburn,39.046900,-77. 490300", "user-agent": "Amazon CloudFront" } auth: { "typ e": "Basic", "keyName": "X0JDHg.dSx83w", "isTls": true } </pre>

<p>14:51:50.341</p>	<p>Transport Opened</p>	<pre> connectionId: 19DaZhMB1E s ite: us-east-1- A mode: clean connectionSo urce: { "sourceIp": "74.65.252.242", "origin": "https://daystripe.com", "x-geoiip": "US,Queens,40.573900,-73.8 41000", "user-agent": "Mozilla/5.0 (iPhone; CPU iPhone OS 16_6 like Mac OS X) AppleWebKit/605.1.15 (KHTML, like Gecko) Version/16.6 Mobile/15E148 Safari/ 604.1" } auth: { "type": "Bearer", "keyName": "X0JDHg.dSx83w", "isTls": true } transport: { "id": "3252e", "type": "web_socket" } expand </pre>
<p>14:51:50.341</p>	<p>Connection Opened</p>	<pre> connectionId: 19DaZhMB1E s ite: us-east-1- A mode: clean connectionSo urce: { "sourceIp": "74.65.252.242", "origin": "https://daystripe.com", "x-geoiip": "US,Queens,40.573900,-73.8 41000", "user-agent": "Mozilla/5.0 (iPhone; CPU iPhone OS 16_6 like Mac OS X) AppleWebKit/605.1.15 (KHTML, like Gecko) Version/16.6 Mobile/15E148 Safari/ 604.1" } auth: { "type": "Bearer", "keyName": "X0JDHg.dSx83w", "isTls": true } expand </pre>
<p>14:51:49.928</p>	<p>Transport Closed</p>	<pre> connectionId: 36qtwF0egM s ite: us-east-1- A mode: clean transport: { "id": "2cdef", "type": "web_socket" } </pre>

<p>14:51:49.928</p>	<p>Connection Closed</p>	<pre> connectionId: 36qtwF0egM s ite: us-east-1- A mode: clean connectionSo urce: { "sourceIp": "74.65.252.242", "origin": "https://daystripe.com", "x-geoip": "US,Queens,40.573900,-73.8 41000", "user-agent": "Mozilla/5.0 (iPhone; CPU iPhone OS 16_6 like Mac OS X) AppleWebKit/605.1.15 (KHTML, like Gecko) Version/16.6 Mobile/15E148 Safari/ 604.1" } auth: { "type": "Bearer", "keyName": "X0JDHg.dSx83w", "isTls": true } expand </pre>
<p>14:51:44.131</p>	<p>Transport Opened</p>	<pre> connectionId: ynj870KxrE s ite: us-east-1- A mode: resume connectionsS ource: { "sourceIp": "3.235.183.80", "x-geoip": "US,Ashburn,39.046900,-77. 490300", "user-agent": "Amazon CloudFront" } auth: { "typ e": "Basic", "keyName": "X0JDHg.dSx83w", "isTls": true } transport: { "id": "2d392", "type": "web_socket" } expand </pre>
<p>14:51:44.130</p>	<p>Connection Opened</p>	<pre> connectionId: ynj870KxrE s ite: us-east-1- A mode: resume connectionsS ource: { "sourceIp": "3.235.183.80", "x-geoip": "US,Ashburn,39.046900,-77. 490300", "user-agent": "Amazon CloudFront" } auth: { "typ e": "Basic", "keyName": "X0JDHg.dSx83w", "isTls": true } </pre>

14:51:44.093	Transport Opened	<pre> connectionId: wZHenc9031 s ite: us-east-1- A mode: resume connections ource: { "sourceIp": "3.235.183.80", "x-geoip": "US,Ashburn,39.046900,-77. 490300", "user-agent": "Amazon CloudFront" } auth: { "typ e": "Basic", "keyName": "X0JDHg.dSx83w", "isTls": true } transport: { "id": "c9c3", "type": "web_socket" } </pre> expand
14:51:44.042	Transport Opened	<pre> connectionId: 36qtwF0egM s ite: us-east-1- A mode: clean connectionSo ource: { "sourceIp": "74.65.252.242", "origin": "https://daystripe.com", "x-geoip": "US,Queens,40.573900,-73.8 41000", "user-agent": "Mozilla/5.0 (iPhone; CPU iPhone OS 16_6 like Mac OS X) AppleWebKit/605.1.15 (KHTML, like Gecko) Version/16.6 Mobile/15E148 Safari/ 604.1" } auth: { "type": "Bearer", "keyName": "X0JDHg.dSx83w", "isTls": true } transport: { "id": "2cdef", "type": "web_socket" } </pre> expand
14:51:44.042	Connection Opened	<pre> connectionId: 36qtwF0egM s ite: us-east-1- A mode: clean connectionSo ource: { "sourceIp": "74.65.252.242", "origin": "https://daystripe.com", "x-geoip": "US,Queens,40.573900,-73.8 41000", "user-agent": "Mozilla/5.0 (iPhone; CPU iPhone OS 16_6 like Mac OS X) AppleWebKit/605.1.15 (KHTML, like Gecko) Version/16.6 Mobile/15E148 Safari/ 604.1" } auth: { "type": "Bearer", "keyName": "X0JDHg.dSx83w", "isTls": true } </pre> expand

14:51:43.866	Transport Opened	<pre> connectionId: MZfdc2UQau s ite: us-east-1- A mode: clean connectionSo urce: { "sourceIp": "3.237.242.13", "x-geoip": "US,Ashburn,39.046900,-77. 490300", "user-agent": "Amazon CloudFront" } auth: { "typ e": "Basic", "keyName": "X0JDHg.dSx83w", "isTls": true } transport: { "id": "2da92", "type": "web_socket" } expand </pre>
14:51:43.866	Connection Opened	<pre> connectionId: MZfdc2UQau s ite: us-east-1- A mode: clean connectionSo urce: { "sourceIp": "3.237.242.13", "x-geoip": "US,Ashburn,39.046900,-77. 490300", "user-agent": "Amazon CloudFront" } auth: { "typ e": "Basic", "keyName": "X0JDHg.dSx83w", "isTls": true } </pre>
14:51:43.852	Transport Opened	<pre> connectionId: qDiC- ze_9S site: us-east-1- A mode: resume connections ource: { "sourceIp": "3.237.242.13", "x-geoip": "US,Ashburn,39.046900,-77. 490300", "user-agent": "Amazon CloudFront" } auth: { "typ e": "Basic", "keyName": "X0JDHg.dSx83w", "isTls": true } transport: { "id": "2c99e", "type": "web_socket" } expand </pre>
14:51:43.850	Transport Opened	<pre> connectionId: B5bHJf_ahc s ite: us-east-1- A mode: resume connections ource: { "sourceIp": "3.237.242.13", "x-geoip": "US,Ashburn,39.046900,-77. 490300", "user-agent": "Amazon CloudFront" } auth: { "typ e": "Basic", "keyName": "X0JDHg.dSx83w", "isTls": true } transport: { "id": "c94d", "type": "web_socket" } expand </pre>

14:51:43.595	Transport Closed	connectionId: fDhqIAvcP4 s ite: us-east-1- A mode: clean transport: { "id": "2b577", "type": "web_socket" }
14:51:43.595	Connection Closed	connectionId: fDhqIAvcP4 s ite: us-east-1- A mode: clean connectionSo urce: { "sourceIp": "74.65.252.242", "origin": "https://daystripe.com", "x-geoip": "US,Queens,40.573900,-73.8 41000", "user-agent": "Mozilla/5.0 (iPhone; CPU iPhone OS 16_6 like Mac OS X) AppleWebKit/605.1.15 (KHTML, like Gecko) Version/16.6 Mobile/15E148 Safari/ 604.1" } auth: { "type": "Bearer", "keyName": "X0JDHg.dSx83w", "isTls": true } expand
14:51:38.654	Transport Closed	connectionId: B5bHJf_ahc s ite: us-east-1- A mode: clean transport: { "id": "c801", "type": "web_socket" }
14:51:38.532	Transport Closed	connectionId: ynj870KxrE s ite: us-east-1- A mode: clean transport: { "id": "2cf6f", "type": "web_socket" }
14:51:38.516	Transport Closed	connectionId: qDiC- ze_9S site: us-east-1- A mode: clean transport: { "id": "2c7ed", "type": "web_socket" }
14:51:38.513	Transport Closed	connectionId: wZHenc9031 s ite: us-east-1- A mode: clean transport: { "id": "c888", "type": "web_socket" }

<p>14:51:08.764</p>	<p>Transport Opened</p>	<pre> connectionId: fdHqIAvcP4 s ite: us-east-1- A mode: clean connectionSo urce: { "sourceIp": "74.65.252.242", "origin": "https://daystripe.com", "x-geoip": "US,Queens,40.573900,-73.8 41000", "user-agent": "Mozilla/5.0 (iPhone; CPU iPhone OS 16_6 like Mac OS X) AppleWebKit/605.1.15 (KHTML, like Gecko) Version/16.6 Mobile/15E148 Safari/ 604.1" } auth: { "type": "Bearer", "keyName": "X0JDHg.dSx83w", "isTls": true } transport: { "id": "2b577", "type": "web_socket" } expand </pre>
<p>14:51:08.764</p>	<p>Connection Opened</p>	<pre> connectionId: fdHqIAvcP4 s ite: us-east-1- A mode: clean connectionSo urce: { "sourceIp": "74.65.252.242", "origin": "https://daystripe.com", "x-geoip": "US,Queens,40.573900,-73.8 41000", "user-agent": "Mozilla/5.0 (iPhone; CPU iPhone OS 16_6 like Mac OS X) AppleWebKit/605.1.15 (KHTML, like Gecko) Version/16.6 Mobile/15E148 Safari/ 604.1" } auth: { "type": "Bearer", "keyName": "X0JDHg.dSx83w", "isTls": true } expand </pre>
<p>14:51:08.658</p>	<p>Transport Opened</p>	<pre> connectionId: B5bHJf_ahc s ite: us-east-1- A mode: clean connectionSo urce: { "sourceIp": "3.237.242.13", "x-geoip": "US,Ashburn,39.046900,-77. 490300", "user-agent": "Amazon CloudFront" } auth: { "typ e": "Basic", "keyName": "X0JDHg.dSx83w", "isTls": true } transport: { "id": "c801", "type": "web_socket" } expand </pre>

14:51:08.657	Connection Opened	<pre> connectionId: B5bHJf_ahc s ite: us-east-1- A mode: clean connectionSo urce: { "sourceIp": "3.237.242.13", "x-geoip": "US,Ashburn,39.046900,-77. 490300", "user-agent": "Amazon CloudFront" } auth: { "typ e": "Basic", "keyName": "X0JDHg.dSx83w", "isTls": true } </pre>
14:51:08.544	Transport Opened	<pre> connectionId: ynj870KxrE s ite: us-east-1- A mode: clean connectionSo urce: { "sourceIp": "3.235.183.80", "x-geoip": "US,Ashburn,39.046900,-77. 490300", "user-agent": "Amazon CloudFront" } auth: { "typ e": "Basic", "keyName": "X0JDHg.dSx83w", "isTls": true } transport: { "id": "2cf6f", "type": "web_socket" } </pre> <p>expand</p>
14:51:08.543	Connection Opened	<pre> connectionId: ynj870KxrE s ite: us-east-1- A mode: clean connectionSo urce: { "sourceIp": "3.235.183.80", "x-geoip": "US,Ashburn,39.046900,-77. 490300", "user-agent": "Amazon CloudFront" } auth: { "typ e": "Basic", "keyName": "X0JDHg.dSx83w", "isTls": true } </pre>
14:51:08.518	Transport Opened	<pre> connectionId: qDiC- ze_9S site: us-east-1- A mode: clean connectionSo urce: { "sourceIp": "3.237.242.13", "x-geoip": "US,Ashburn,39.046900,-77. 490300", "user-agent": "Amazon CloudFront" } auth: { "typ e": "Basic", "keyName": "X0JDHg.dSx83w", "isTls": true } transport: { "id": "2c7ed", "type": "web_socket" } </pre> <p>expand</p>

14:51:08.518	Connection Opened	<pre> connectionId: qDiC- ze_9S site: us-east-1- A mode: clean connectionSo urce: { "sourceIp": "3.237.242.13", "x-geoip": "US,Ashburn,39.046900,-77. 490300", "user-agent": "Amazon CloudFront" } auth: { "typ e": "Basic", "keyName": "X0JDHg.dSx83w", "isTls": true } </pre>
14:51:08.516	Transport Opened	<pre> connectionId: wZHenc9031 s ite: us-east-1- A mode: clean connectionSo urce: { "sourceIp": "3.235.183.80", "x-geoip": "US,Ashburn,39.046900,-77. 490300", "user-agent": "Amazon CloudFront" } auth: { "typ e": "Basic", "keyName": "X0JDHg.dSx83w", "isTls": true } transport: { "id": "c888", "type": "web_socket" } expand </pre>
14:51:08.515	Connection Opened	<pre> connectionId: wZHenc9031 s ite: us-east-1- A mode: clean connectionSo urce: { "sourceIp": "3.235.183.80", "x-geoip": "US,Ashburn,39.046900,-77. 490300", "user-agent": "Amazon CloudFront" } auth: { "typ e": "Basic", "keyName": "X0JDHg.dSx83w", "isTls": true } </pre>
14:51:08.213	Transport Closed	<pre> connectionId: QYdRGVEuFs s ite: us-east-1- A mode: clean transport: { "id": "2758f", "type": "web_socket" } </pre>

14:51:08.213	Connection Closed	connectionId: QYdRGVEuFs s ite: us-east-1- A mode: clean connectionSo urce: { "sourceIp": "74.65.252.242", "origin": "https://daystripe.com", "x-geoip": "US,Queens,40.573900,-73.8 41000", "user-agent": "Mozilla/5.0 (iPhone; CPU iPhone OS 16_6 like Mac OS X) AppleWebKit/605.1.15 (KHTML, like Gecko) Version/16.6 Mobile/15E148 Safari/ 604.1" } auth: { "type": "Bearer", "keyName": "X0JDHg.dSx83w", "isTls": true } expand
14:50:32.312	Channel Opened	name: all_users_matching_c channel channelId: all_user s_matching_channel status: { "isActive": true, "occupancy": { "metrics": { "connections": 1, "publishers": 1, "subscribers": 1, "presenceConnections": 1, "presenceMembers": 0, "presenceSubscribers": 1 } } }
14:50:32.078	Channel Region Active	name: all_users_matching_c channel channelId: all_user s_matching_channel status: { "isActive": true, "occupancy": { "metrics": { "connections": 0, "publishers": 0, "subscribers": 0, "presenceConnections": 0, "presenceMembers": 0, "presenceSubscribers": 0 } } } region: us-east-1-A
14:50:20.621	Channel Closed	name: all_users_matching_c channel channelId: all_user s_matching_channel status: { "isActive": false, "occupancy": null }
14:50:20.620	Channel Region Inactive	name: all_users_matching_c channel channelId: all_user s_matching_channel status: { "isActive": false, "occupancy": null } region: us-east-1-A

14:50:11.710	Connection Closed	<pre> connectionId: 2LaNOe_32D s ite: us-east-1- A mode: clean connectionSo urce: { "sourceIp": "3.235.183.80", "x-geoip": "US,Ashburn,39.046900,-77. 490300", "user-agent": "Amazon CloudFront" } auth: { "typ e": "Basic", "keyName": "X0JDHg.dSx83w", "isTls": true } </pre>
14:50:09.273	Connection Closed	<pre> connectionId: dgeAYuEVss s ite: us-east-1- A mode: clean connectionSo urce: { "sourceIp": "3.235.183.80", "x-geoip": "US,Ashburn,39.046900,-77. 490300", "user-agent": "Amazon CloudFront" } auth: { "typ e": "Basic", "keyName": "X0JDHg.dSx83w", "isTls": true } </pre>
14:50:09.137	Connection Closed	<pre> connectionId: d1YG4onNaN s ite: us-east-1- A mode: clean connectionSo urce: { "sourceIp": "3.237.242.13", "x-geoip": "US,Ashburn,39.046900,-77. 490300", "user-agent": "Amazon CloudFront" } auth: { "typ e": "Basic", "keyName": "X0JDHg.dSx83w", "isTls": true } </pre>
14:50:06.182	Current Client	Connection "connected" with connectionId: LoTo6c9H01
14:50:05.878	Current Client	Connection "connected"
14:50:05.732	Current Client	Connection "connecting"
14:50:05.731	Current Client	Connection "connecting"