

实验:

1.

4). max: 1.505.

min: 0.2 μ W,

$$\Rightarrow I = 2687.5.$$

(2) ① 偏 + 无液 = -8.5° -9°
有液 24.5° 69°
 $\delta = 83^\circ$ 78°


②

	$\theta_{eq.}$	I_{max}	I_{min}	I_{max}/I_{min}
max	351°	0.806 mW	13.8 μ W	
min	305°	0.851 mW	0.6 μ W	
max	257°	0.859 mW	10.5 μ W	
min	218°	0.844 mW	0.5 μ W	
max	170°	0.815 mW	13.4 μ W	
min	125°	0.869 mW	0.4 μ W	
max	83°	0.841 mW	12.8 μ W	
min	34°	0.858 mW	0.6 μ W	


2. 11.5V $\rightarrow 100\%$
 240V $\rightarrow \min$,

$$11.5 \times 0.9 = 10.35$$

same $\rightarrow 3.4$




特性:



$$\beta = 1.08$$

响应:




$$T_{on} = 11.6ms$$

$$T_{off} = 10.1ms$$

appear: 8.74V
 disappear: None

$$d = \frac{d}{\sin \theta}$$



$$x = 1.3 \text{ cm} \quad r = 11.4 \text{ cm}$$

$$\sin \theta \approx \frac{x}{r}$$

$$d = \frac{\lambda r}{x} = 650 \text{ nm} \times \frac{11.4}{1.3}$$
$$= 5.7 \mu\text{m}$$

BSZ