The UDUNITS-2 C API

Copyright 2014 University Corporation for Atmospheric Research and contributors. All rights reserved.

This software was developed by the Unidata Program Center of the University Corporation for Atmospheric Research (UCAR) http://www.unidata.ucar.edu.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1) Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. 2) Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. 3) Neither the names of the development group, the copyright holders, nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission. 4) This license shall terminate automatically and you may no longer exercise any of the rights granted to you by this license as of the date you commence an action, including a cross-claim or counterclaim, against the copyright holders or any contributor alleging that this software infringes a patent. This termination provision shall not apply for an action alleging patent infringement by combinations of this software with other software or hardware.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE SOFTWARE.

Table of Contents

1	Synopsis	1
2	What's a Unit Package Good For?	5
3	Unit-Systems 3.1 Obtaining a Unit-System 3.2 Extracting Units from a Unit-System 3.3 Adding Units to a Unit-System 3.4 Adding Unit-Prefixes to a Unit-System 3.5 Miscelaneous Operations on Unit-Systems	. 6 . 7 . 8 . 9
4	Converting Values Between Units	11
5	Parsing a String into a Unit	13
6 7	6.1 Unit Specification Examples	14 14
8		19
9	9.1 Names	25 26
10	0 The Handling of Time	28
1	1 Error Handling	29
1:	2 The Units Database	31
1	3 Data Types	32
Τı	ndev	22

1 Synopsis

```
Coding:
```

```
#include <udunits2.h>
      const char*
                                 [ut_get_path_xml()], page 6(const char* path);
      ut_system*
                                 [ut_read_xml()], page 7(const char* path);
                                 [ut_new_system()], page 7(void);
      ut_system*
                                  [ut_free_system()], page 10(ut_system* sys-
      void
                                 tem);
                                 [ut_get_system()], page 22(const ut_unit* unit);
      ut_system*
                                  [ut_get_dimensionless_unit_one()],
      ut_unit*
                                page 8(const ut_system* system);
                                  [ut_get_unit_by_name()], page 7(const ut_system* sys-
      ut_unit*
                                tem, const char* name);
      ut_unit*
                                 [ut_get_unit_by_symbol()], page 8(const ut_system* sy
                                tem, const char* symbol);
                                 [ut_set_second()], page 10(const ut_unit* sec-
      ut_status
                                ond);
                                  [ut_add_name_prefix()], page 9(ut_system* sys-
      ut_status
                                tem, const char* name, double value);
      ut_status
                                  [ut_add_symbol_prefix()], page 9(ut_system* sys-
                                tem, const char* symbol, double value);
                                 [ut_new_base_unit()], page 8(ut_system* sys-
      ut_unit*
                                tem);
      ut_unit*
                                  [ut_new_dimensionless_unit()],
                                page 9(ut_system* system);
                                  [ut_clone()], page 22(const ut_unit* unit);
      ut_unit*
                                 [ut_free()], page 19(ut_unit* unit);
      void
                                  [ut_get_name()], page 21(const ut_unit* unit, ut_enco
      const char*
                                 coding);
```

```
[ut_map_name_to_unit()], page 25(const char* name, co
ut_status
                          coding, const ut_unit* unit);
                           [ut_unmap_name_to_unit()], page 25(ut_system* sys-
ut_status
                          tem, const char* name, const ut_encoding en-
                          coding);
ut_status
                           [ut_map_unit_to_name()], page 25(const ut_unit* unit,
                          coding);
                           [ut_unmap_unit_to_name()], page 26(const ut_unit* uni
ut_status
                          coding);
const char*
                           [ut_get_symbol()], page 22(const ut_unit* unit, ut_en
                          coding);
ut_status
                           [ut_map_symbol_to_unit()], page 26(const char* sym-
                          bol, const ut_encoding encoding, const ut_unit* unit);
ut_status
                           [ut_unmap_symbol_to_unit()], page 26(ut_system* sys-
                          tem, const char* symbol, const ut_encoding en-
                          coding);
                           [ut_map_unit_to_symbol()], page 26(const ut_unit* uni
ut_status
                          bol, ut_encoding encoding);
ut_status
                           [ut_unmap_unit_to_symbol()], page 27(const ut_unit* u
                          coding);
                            [ut_is_dimensionless()], page 22(const ut_unit* unit)
int
                            [ut_same_system()], page 24(const ut_unit* unit1, con
int
                            [ut_compare()], page 24(const ut_unit* unit1, const u
int
                            [ut_are_convertible()], page 11(const ut_unit* unit1,
int
cv_converter*
                           [ut_get_converter()], page 11(ut_unit* from, ut_unit*
ut_unit*
                           [ut_scale()], page 19(double fac-
                          tor, const ut_unit* unit);
                            [ut_offset()], page 19(const ut_unit* unit, dou-
ut_unit*
                          ble offset);
```

```
ut_unit*
                            [ut_offset_by_time()], page 19(const ut_unit* unit, d
                          ble origin);
                           [ut_multiply()], page 23(const ut_unit* unit1, const
ut_unit*
                           [ut_invert()], page 20(const ut_unit* unit);
ut_unit*
ut_unit*
                           [ut_divide()], page 24(const ut_unit* nu-
                          mer, const ut_unit* denom);
                           [ut_raise()], page 20(const ut_unit* unit, int power)
ut_unit*
ut_unit*
                           [ut_root()], page 20(const ut_unit* unit, int root);
ut_unit*
                           [ut_log()], page 21(double base, const ut_unit* ref-
                          erence);
                            [ut_parse()], page 13(const ut_system* sys-
ut_unit*
                          tem, const char* string, ut_encoding en-
                          coding);
char*
                            [ut_trim()], page 13(char* string, ut_encoding en-
                          coding);
                            [ut_format()], page 18(const ut_unit* unit, char* buf
int
                          signed opts);
                            [ut_accept_visitor()], page 22(const ut_unit* unit, c
ut_status
                          itor, void* arg);
double
                           [ut_encode_date()], page 28(int year, int month, int
double
                            [ut_encode_clock()], page 28(int hours, int min-
                          utes, double seconds);
double
                            [ut_encode_time()], page 28(int year, int month, int
                          ble second);
                            [ut_decode_time()], page 28(double value, int* year,
void
                          ble* second, double* resolution);
ut_status
                           [ut_get_status()], page 29(void);
                           [ut_set_status()], page 29(ut_status sta-
void
```

tus);

```
[ut_handle_error_message()], page 30(const char* fmt,
           int
           ut_error_message_handler
                                         [ut_set_error_message_handler()],
                                        page 30(ut_error_message_handler han-
                                        dler);
                                         [ut_write_to_stderr()], page 30(const char* fmt, va_1
           int
                                         [ut_ignore()], page 30(const char* fmt, va_list args)
           int
           float
                                         [cv_convert_float()], page 12(const cv_converter* con
                                        verter, float value);
                                         [cv_convert_double()], page 12(const cv_converter* co
           double
                                        verter, double value);
                                         [cv_convert_floats()], page 12(const cv_converter* converter* converter* converter* converter*
           float*
                                        verter, const float* in, size_t count, float* out);
           double*
                                         [cv_convert_doubles()], page 12(const cv_converter* c
                                        verter, const double* const in, size_t count, dou-
                                        ble* out);
           void
                                         [cv_free()], page 12(cv_converter* conv);
  Compiling:
     c89 -I includedir ...
  Where includedir
                     is the installation-directory for C header files (e.g.,
/usr/local/include).
  Linking:
     c89 ... -Llibdir -ludunits2 -lexpat ... -lm
  Where libdir is the installation-directory for object code libraries (e.g., /usr/local/lib).
```

2 What's a Unit Package Good For?

The existance of a software package is justified by what you can do with it. The three main things you can do with the UDUNIT-2 package are

- 1. Chapter 4 [Value Conversion], page 11.
- 2. Convert a string representation of a unit into a binary one enabling the programatic manipulation of units. There are three ways to do this:
 - Section 3.2 [Extracting], page 7 from a [unit-system], page 5. This requires that you know the unit's name or symbol and that the unit is in a unit-system.
 - Chapter 5 [Parsing], page 13. This requires that the string be parsable by [ut_parse()], page 13.
 - Chapter 8 [Operations], page 19.
- 3. Chapter 7 [Formatting], page 18 enabling the printing and storing of units in a human-readable form.

While the above might seem to be trivial activities, their general availability at the time might have helped prevent the Mars Climate Orbiter fiasco.

3 Unit-Systems

A unit-system is a set of units that are all defined in terms of the same set of base units. In the SI system of units, for example, the base units are the meter, kilogram, second, ampere, kelvin, mole, and candela. (For definitions of these base units, see http://physics.nist.gov/cuu/Units/current.html.)

In the UDUNITS-2 package, every accessible unit belongs to one and only one unitsystem. It is not possible to convert numeric values between units of different unit-systems. Similarly, units belonging to different unit-systems always compare unequal.

There are several categories of operations on unit-systems:

3.1 Obtaining a Unit-System

Typically, you would obtain a unit-system of predefined units by reading the default unit database using [ut_read_xml()], page 7 with a NULL pathname argument. If this doesn't quite match your needs, then there are alternatives. Together with the typical solution, the means for obtaining a useful unit-system are (in order of increasing complexity):

- Obtain the default unit-system using [ut_read_xml()], page 7(NULL).
- Copy and customize the unit database and then call [ut_read_xml()], page 7 with the pathname of the customized database to obtain a customized unit-system.
- Same as either of the above but then adding new units to the unit-system using [ut_new_base_unit()], page 8 and [ut_new_dimensionless_unit()], page 9.
- Same as the above but also deriving new units using Chapter 8 [Operations], page 19 and then adding them to the unit-system using Chapter 9 [Mapping], page 25.
- Same as the above but starting with an empty unit-system obtained from [ut_new_system()], page 7, in which case you will definitely have to start with [ut_new_base_unit()], page 8 and [ut_new_dimensionless_unit()], page 9.

You should pass every unit-system pointer to [ut_free_system()], page 10 when you no longer need the corresponding unit-system.

Returns the pathname of the XML-formatted unit-database corresponding to path. If path is non-NULL, then it is returned; otherwise, if the environment variable UDUNITS2_XML_PATH is set, then its value is returned; otherwise, the pathname of the default unit-database is returned. The value of *status indicates which of these possibilities occurred:

```
UT_OPEN_ARG
```

path is non-NULL and was returned.

```
UT_OPEN_ENV
```

path is NULL, the environment variable UDUNITS2_XML_PATH is set, and its value was returned.

UT_OPEN_DEFAULT

path is NULL, the environment variable UDUNITS2_XML_PATH is unset, and the pathname of the default unit-database was returned.

ut_system* ut_read_xml (const char* path)

[Function]

Reads the XML-formatted unit-database specified by path and returns the corresponding unit-sytem. If path is NULL, then the pathname specified by the environment variable UDUNITS2_XML_PATH is used if set; otherwise, the compile-time pathname of the installed, default, unit database is used. You should pass the returned pointer to ut_free_system() when you no longer need the unit-system. If an error occurs, then this function writes an error-message using [ut_handle_error_message()], page 30 and returns NULL. Also, [ut_get_status()], page 29 will return one of the following:

UT_OPEN_ARG

path is non-NULL but the file couldn't be opened. See errno for the reason.

UT_OPEN_ENV

path is NULL and environment variable UDUNITS2_XML_PATH is set but the file couldn't be opened. See errno for the reason.

UT_OPEN_DEFAULT

path is NULL, environment variable UDUNITS2_XML_PATH is unset, and the installed, default, unit database couldn't be opened. See errno for the reason.

UT_OS Operating-system error. See errno.

UT_PARSE The database file couldn't be parsed.

ut_system* ut_new_system (void)

[Function]

Creates and returns a new unit-system. On success, the unit-system will be empty except for the dimensionless unit one. You should pass the returned pointer to ut_free_system() when you no longer need the unit-system. If an error occurs, then this function writes an error-message using [ut_handle_error_message()], page 30 and returns NULL. Also, [ut_get_status()], page 29 will return the following:

UT_OS Operating-system error. See errno.

3.2 Extracting Units from a Unit-System

NOTE\: This section covers low-level access to the indidual units of a [unit-system], page 5. General parsing of arbitrary unit specifications is coverted in the section Chapter 5 [Parsing], page 13.

A [unit-system], page 5 contains mappings from identifiers to units (and vice versa). Consequently, once you have a unit-system, you can easily obtain a unit for which you know the name or symbol using the function [ut_get_unit_by_name()], page 7 or [ut_get_unit_by_symbol()], page 8.

ut_unit* ut_get_unit_by_name (const ut_system* system, const [Function] char* name)

Returns the unit to which name maps from the unit-system referenced by system or NULL if no such unit exists. Name comparisons are case-insensitive. If this function returns NULL, then [ut_get_status()], page 29 will return one of the following:

UT_SUCCESS

name doesn't map to a unit of system.

UT_BAD_ARG

system or name is NULL.

You should pass the returned unit to ut_free() when it is no longer needed.

Returns the unit to which *symbol* maps from the unit-system referenced by *system* or NULL if no such unit exists. Symbol comparisons are case-sensitive. If this function returns NULL, then [ut_get_status()], page 29 will return one of the following:

UT_SUCCESS

symbol doesn't map to a unit of system.

UT_BAD_ARG

system or symbol is NULL.

You should pass the returned unit to ut_free() when it is no longer needed.

Returns the dimensionless unit one of the unit-system referenced by system. While not necessary, the returned pointer may be passed to ut_free() when you no longer need the unit. If system is NULL, then this function writes an error-message using [ut_handle_error_message()], page 30 and returns NULL. Also, [ut_get_status()], page 29 will return UT_BAD_ARG.

3.3 Adding Units to a Unit-System

If you use [ut_read_xml()], page 7, then you should not normally need to add any new units to a unit-system.

Because you get units via their names or symbols, adding a unit to a unit-system actually means mapping one or more identifiers (i.e., names or symbols) to the unit. Thereafter, you can use [ut_get_unit_by_name()], page 7 and [ut_get_unit_by_symbol()], page 8 to retrieve the unit. The mapping of identifiers to units is covered Chapter 9 [Mapping], page 25.

Having said that, it is possible to create a new base or dimensionless unit within a unit-system using [ut_new_base_unit()], page 8 or [ut_new_dimensionless_unit()], page 9—you'll just also have to map identifiers to the newly-created unit in order to be able to retrieve it later by identifier.

Creates and adds a new base-unit to the unit-system referenced by system. This function returns the new base-unit. You should pass the returned pointer to ut_free() when you no longer need the unit. If an error occurs, then this function writes an error-message using [ut_handle_error_message()], page 30 and returns NULL. Also, [ut_get_status()], page 29 will return one of the following:

UT_BAD_ARG

system is NULL.

UT_OS Operating-system failure. See errno.

If you use [ut_read_xml()], page 7, then you should not normally need to call this function.

ut_unit* ut_new_dimensionless_unit (ut_system* system) [Function]

Creates and adds a new dimensionless-unit to the unit-system referenced by system. This function returns the new dimensionless-unit. You should pass the returned pointer to ut_free() when you no longer need the unit. If an error occurs, then this function writes an error-message using [ut_handle_error_message()], page 30 and returns NULL. Also, [ut_get_status()], page 29 will return one of the following:

UT_BAD_ARG

system is NULL.

UT_OS Operating-system failure. See errno.

If you use [ut_read_xml()], page 7, then you should not normally need to call this function.

3.4 Adding Unit-Prefixes to a Unit-System

A prefix is a word or symbol that is appended to the beginning of a word or symbol that represents a unit in order to modify the value of that unit. For example, the prefix "kilo" in the word "kiloamperes" changes the value from one ampere to one-thousand amperes.

If you use [ut_read_xml()], page 7, then you should not normally need to add any new prefixes to a unit-system.

Adds the name-prefix *name* with the value value to the unit-system system. A name-prefix is something like "mega" or "milli". Comparisons between name-prefixes are case-insensitive. This function returns one of the following:

UT_SUCCESS

Success.

UT_BAD_ARG

system or name is NULL, or value is 0.

UT_EXISTS

name already maps to a different value.

UT_OS Operating-system failure. See errno.

Adds the symbol-prefix symbol with the value value to the unit-system system. A symbol-prefix is something like "M" or "m". Comparisons between symbol-prefixes are case-sensitive. This function returns one of the following:

UT_SUCCESS

Success.

UT_BAD_ARG

system or symbol is NULL, or value is 0.

UT_EXISTS

symbol already maps to a different value.

UT_OS Operating-system failure. See errno.

3.5 Miscelaneous Operations on Unit-Systems

void ut_free_system (ut_system* system)

[Function]

Frees the unit-system referenced by system. All unit-to-identifier and identifier-to-unit mappings are removed. Use of system after this function returns results in undefined behavior.

[ut_status], page 29 ut_set_second (const ut_unit* second) [Function]

Sets the "second" unit of a unit-system. This function must be called before the first call to ut_offset_by_time() for a unit in the same unit-system. [ut_read_xml()], page 7 calls this function if the unit-system it's reading contains a unit named "second". This function returns one of the following:

UT_SUCCESS

The "second" unit of system was successfully set.

UT_EXISTS

The "second" unit of system is set to a different unit.

UT_BAD_ARG

second is NULL.

4 Converting Values Between Units

You can convert numeric values in one unit to equivalent values in another, compatible unit by means of a converter. For example

The converter API is declared in the header-file <converter.h>, which is automatically included by the UDUNITS-2 header-file (<udunits2.h>) so you don't need to explicitly include it.

Indicates if numeric values in unit unit1 are convertible to numeric values in unit unit2 via [ut_get_converter()], page 11. In making this determination, dimensionless units are ignored. This function returns a non-zero value if conversion is possible; otherwise, 0 is returned and [ut_get_status()], page 29 will return one of the following:

```
UT_BAD_ARG
```

unit1 or unit2 is NULL.

```
UT_NOT_SAME_SYSTEM
```

unit1 and unit2 belong to different [unit-system], page 5s.

UT_SUCCESS

Conversion between the units is not possible (e.g., *unit1* refers to a meter and *unit2* refers to a kilogram.

Creates and returns a converter of numeric values in the *from* unit to equivalent values in the *to* unit. You should pass the returned pointer to <code>cv_free()</code> when you no longer need the converter. If an error occurs, then this function writes an error-message using <code>[ut_handle_error_message()]</code>, <code>page 30</code> and returns <code>NULL</code>. Also, <code>[ut_get_status()]</code>, <code>page 29</code> will return one of the following:

```
UT_BAD_ARG
```

from or to is NULL.

```
UT_NOT_SAME_SYSTEM
```

The units from and to don't belong to the same unit-system.

UT_MEANINGLESS

The units belong to the same unit-system but conversion between them is meaningless (e.g., conversion between seconds and kilograms is meaningless).

UT_OS Operating-system failure. See errno.

Converts the single floating-point value value and returns the new value.

Converts the single double-precision value value and returns the new value.

Converts the *count* floating-point values starting at *in*, writing the new values starting at *out* and, as a convenience, returns *out*. The input and output arrays may overlap or be identical.

Converts the *count* double-precision values starting at *in*, writing the new values starting at *out* and, as a convenience, returns *out*. The input and output arrays may overlap or be identical.

void cv_free (cv_converter* conv);
[Function]

Frees resources associated with the converter referenced by *conv*. You should call this function when you no longer need the converter. Use of *conv* upon return results in undefined behavior.

5 Parsing a String into a Unit

Here's an example of parsing a string representation of a unit into its binary representation:

```
#include <stdlib.h>
#include <udunits2.h>
...

ut_system* unitSystem = [ut_read_xml()], page 7;
const char* string = "kg.m2/s3";
ut_unit* watt = [ut_parse()], page 13(unitSystem, string, UT_ASCII);

if (watt == NULL) {
    /* Unable to parse string. */
}
else {
    /* Life is good. */
}
nit* ut_parse (const ut_system* system, const char* [Function]
```

Returns the binary unit representation corresponding to the string unit representation string in the character-set encoding using the unit-system system. string must have no leading or trailing whitespace (see [ut_trim()], page 13). If an error occurs, then this function returns NULL and [ut_get_status()], page 29 will return one of the following:

```
UT_BAD_ARG
```

system or string is NULL.

UT_SYNTAX

string contained a syntax error.

UT_UNKNOWN

string contained an unknown identifier.

UT_OS Operating-system failure. See errno for the reason.

You should pass the returned unit to ut_free() when it is no longer needed.

```
size_t ut_trim (char* string, ut_encoding encoding) [Function
```

Removes all leading and trailing whitespace from the NUL-terminated string string. Returns string, which is modified if it contained leading or trailing whitespace.

6 Unit Syntax

For the most part, the UDUNITS-2 package follows the syntax for unit-strings promulgated by the US National Institute for Standards and Technology (NIST). Details, of which, can be found at http://physics.nist.gov/cuu/Units/index.html. The one general exception to this is the invention of a syntax for "offset"-units (e.g., the definition of the degree Celsius is "K @ 273.15").

6.1 Unit Specification Examples

String Type	Using Names	$egin{aligned} \mathbf{Using} \\ \mathbf{Symbols} \end{aligned}$	Comment
Simple	meter	m	
Raised	meter ²	m2	higher precedence than multiplying or dividing
Product	newton meter	N.m	
Quotient	meter per second	m/s	
Scaled	60 second	60 s	
Prefixed	kilometer	km	
Offset	kelvin from 273.15	$\rm K$ @ 273.15	lower precedence than multiplying or dividing
Logarithmic	lg(re milliwatt)	$\lg(\text{re mW})$	"lg" is base 10, "ln" is base e, and "lb" is base 2
Grouped	(5 meter)/(30 second)	(5 m)/(30	
_	, , , , , , , , , , , , , , , , , , , ,	s)	

The above may be combined, e.g., "0.1 $\lg(\text{re m}/(5 \text{ s})^2)$ @ 50".

You may also look at the <def> elements in Chapter 12 [Database], page 31 to see examples of string unit specifications.

You may use the $\langle undefined \rangle$ [udunits2], page $\langle undefined \rangle$ utility to experiment with string unit specifications.

6.2 Unit Grammar

Here is the unit-syntax understood by the UDUNITS-2 package. Words printed *Thusly* indicate non-terminals; words printed THUSLY indicate terminals; and words printed <thusly> indicate lexical elements.

```
Unit-Spec: one of
nothing
Shift-Spec

Shift-Spec: one of
Product-Spec
Product-Spec SHIFT REAL
Product-Spec SHIFT INT
Product-Spec SHIFT Timestamp

Product-Spec: one of
Power-Spec
Product-Spec Power-Spec
```

```
Product-Spec MULTIPLY Power-Spec
        Product-Spec DIVIDE Power-Spec
Power-Spec: one of
        Basic-Spec
        Basic-Spec INT
        Basic-Spec EXPONENT
        Basic-Spec RAISE INT
Basic-Spec: one of
        "(" Shift-Spec ")"
        LOGREF Product_Spec ")"
        Number
Number: one of
        INT
        REAL
Timestamp: one of
       DATE
        DATE CLOCK
        DATE CLOCK CLOCK
        DATE CLOCK INT
        DATE CLOCK ID
        TIMESTAMP
        TIMESTAMP INT
        TIMESTAMP ID
SHIFT:
        <space>* <shift_op> <space>*
<shift_op>: one of
        "@"
        "after"
        "from"
        "since"
        "ref"
REAL:
        the usual floating-point format
INT:
        the usual integer format
MULTIPLY: one of
```

```
"."
         "*"
        <space>+
        <centered middot>
DIVIDE:
        <space>* <divide_op> <space>*
<divide_op>: one of
        per
        PER
        "/"
EXPONENT:
        {\tt ISO-8859-9} or {\tt UTF-8} encoded exponent characters
RAISE: one of
        11 ^ 11
        "**"
ID: one of
        \langle id \rangle
        "%"
         11 ) 11
        "\""
        degree sign
        greek mu character
<id>:
        <alpha> <alphanum>*
<alpha>:
         [A-Za-z_{-}]
        ISO-8859-1 alphabetic characters
        non-breaking space
<alphanum>: one of
        <alpha>
        <digit>
<digit>:
         [0-9]
LOGREF:
        <log> <space>* <logref>
<log>: one of
```

```
"log"
       "lg"
       "ln"
       "lb"
<logref>:
       "(" <space>* <re> ":"? <space>*
DATE:
      <year> "-" <month> ("-" <day>)?
<year>:
       [+-]?[0-9]{1,4}
<month>:
       "0"?[1-9]|1[0-2]
<day>:
      "0"?[1-9]|[1-2][0-9]|"30"|"31"
CLOCK:
      <hour> ":" <minute> (":" <second>)?
TIMSTAMP:
      <hour>:
       [+-]?[0-1]?[0-9]|2[0-3]
<minute>:
       [0-5]?[0-9]
<second>:
       (<minute>|60) (\.[0-9]*)?
```

7 Formatting a Unit into a String

Use the [ut_format()], page 18 function to obtain the string representation of a binary unit. For example, the following gets the definition of the unit "watt" in ASCII characters using unit-symbols rather than unit-names:

```
ut_unit*
                  watt = ...;
     char
                 buf [128];
    unsigned
                 opts = [ut_encoding], page 32 | UT_DEFINITION;
                 len = [ut_format()], page 18(watt, buf, sizeof(buf), opts);
     int
     if (len == -1) {
         /* Couldn't get string */
     else if (len == sizeof(buf)) {
         /* Entire buffer used: no terminating NUL */
     else {
         /* Have string with terminating NUL */
int ut_format (const ut_unit* unit, char* buf, size_t size,
                                                                    [Function]
```

Formats the unit *unit* (i.e., returns its string representation) into the buffer pointed-to by *buf* of size *size*. The argument *opts* specifies how the formatting is to be done and is a bitwise OR of a [ut_encoding], page 32 value and zero or more of the following:

UT_NAMES Use unit names instead of symbols.

UT_DEFINITION

unsigned opts)

The formatted string should be the definition of *unit* in terms of basic-units instead of stopping any expansion at the highest level possible.

On success, this function returns either the number of bytes – excluding the terminating NUL – that were written into buf or the number of bytes that would have been written. The difference is due to the runtime snprinf() function that was used.

On failure, this function returns -1 and [ut_get_status()], page 29 will return one of the following:

UT_BAD_ARG

unit or buf is NULL, or opts contains the bit patterns of both UT_LATIN1 and UT_UTF8.

UT_CANT_FORMAT

unit can't be formatted in the desired manner (e.g., opts contains UT_ASCII but unit doesn't have an identifier in that character-set or opts doesn't contain UT_NAMES and a necessary symbol doesn't exist).

8 Unit Operations

You can use unit operations to construct new units, get information about units, or compare units.

8.1 Unary Unit Operations

```
void ut_free (ut_unit* unit)
```

[Function]

Frees resources associated with *unit*. You should invoke this function on every unit that you no longer need. Use of *unit* upon return from this function results in undefined behavior.

Returns a unit equivalent to another unit scaled by a numeric factor. For example:

```
const ut_unit* meter = ...
const ut_unit* kilometer = ut_scale(1000, meter);
```

The returned unit is equivalent to *unit* multiplied by *factor*. You should pass the returned pointer to [ut_free()], page 19 when you no longer need the unit.

ut_unit* ut_offset (const ut_unit* unit, double offset) [Function]

Returns a unit equivalent to another unit relative to a particular origin. For example:

```
const ut_unit* kelvin = ...
const ut_unit* celsius = ut_offset(kelvin, 273.15);
```

The returned unit is equivalent to *unit* with an origin of *offset*. You should pass the returned pointer to [ut_free()], page 19 when you no longer need the unit. If an error occurs, then this function returns NULL and [ut_get_status()], page 29 will return one of the following:

```
UT_BAD_ARG
```

unit is NULL.

UT_OS Operating-system error. See errno for the reason.

ut_unit* ut_offset_by_time (const ut_unit* const unit, const [Function] double origin)

Returns a timestamp-unit equivalent to the time unit unit referenced to the timeorigin origin (as returned by [ut_encode_time()], page 28). For example:

```
const ut_unit* second = ...
const ut_unit* secondsSinceTheEpoch =
   ut_offset_by_time(second, ut_encode_time(1970, 1, 1, 0, 0, 0.0));
```

Leap seconds are not taken into account. You should pass the returned pointer to [ut_free()], page 19 when you no longer need the unit. If an error occurs, then this function returns NULL and [ut_get_status()], page 29 will return one of the following:

```
UT_BAD_ARG
```

unit is NULL.

UT_OS Operating-system error. See errno for the reason.

UT_MEANINGLESS

Creation of a timestamp unit based on *unit* is not meaningful. It might not be a time-unit, for example.

UT_NO_SECOND

The associated unit-system doesn't contain a "second" unit. See [ut_set_second()], page 10.

CAUTION: The timestamp-unit was created to be analogous to, for example, the degree celsius—but for the time dimension. I've come to believe, however, that creating such a unit was a mistake, primarily because users try to use the unit in ways for which it was not designed (such as converting dates in a calendar whose year is exactly 365 days long). Such activities are much better handled by a dedicated calendar package. Please be careful about using timestamp-units. See also the section on Chapter 10 [Time], page 28.

ut_unit* ut_invert (const ut_unit* unit)

[Function]

Returns the inverse (i.e., reciprocal) of the unit unit. This convenience function is equal to [ut_raise()], page 20. You should pass the returned pointer to [ut_free()], page 19 when you no longer need the unit. If an error occurs, then this function writes an error-message using [ut_handle_error_message()], page 30 and returns NULL. Also, [ut_get_status()], page 29 will return one of the following:

UT_BAD_ARG

unit is NULL.

UT_OS Operating-system error. See errno for the reason.

ut_unit* ut_raise (const ut_unit* unit, int power)

[Function]

Returns the unit equal to unit unit raised to the power power. You should pass the returned pointer to ut_free() when you no longer need the unit. If an error occurs, then this function writes an error-message using [ut_handle_error_message()], page 30 and returns NULL. Also, [ut_get_status()], page 29 will return one of the following:

UT_BAD_ARG

unit is NULL.

UT_OS Operating-system error. See errno for the reason.

ut_unit* ut_root (const ut_unit* unit, int root)

[Function]

Returns the unit equal to the *root* root of unit *unit*. You should pass the returned pointer to ut_free() when you no longer need the unit. If an error occurs, then this function writes an error-message using [ut_handle_error_message()], page 30 and returns NULL. Also, [ut_get_status()], page 29 will return one of the following:

UT_BAD_ARG

unit is NULL.

UT_MEANINGLESS

It's meaningless to take the given root of the given unit. This could be because the resulting unit would have fractional (i.e., non-integral) dimensionality, or because the unit is, for example, a logarithmic unit.

UT_OS Operating-system error. See errno for the reason.

```
ut_unit* ut_log (double base, const ut_unit* reference) [Function]
```

Returns the logarithmic unit corresponding to the logarithmic base base and a reference level specified as the unit *reference*. For example, the following creates a decibel unit with a one milliwatt reference level:

```
const ut_unit* milliWatt = ...;
const ut_unit* bel_1_mW = ut_log(10.0, milliWatt);

if (bel_1_mW != NULL) {
    const ut_unit* decibel_1_mW = [ut_scale()], page 19(0.1, bel_1_mW);

    [ut_free()], page 19(bel_1_mW); /* no longer needed */

    if (decibel_1_mW != NULL) {
        /* Have decibel unit with 1 mW reference */
        ...
        [ut_free()], page 19(decibel_1_mW);
        /* "decibel_1_mW" allocated */
}
```

You should pass the returned pointer to ut_free() when you no longer need the unit. If an error occurs, then this function writes an error-message using [ut_handle_error_message()], page 30 and returns NULL. Also, [ut_get_status()], page 29 will return one of the following:

UT_BAD_ARG

reference is NULL.

UT_OS Operating-system error. See errno for the reason.

UT_BAD_ARG

base is invalid (e.g., it must be greater than one).

Returns the name to which the unit referenced by *unit* maps in the character-encoding specified by *encoding*. If this function returns NULL, then [ut_get_status()], page 29 will return one of the following:

UT_BAD_ARG

name is NULL.

UT_SUCCESS

unit doesn't map to a name in the given character-set.

Returns the symbol to which the unit referenced by *unit* maps in the character-encoding specified by *encoding*. If this function returns NULL, then [ut_get_status()], page 29 will return one of the following:

UT_BAD_ARG

symbol is NULL.

UT_SUCCESS

unit doesn't map to a symbol in the given character-set.

ut_system* ut_get_system (const ut_unit* unit)

[Function]

Returns the unit-system to which the unit referenced by *unit* belongs. If *unit* is NULL, then this function writes an error-message using [ut_handle_error_message()], page 30 and returns NULL. Also, [ut_get_status()], page 29 will return UT_BAD_ARG.

int ut_is_dimensionless (const ut_unit* unit)

[Function]

Indicates if unit *unit* is dimensionless (like "radian"). This function returns a non-zero value if the unit is dimensionfull; otherwise, 0 is returned and [ut_get_status()], page 29 will return one of the following:

UT_BAD_ARG

unit1 is NULL.

UT_SUCCESS

The unit is dimensionless.

ut_unit* ut_clone (const ut_unit* unit)

[Function]

Returns a copy of the unit referenced by *unit*. You should pass the returned pointer to ut_free() when you no longer need the unit. If an error occurs, then this function writes an error-message using [ut_handle_error_message()], page 30 and returns NULL. Also, [ut_get_status()], page 29 will return one of the following:

UT_BAD_ARG

unit is NULL.

UT_OS Operating-system failure. See errno.

If you use [ut_read_xml()], page 7, then you should not normally need to call this function.

Accepts the visitor visitor to the unit unit. The argument arg is passed to the visitor's functions. This function returns one of the following:

UT_BAD_ARG

visitor or unit is NULL.

UT_VISIT_ERROR

An error occurred in visitor while visiting unit.

UT_SUCCESS

Success.

ut_visitor int foo(int) int bar(int, int)

[Data type]

You pass a pointer to a data object of this type if and when you call [ut_accept_visitor()], page 22. It contains the following pointers to functions that implement your unit-visitor:

[ut_status], page 29 (*visit_basic)(const ut_unit* unit, void* arg);

Visits the basic-unit *unit*. A basic-unit is a base unit like "meter" or a non-dimensional but named unit like "radian". This function returns [ut_status], page 29 on and only on success.

[ut_status], page 29 (*visit_product)(const ut_unit* unit, int count,
const ut_unit* const* basicUnits, const int* powers, void* arg);

Visits the product-unit *unit*. The product-unit is a product of the *count* basic-units referenced by *basicUnits*, each raised to their respective, nonzero power in *powers*. This function returns [ut_status], page 29 on and only on success.

[ut_status], page 29 (*visit_galilean)(const ut_unit* unit, double
scale, const ut_unit* underlyingUnit, double origin, void* arg);

Visits the Galilean-unit unit. The Galilean-unit has the underlying unit underlyingUnit and either the non-unity scale factor scale or the non-zero origin origin, or both. This function returns [ut_status], page 29 on and only on success.

[ut_status], page 29 (*visit_timestamp)(const ut_unit* unit, const
ut_unit* timeUnit, double origin, void* arg);

Visits the timestamp-unit unit. The timestamp-unit has the underlying unit of time timeUnit and the [ut_encode_time()], page 28-encoded time-origin origin. This function returns [ut_status], page 29 on and only on success.

[ut_status], page 29 (*visit_logarithmic)(const ut_unit* unit, double
base, const ut_unit* reference, void* arg);

Visits the logarithmic-unit *unit*. The logarithmic-unit has the logarithmic base *base* and the reference-level is specified by the unit *reference*. This function returns [ut_status], page 29 on and only on success.

8.2 Binary Unit Operations

Binary unit operations act on two units.

NOTE: The functions [ut_are_convertible()], page 11 and [ut_get_converter()], page 11 are also binary unit operations but are documented elsewhere.

ut_unit* ut_multiply (const ut_unit* unit1, const ut_unit* [Function] unit2)

Returns the result of multiplying unit unit1 by unit unit2. You should pass the pointer to [ut_free()], page 19 when you no longer need the unit On failure, this function returns NULL and [ut_get_status()], page 29 will return one of the following:

UT_BAD_ARG

unit1 or unit2 is NULL.

UT_NOT_SAME_SYSTEM

unit1 and unit2 belong to different [unit-system], page 5s.

UT_OS Operating-system error. See errno for the reason.

Returns the result of dividing unit *numer* by unit *denom*. You should pass the pointer to [ut_free()], page 19 when you no longer need the unit On failure, this function returns NULL and [ut_get_status()], page 29 will return one of the following:

UT_BAD_ARG

numer or denom is NULL.

UT_NOT_SAME_SYSTEM

unit1 and unit2 belong to different [unit-system], page 5s.

UT_OS Operating-system error. See errno for the reason.

int ut_compare (const ut_unit* unit1, const ut_unit* unit2) [Function] Compares two units. Returns a value less than, equal to, or greater than zero as unit1 is considered less than, equal to, or greater than unit2, respectively. Units from different [unit-system], page 5s never compare equal. The value zero is also returned if both unit pointers are NULL.

Indicates if two units belong to the same unit-system. This function returns a non-zero value if the two units belong to the same [unit-system], page 5; otherwise, 0 is returned and [ut_get_status()], page 29 will return one of the following:

UT_BAD_ARG

unit1 or unit2 is NULL.

UT_SUCCESS

The units belong to different [unit-system], page 5s.

9 Mapping Between Identifiers and Units

Within a unit-system, you can map an identifier to a unit and vice versa. If an identifier maps to a unit, then the unit can be retrieved from the unit-system via the identifier. Similarly, if a unit maps to an identifier, then the unit can be printed using the identifier.

There a two kinds of identifiers: names and symbols.

9.1 Names

You can map a name to a unit and vice versa. If you use [ut_read_xml()], page 7, then you shouldn't normally need to do this.

Maps the name referenced by *name*, in character-set *encoding*, to the unit referenced by *unit* in the unit-system that contains *unit*. This function returns one of the following:

UT_SUCCESS

Success.

UT_BAD_ARG

name or unit is NULL.

UT_OS Operating-system failure. See errno.

UT_EXISTS

name already maps to a different unit.

Removes any mapping from name *name*, in character-set *encoding*, to a unit in unit-system system. This function returns one of the following:

UT_SUCCESS

Success.

UT_BAD_ARG

system or name is NULL.

Maps the unit *unit* to the name *name*, which is in character-set *encoding*, in the unit-system that contains the unit. This function returns one of the following:

UT_SUCCESS

Success.

UT_BAD_ARG

unit or name is NULL, or name is not in the character-set encoding.

UT_OS Operating-system failure. See errno.

UT_EXISTS

unit already maps to a different name.

Removes any mapping from unit *unit* to a name in character-set *encoding* from the unit-system that contains the unit. This function returns one of the following:

UT_SUCCESS

Success.

UT_BAD_ARG

unit is NULL.

9.2 Symbols

You can map a symbol to a unit and vice versa. If you use [ut_read_xml()], page 7, then you shouldn't normally need to do this.

Maps the symbol referenced by *symbol*, in character-set *encoding*, to the unit referenced by *unit* in the unit-system that contains *unit*. This function returns one of the following:

UT_SUCCESS

Success.

UT_BAD_ARG

symbol or unit is NULL.

UT_OS Operating-system failure. See errno.

UT_EXISTS

symbol already maps to a different unit.

Removes any mapping from symbol symbol, in character-set encoding, to a unit in unit-system system. This function returns one of the following:

UT_SUCCESS

Success.

UT_BAD_ARG

system or symbol is NULL.

Maps the unit *unit* to the symbol *symbol*, which is in character-set *encoding*, in the unit-system that contains the unit. This function returns one of the following:

UT_SUCCESS

Success.

UT_BAD_ARG

unit or symbol is NULL.

UT_BAD_ARG

Symbol symbol is not in the character-set encoding.

UT_OS Operating-system failure. See errno.

UT_EXISTS

unit already maps to a different symbol.

[Function]

Removes any mapping from unit *unit* to a symbol in character-set *encoding* from the unit-system that contains the unit. This function returns one of the following:

UT_SUCCESS

Success.

UT_BAD_ARG

unit is NULL.

10 The Handling of Time

You should use a true calendar package rather than the UDUNITS-2 package to handle time. Having said that, many people use the time-handling capabilities of the UDUNITS-2 package because it supports "units" like "seconds since 1970-01-01". You should be aware, however, that the hybrid Gregorian/Julian calendar used by the UDUNITS-2 package cannot be changed. Dates on or after 1582-10-15 are assumed to be Gregorian dates; dates before that are assumed to be Julian dates. In particular, the year 1 BCE is immediately followed by the year 1 CE.

In general, the UDUNITS-2 package handles time by encoding it as double-precision value, which can then be acted upon arithmetically.

Encodes a time as a double-precision value. This convenience function is equivalent to

```
[ut_encode_date()], page 28(year,month,day) + [ut_encode_clock()],
page 28(hour,minute,second)
```

- double ut_encode_date (int year, int month, int day) [Function] Encodes a date as a double-precision value. You probably won't use this function. Dates on or after 1582-10-15 are assumed to be Gregorian dates; dates before that are assumed to be Julian dates. In particular, the year 1 BCE is immediately followed by the year 1 CE.
- double ut_encode_clock (int hour, int minute, double second) [Function]

 Encodes a clock-time as a double-precision value. You probably won't use this function
- void ut_decode_time (double time, int* year, int* month, int* [Function]
 day, int* hour, int* minute, double* second, double* resolution)
 Decodes a time from a double-precision value into its individual components. The variable referenced by resolution will be set to the resolution (i.e., uncertainty) of the time in seconds.

11 Error Handling

Error-handling in the units module has two aspects: the status of the last operation performed by the module and the handling of error-messages:

11.1 Status of Last Operation

UDUNITS-2 functions set their status by calling [ut_set_status()], page 29. You can use the function [ut_get_status()], page 29 to retrieve that status.

[ut_status], page 29 ut_get_status (void)

[Function]

Returns the value specified in the last call to [ut_set_status()], page 29

void ut_set_status ([ut_status], page 29 status)

[Function]

Set the status of the units module to status.

ut_status

[Data type]

This enumeration has the following values:

UT_SUCCESS

Success

UT_BAD_ARG

An argument violates the the function's contract (e.g., it's NULL).

UT_EXISTS

Unit, prefix, or identifier already exists

UT_NO_UNIT

No such unit exists

UT_OS Operating-system error. See errno for the reason.

UT_NOT_SAME_SYSTEM

The units belong to different unit-systems

UT_MEANINGLESS

The operation on the unit or units is meaningless

UT_NO_SECOND

The unit-system doesn't have a unit named "second"

UT_VISIT_ERROR

An error occurred while visiting a unit

UT_CANT_FORMAT

A unit can't be formatted in the desired manner

UT_SYNTAX

String unit representation contains syntax error

UT_UNKNOWN

String unit representation contains unknown word

UT_OPEN_ARG

Can't open argument-specified unit database

UT_OPEN_ENV

Can't open environment-specified unit database

UT_OPEN_DEFAULT

Can't open installed, default, unit database

UT_PARSE Error parsing unit database

11.2 Error-Messages

```
int ut_handle_error_message (const char* fmt, ...)
```

[Function]

Handles the error-message corresponding to the format-string fmt and any subsequent arguments referenced by it. The interpretation of the formatting-string is identical to that of the UNIX function printf(). On success, this function returns the number of bytes in the error-message; otherwise, this function returns -1.

Use the function [ut_set_error_message_handler()], page 30 to change how error-messages are handled.

```
[ut_error_message_handler], page 30
```

[Function]

ut_set_error_message_handler ([ut_error_message_handler],
page 30 handler)

Sets the function that handles error-messages and returns the previous error-message handler. The initial error-message handler is [ut_write_to_stderr()], page 30.

int ut_write_to_stderr (const char* fmt, va_list args)

[Function]

Writes the variadic error-message corresponding to formatting-string *fmt* and arguments *args* to the standard-error stream and appends a newline. The interpretation of the formatting-string is identical to that of the UNIX function printf(). On success, this function returns the number of bytes in the error-message; otherwise, this function returns -1.

int ut_ignore (const char* fmt, va_list args)

[Function]

Does nothing. In particular, it ignores the variadic error-message corresponding to formatting-string fmt and arguments args. Pass this function to [ut_set_error_message_handler()], page 30 when you don't want the unit module to print any error-messages.

ut_error_message_handler

[Data type]

This is the type of an error-message handler. It's definition is

typedef int (*ut_error_message_handler)(const char* fmt, va_list args);

12 The Units Database

The database of units that comes with the UDUNITS-2 package is an XML-formatted file that is based on the SI system of units. It contains the names and symbols of most of the units that you will ever encounter. The pathname of the installed file is <code>datadir/udunits2.xml</code>, where <code>datadir</code> is the installation-directory for read-only, architecture-independent data (e.g., /usr/local/share). This pathname is the default that <code>[ut_read_xml()]</code>, page 7 uses.

Naturally, because the database is a regular file, it can be edited to add new units or remove existing ones. Be very careful about doing this, however, because you might lose the benefit of exchanging unit-based information with others who haven't modified their database.

13 Data Types

```
The data types [ut_visitor], page 23, [ut_status], page 29, and [ut_error_message_handler], page 30 are documented elsewhere.
```

ut_encoding [Data type]

This enumeration has the following values:

UT_ASCII US ASCII character-set.

UT_ISO_8859_1

The ISO-8859-1 character-set.

UT_LATIN1

Synonym for UT_ISO_8859_1.

UT_UTF8 The UTF-8 encoding of the Unicode character-set.

Index 33

Index

\mathbf{A}	O
adding prefixes to a unit-system	operations, unit
	P
В	parsing a string into a unit
base unit	prefixes, adding to a unit-system
•	S
\mathbf{C}	status of last operation
converting values between units 11 cv_convert_double 12 cv_convert_doubles 12 cv_convert_float 12 cv_convert_floats 12 cv_free 12	string, formatting a unit into a
	\mathbf{T}
D	time, handling of
data types	time, handling of
database, unit, obtaining predefined	U
\mathbf{E}	unary unit operations
	unit conversion
error handling	unit database, obtaining predefined 6 unit grammar
error-messages	unit operations
examples, unit specification14	unit specification examples
	unit syntax
\mathbf{F}	unit, adding to a unit-system 8
formatting a unit into a string	unit, base
to the control of the	unit, formatting into a string
	unit, getting by symbol
G	unit-system
getting a unit by its name 7	unit-system, adding a unit to
getting a unit by its symbol 8	unit-system, adding prefixes to a 9
grammar, unit	unit-system, obtaining predefined 6
	units database
\mathbf{M}	units, mapping to identifiers
1V1	ut_accept_visitor
mapping identifiers	ut_add_name_prefix 9
mapping units	ut_add_symbol_prefix9
messages, error	ut_are_convertible 11
module status	ut_clone
	ut_compare
$\mathbf N$	ut_decode_time
names	ut_divide 24 ut_encode_clock 28
20	ut_encode_date

Index 34

ut_encode_time	ut_multiply
ut_encoding 32	ut_new_base_unit 8
ut_error_message_handler 30	ut_new_dimensionless_unit 9
ut_format	ut_new_system 7
ut_free	ut_offset
ut_free_system	ut_offset_by_time
ut_get_converter	ut_parse
ut_get_dimensionless_unit_one 8	ut_raise
ut_get_name 21	ut_read_xml
ut_get_path_xml6	ut_read_xml(), discussion of 6
ut_get_status	ut_root
ut_get_symbol	ut_same_system
ut_get_system	ut_scale
ut_get_unit_by_name 7	ut_set_error_message_handler
ut_get_unit_by_symbol 8	ut_set_second
ut_handle_error_message 30	ut_set_status
ut_ignore	ut_status
ut_invert	ut_trim
ut_is_dimensionless	ut_unmap_name_to_unit
ut_log	ut_unmap_symbol_to_unit
ut_map_name_to_unit	ut_unmap_unit_to_name
ut_map_symbol_to_unit	ut_unmap_unit_to_symbol
ut_map_unit_to_name	ut_visitor
ut_map_unit_to_symbol	ut_write_to_stderr 30