

# Reference List

**Ibrahim Abou Elenein** 50-17004  
**Jack Amir** 50-2421      **Moamen Nazmy** 50-19334  
**Somaya** 50-8504

December 11, 2021

## 1 Article 1

1. Airaksinen O, Brox JI, Cedraschi C, et al. Chapter 4: European guidelines for the management of chronic nonspecific low back pain. *Eur Spine J.* 2006;15(Suppl. 2):S192–S300.
2. Hoy D, Bain C, Williams G, et al. *Rheumatism.* 2012;64(6):2028–2037.
3. Kuijer W, Brouwer S, Preuper HR, et al. Work status and chronic low back pain: exploring the International Classification of Functioning, Disability and Health. *Disabil Rehabil.* 2006;28:379–388.
4. Richardson CA, Jull GA, Hodges PW, Hides JA. *Therapeutic Exercise for Spinal Segmental Stabilization in LBP: Scientific Basis and Clinical Approach.* Edinburgh: Churchill Livingstone; 1999
5. Hayden JA, van Tulder MW, Malmivaara A, et al. Exercise therapy for treatment of non-specific low back pain. *Cochrane Database Syst Rev.* 2005;20.

6. Yamato TP, Maher CG, Saragiotto BT, et al. Pilates for Low Back Pain. *Cochrane Database of Systematic Reviews*. 2015; 2015 Issue 7. Art. No.: CD010265. 10.1002/14651858.CD010265. pub2.
7. Wells C, Kolt GS, Bialocerkowski A. Defining Pilates exercise: a systematic review. *Complement Ther Med*. 2012;20:253–262.
8. Critchley DJ, Pierson Z, Batters G. Effect of pilates mat exercises and conventional exercise programmes on transversus abdominis and obliquus internus abdominis activity: pilot randomised trial. *Man Ther*. 2011;16(April (2)):183–189.
9. Whittaker JL, Thompson JA, Teyhen DS, Hodges P. Rehabilitative ultrasound imaging of pelvic floor muscle function. *J Orthop Sports Phys Ther*. 2007;37(August (8)):487–498.
10. Critchley DJ, Pierson Z, Batters G. Effect of pilates mat exercises and conventional exercise programmes on transversus abdominis and obliquus internus abdominis activity: pilot randomised trial. *Man Ther*. 2011;16(April (2)):183–189.
11. Oliveira NTB, SMSF Freitas, Moura KF, Junior MAL. Cabral CMN Biomechanical analysis of the trunk and pelvis during pilates method exercises: systematic review. *Fisioter Pesqui*. 2015;22(4):443–455 10.590/1809-2950/14068822042015.
12. Chan L, Heinemann AW, Roberts J. Elevating the quality of disability and rehabilitation research: mandatory use of the reporting guidelines. *Ann Phys Rehabil Med*. 2014;57:558–560.
13. Jensen MP, Karoly P. Self-report scales and procedures for assessing pain in adults. In: Turk DC, Melzack R, eds. *Handbook of Pain Assessment*. New York: Guilford Press; 2001:15–34.
14. Roland M, Morris R. A study of the natural history of back pain, part I: the development of a reliable and sensitive measure of disability in low back pain. *Spine*. 1983;8:141–144.

15. Hodges PW. Is there a role for transversus abdominis in lumbopelvic stability? *Man Ther.* 1999;4(May (2)):74–86.
16. Hides JA, Miokovic T, Belavy DL, et al. Ultrasound imaging assessment of abdominal muscle function during drawing-in of the abdominal wall: an intrarater reliability study. *J Orthop Sports Phys Ther.* 2007;37:480–486.
17. Chen YH, Chai HM, Shau YW, et al. Increased sliding of transverse abdominis during contraction after myofascial release in patients with chronic low back pain. *Man Ther Jun.* 2016;23:69–75.
18. Kim KH, Cho SH, Goo BO, et al. Differences in transversus abdominis muscle function between chronic low back pain patients and healthy subjects at maximum expiration: measurement with real-time ultrasonography. *J Phys Ther Sci.* 2013;25(July (7)):861–863.
19. French DJ, France CR, Vigneau F, et al. Fear of movement/(re)injury in chronic pain: a psychometric assessment of the original English version of the Tampa Scale for Kinesiophobia (TSK). *Pain.* 2007;127:42–51.
20. Vlaeyen JWS, Kole-Snijders AMJ, Rotteveel AM, et al. The role of fear of movement/ (re)injury in pain disability. *J Occup Rehabil.* 1995;5:235–252.
21. Swinkels-Meewisse E, Swinkels R, Verbeek A, et al. Psychometric properties of the Tampa Scale for Kinesiophobia and the fear avoidance beliefs questionnaire in acute low back pain. *Man Ther.* 2003;8:29–36.
22. Natour J, Cazotti LA, Ribeiro LH, et al. Pilates improves pain, function and quality of life in patients with chronic low back pain: a randomized controlled trial. *Clin Rehabil.* 2015;29:59–68.

23. Cruz-Díaz D, Martínez-Amat A, Osuna-Pérez MC, et al. Short- and long-term effects of a six-week clinical Pilates program in addition to physical therapy on postmenopausal women with chronic low back pain: a randomized controlled trial. *Disabil Rehabil.* 2016;38(June (13)):1300–1308.
24. Blum CL. Chiropractic and Pilates therapy for the treatment of adult scoliosis. *J Manipulative Physiol Ther.* 2002;25:E3.
25. Kamioka H, Tsutani K, Katsumata Y. Effectiveness of Pilates exercise: a quality evaluation and summary of systematic reviews based on randomized controlled trials. *Complement Ther Med.* 2016;25(April):1–19. <http://dx.doi.org/10.1016/j.ctim.2015.12.01>.
26. Wajswelner H, Metcalf B, Bennell K. Clinical pilates versus general exercise for chronic low back pain: randomized trial. *Med Sci Sports Exerc.* 2012;44:1197–1205.
27. Cruz-Díaz D, Martínez-Amat A, De la Torre-Cruz MJ, et al. Effects of a six-week Pilates intervention on balance and fear of falling in women aged over 65 with chronic lowback pain: a randomized controlled trial. *Maturitas.* 2015;82(December (4)):371–376.
28. Harrington L, Davies R. The influence of Pilates training on the ability to contract the Transversus abdominis muscle in asymptomatic individuals. *J Body Work Mov Ther.* 2005;9:52–57.
29. Grooms DR, Grindstaff TL, Croy T, et al. Clinimetric analysis of pressure biofeedback and transversus abdominis function in individuals with stabilization classification low back pain. *J Orthop Sports Phys Ther.* 2013;43(March (3)):184–193.
30. Critchley DJ, Coutts FJ. Abdominal muscle function in chronic low back pain patients: measurement with real-time ultrasound scanning. *Physiotherapy.* 2002;88(322):e32.

31. Hodges PW. Core stability exercise in chronic low back pain. *Orthop Clin North Am.* 2003;34(April (2)):245–254.
32. da Luz Jr, MA, Costa LO, Fuhro FF, Manzoni AC, Oliveira NT, Cabral CM. Effectiveness of mat Pilates or equipment-based Pilates exercises in patients with chronic nonspecific low back pain: a randomized controlled trial. *Phys Ther.* 2014;94(5):623–631. <http://dx.doi.org/10.2522/ptj.20130277> [Epub 2014 Jan 16].
33. Lee CW, Hyun J, Kim SG. Influence of pilates mat and apparatus exercises on pain and balance of businesswomen with chronic low back pain. *J Phys Ther Sci.* 2014;26(April (4)):475–477. <http://dx.doi.org/10.1589/jpts.26.475>.
34. Hodges PW. Changes in sensorimotor control in low back pain. *J Electromyogr Kinesiol.* 2011;21(April (2)):220–228.

## 2 Article 2

1. Bergström C, Jensen I, Hagberg J, Busch H, Bergström G. Effectiveness of different interventions using a psychosocial subgroup assignment in chronic neck and back pain patients: A 10-year follow-up. *Disabil Rehabil* 2012;34:110-8.
2. Hoy DG, Protani M, De R, Buchbinder R. The epidemiology of neck pain. *Best Pract Res Clin Rheumatol* 2010;24:783-92.
3. Balagué F, Mannion AF, Pellisé F, Cedraschi C. Non-specific low back pain. *Lancet* 2012;379:482-91.
4. Sadock BJ, Sadock VA. Kaplan and Sadock’s Synopsis of Psychiatry: Behavioral Sciences/Clinical Psychiatry. New York: Lippincott Williams & Wilkins; 2011.
5. Al-Obaidi SM, Al-Sayegh NA, Ben Nakhi H, Al-Mandeel M. Evaluation of the McKenzie intervention for chronic low back pain by using selected physical and bio-behavioral outcome measures. *PM R* 2011;3:637-46.

6. Dehkordi AH, Heydarnejad MS. Effect of booklet and combined method on parents' awareness of children with beta-thalassemia major disorder. *J Pak Med Assoc* 2008;58:485-7.
7. van der Wees PJ, Jamtvedt G, Rebbeck T, de Bie RA, Dekker J, Hendriks EJ. Multifaceted strategies may increase implementation of physiotherapy clinical guidelines: A systematic review. *Aust J Physiother* 2008;54:233-41.
8. Maas ET, Juch JN, Groeneweg JG, Ostelo RW, Koes BW, Verhagen AP, et al. Cost-effectiveness of minimal interventional procedures for chronic mechanical low back pain: Design of four randomised controlled trials with an economic evaluation. *BMC Musculoskelet Disord* 2012;13:260.
9. Hernandez AM, Peterson AL. Work-related musculoskeletal disorders and pain. *Handbook of Occupational Health and Wellness*. Springer; 2012. p. 63-85.
10. Hassanpour Dehkordi A, Khaledi Far A. Effect of exercise training on the quality of life and echocardiography parameter of systolic function in patients with chronic heart failure: A randomized trial. *Asian J Sports Med* 2015;6:e22643.
11. Hasanpour-Dehkordi A, Khaledi-Far A, Khaledi-Far B, Salehi-Tali S. The effect of family training and support on the quality of life and cost of hospital readmissions in congestive heart failure patients in Iran. *Appl Nurs Res* 2016;31:165-9.
12. Hassanpour Dehkordi A. Influence of yoga and aerobics exercise on fatigue, pain and psychosocial status in patients with multiple sclerosis: A Randomized Trial. *J Sports Med Phys Fitness* 2015; [Epub ahead of print].
13. Hassanpour-Dehkordi A, Jivad N. Comparison of regular aerobic and yoga on the quality of life in patients with multiple sclerosis. *Med J Islam Repub Iran* 2014;28:141.
14. Heydarnejad S, Dehkordi AH. The effect of an exercise program on the health-quality of life in older adults. A randomized controlled trial. *Dan Med Bull* 2010;57:A4113.
15. van Middelkoop M, Rubinstein SM, Verhagen AP, Ostelo RW, Koes BW, van Tulder MW. Exercise therapy for chronic non-

specific low-back pain. *Best Pract Res Clin Rheumatol* 2010;24:193-204.

16. Critchley DJ, Pierson Z, Battersby G. Effect of pilates mat exercises and conventional exercise programmes on transversus abdominis and obliquus internus abdominis activity: Pilot randomised trial. *Man Ther* 2011;16:183-9.

17. Kloubec JA. Pilates for improvement of muscle endurance, flexibility, balance, and posture. *J Strength Cond Res* 2010;24:661-7.

18. Hosseinifar M, Akbari A, Shahrakinasab A. The effects of McKenzie and lumbar stabilization exercises on the improvement of function and pain in patients with chronic low back pain: A randomized controlled trial. *J Shahrekord Univ Med Sci* 2009;11:1-9.

19. GarciaAN, Costa Lda C, da Silva TM, Gondo FL, Cyrillo FN, Costa RA, et al. Effectiveness of back school versus McKenzie exercises in patients with chronic nonspecific low back pain: A randomized controlled trial. *Phys Ther* 2013;93:729-47.

20. Hassanpour-Dehkordi A, Safavi P, Parvin N. Effect of methadone maintenance treatment of opioid dependent fathers on mental health and perceived family functioning of their children. *Heroin Addict Relat Clin* 2016;18(3):9-14.

21. Shahbazi K, Solati K, Hasanpour-Dehkordi A. Comparison of hypnotherapy and standard medical treatment alone on quality of life in patients with irritable bowel syndrome: A Randomized Control Trial. *J Clin Diagn Res* 2016;10:OC01-4.

22. Ngamkham S, Vincent C, Finnegan L, Holden JE, Wang ZJ, Wilkie DJ. The McGill Pain Questionnaire as a multidimensional measure in people with cancer: An integrative review. *Pain Manag Nurs* 2012;13:27-51.

23. Sterling M. General health questionnaire-28 (GHQ-28). *J Physiother* 2011;57:259.

24. Petersen T, Kryger P, Ekdahl C, Olsen S, Jacobsen S. The effect of McKenzie therapy as compared with that of intensive strengthening training for the treatment of patients with subacute or chronic low back pain: A randomized controlled trial. *Spine (Phila Pa 1976)* 2002;27:1702-9.

25. Gladwell V, Head S, Haggard M, Beneke R. Does a program of

pilates improve chronic non-specific low back pain? J Sport Rehabil 2006;15:338-50.

26. Udermann BE, Mayer JM, Donelson RG, Graves JE, Murray SR. Combining lumbar extension training with McKenzie therapy: Effects on pain, disability, and psychosocial functioning in chronic low back pain patients. Gundersen Lutheran Med J 2004;3:7-12.

27. Machado LA, Maher CG, Herbert RD, Clare H, McAuley JH. The effectiveness of the McKenzie method in addition to first-line care for acute low back pain: A randomized controlled trial. BMC Med 2010;8:10.

28. Kilpikoski S. The McKenzie Method in Assessing, Classifying and Treating Non-Specific Low Back Pain in Adults with Special Reference to the Centralization Phenomenon. Jyväskylä: University of Jyväskylä; 2010.

29. Borges J, Baptista AF, Santana N, Souza I, Kruschewsky RA, Galvão-Castro B, et al. Pilates exercises improve low back pain and quality of life in patients with HTLV-1 virus: A randomized crossover clinical trial. J Bodyw Mov Ther 2014;18:68-74.

30. Caldwell K, Harrison M, Adams M, Triplett NT. Effect of pilates and taiji quan training on self-efficacy, sleep quality, mood, and physical performance of college students. J Bodyw Mov Ther 2009;13:155-63.

31. Altan L, Korkmaz N, Bingol U, Gunay B. Effect of pilates training on people with fibromyalgia syndrome: A pilot study. Arch Phys Med Rehabil 2009;90:1983-8.

### **3 Article 3**

Balagué F, Mannion AF, Pellisé F, Cedraschi C. Non-specific low back pain. Lancet 2012;379:482-491.

Biering-Sørensen F. A prospective study of low back pain in a general population. I. Occurrence, recurrence and aetiology. Scand J Rehabil Med 1983;15:71-79.

Bindra S, Sinha AK, Benjamin AI. Epidemiology of low back



pain in Indian population: a review. *Int J Appl Basic Med Res* 2015;5:166-179.

Burton AK, Balagué F, Cardon G, Eriksen HR, Henrotin Y, Lahad A, Leclerc A, Müller G, van der Beek AJ; COST B13 Working Group on Guidelines for Prevention in Low Back Pain. Chapter 2. European guidelines for prevention in low back pain: November 2004. *Eur Spine J* 2006;15 Suppl 2:S136-168.

Carlsson AM. Assessment of chronic pain. I. Aspects of the reliability and validity of the visual analogue scale. *Pain* 1983;16:87-101. Comfort P, Pearson SJ, Mather D. An electromyographical comparison of trunk muscle activity during isometric trunk and dynamic strengthening exercises. *J Strength Cond Res* 2011;25:149-154.

de Paula Lima PO, de Oliveira RR, Costa LO, Laurentino GE. Measurement properties of the pressure biofeedback unit in the evaluation of transversus abdominis muscle activity: a systematic review. *Physiotherapy* 2011;97:100-106.

Deyo RA, Walsh NE, Martin DC, Schoenfeld LS, Ramamurthy S. A controlled trial of transcutaneous electrical nerve stimulation (TENS) and exercise for chronic low back pain. *N Engl J Med* 1990;322:1627-1634.

Ferreira PH, Ferreira ML, Maher CG, Herbert RD, Refshauge K. Specific stabilisation exercise for spinal and pelvic pain: a systematic review.

Aust J Physiother 2006;52:79-88. Fritz JM, Irrgang JJ. A comparison of a modified Oswestry Low Back Pain Disability Questionnaire and the Quebec Back Pain Disability Scale. *Phys Ther* 2001;81:776-788.

Frymoyer JW, Cats-Baril WL. An overview of the incidences and costs of low back pain. *Orthop Clin North Am* 1991;22:263-271.

Gladwell V, Head S, Hagggar M, Beneke R. Does a program of Pilates improve chronic non-specific low back pain? *J Sport Rehabil* 2006;15:338- 350.

Graven-Nielsen T, Svensson P, Arendt-Nielsen L. Effects of experimental muscle pain on muscle activity and co-ordination during static and dynamic motor function. *Electroencephalogr Clin Neuro-*

physiol 1997;105:156-164.

Han TS, Schouten JS, Lean ME, Seidell JC. The prevalence of low back pain and associations with body fatness, fat distribution and height. *Int J Obes Relat Metab Disord* 1997;21:600-607.

Hayden JA, van Tulder MW, Malmivaara A, Koes BW. Exercise therapy for treatment of non-specific low back pain. *Cochrane Database Syst Rev* 2005;(3):CD000335.

Koes BW, van Tulder MW, Thomas S. Diagnosis and treatment of low back pain. *BMJ* 2006;332:1430-1434. Koumantakis GA, Watson PJ, Oldham JA. Trunk muscle stabilization training plus general exercise versus general exercise only: randomized controlled trial of patients with recurrent low back pain. *Phys Ther* 2005;85:209-225.

Krismer M, van Tulder M; Low Back Pain Group of the Bone and Joint Health Strategies for Europe Project. Strategies for prevention and management of musculoskeletal conditions. Low back pain (non-specific). *Best Pract Res Clin Rheumatol* 2007;21:77-91.

Macedo LG, Maher CG, Latimer J, McAuley JH. Motor control exercise for persistent, nonspecific low back pain: a systematic review. *Phys Ther* 2009;89:9-25.

Manniche C, Lundberg E, Christensen I, Bentzen L, Hesselsøe G. Intensive dynamic back exercises for chronic low back pain: a clinical trial. *Pain* 1991;47:53-63.

Moon HJ, Choi KH, Kim DH, Kim HJ, Cho YK, Lee KH, Kim JH, Choi YJ. Effect of lumbar stabilization and dynamic lumbar strengthening exercises in patients with chronic low back pain. *Ann Rehabil Med* 2013;37:110-117.

Nadler SF, Steiner DJ, Erasala GN, Hengehold DA, Hinkle RT, Beth Goodale M, Abeln SB, Weingand KW. Continuous low-level heat wrap therapy provides more efficacy than Ibuprofen and acetaminophen for acute low back pain. *Spine (Phila Pa 1976)* 2002;27:1012-1017.

Pereira LM, Obara K, Dias JM, Menacho MO, Guariglia DA, Schiavoni D, Pereira HM, Cardoso JR. Comparing the Pilates method with no exercise or lumbar stabilization for pain and functionality in patients with chronic low back pain: systematic review and meta-

analysis. Clin Rehabil 2012;26:10-20.

Poitras S, Brosseau L. Evidence-informed management of chronic low back pain with transcutaneous electrical nerve stimulation, interferential current, electrical muscle stimulation, ultrasound, and thermotherapy. Spine J 2008;8:226-233.

Rydeard R, Leger A, Smith D. Pilates-based therapeutic exercise: effect on subjects with nonspecific chronic low back pain and functional disability: a randomized controlled trial. J Orthop Sports Phys Ther 2006;36:472-484.

Saal JA, Saal JS. Nonoperative treatment of herniated lumbar intervertebral disc with radiculopathy. An outcome study. Spine (Phila Pa 1976) 1989;14:431-437.

Sculco AD, Paup DC, Fernhall B, Sculco MJ. Effects of aerobic exercise on low back pain patients in treatment. Spine J 2001;1:95-101. Sherman KJ, Cherkin DC, Erro J, Miglioretti DL, Deyo RA. Comparing yoga, exercise, and a self-care book for chronic low back pain: a randomized, controlled trial. Ann Intern Med 2005;143:849-856.

Shiri R, Karppinen J, Leino-Arjas P, Solovieva S, Viikari-Juntura E. The association between obesity and low back pain: a meta-analysis. Am J Epidemiol 2010;171:135-154.

Storheim K, Bø K, Pederstad O, Jahnsen R. Intra-tester reproducibility of pressure biofeedback in measurement of transversus abdominis function. Physiother Res Int 2002;7:239-249.

Tousignant M, Poulin L, Marchand S, Viau A, Place C. The Modified-Modified Schober Test for range of motion assessment of lumbar flexion in patients with low back pain: a study of criterion validity, intra- and inter-rater reliability and minimum metrically detectable change. Disabil Rehabil 2005;27:553-559.

Zambito A, Bianchini D, Gatti D, Viapiana O, Rossini M, Adami S. Interferential and horizontal therapies in chronic low back pain: a randomized, double blind, clinical study. Clin Exp Rheumatol 2006;24:534-539. Zanolli G, Strömqvist B, Jönsson B. Visual analog scales for interpretation of back and leg pain intensity in patients operated for degenerative lumbar spine disorders. Spine (Phila Pa

1976) 2001;26:2375-2380.

## 4 Article 4

1. Airaksinen O, Brox C, Cedraschi C, et al. European Guidelines for the Management of Chronic Non-Specific Low Back Pain. On behalf of the COST B13 Working Group on Guidelines for Chronic Low Back Pain [Internet]. 2005 [cited 2009 Sep 9]. Guidelines.pdf.

2. Anderson B. Randomised clinical trial comparing active versus passive approaches to the treatment of recurrent and chronic low back pain [dissertation]. Miami (FL): University of Miami; 2005. p. 209.

3. Crow R, Gage H, Hampson S, Hart J, Kimber A, Thomas H. The role of expectancies in the placebo effect and their use in the delivery of health care: a systematic review. *Health Technol Assess.* 1999;3(3):1–96.

4. Davidson M, Keating JL. A comparison of five low back disability questionnaires: reliability and responsiveness. *Phys Ther.* 2002; 82(1):8–24.

5. Donzelli S, Di Domenica E, Cova AM, Galletti R, Giunta N. Two different techniques in the rehabilitation treatment of low back pain: a randomized controlled trial. *Eura Medicophys.* 2006;42(3): 205–10.

6. Ferreira ML, Ferreira PH, Latimer J, et al. Comparison of general exercise, motor control exercise and spinal manipulative therapy for chronic low back pain: a randomized trial. *Pain.* 2007;131(1–2):31–7.

7. Fersum KV, Dankaerts W, O’Sullivan PB, et al. Integration of subclassification strategies in randomised controlled clinical trials evaluating manual therapy treatment and exercise therapy for non-specific chronic low back pain: a systematic review. *Br J Sports Med.* 2010;44(14):1054–62.

8. Gagnon L. Efficacy of Pilates exercises as a therapeutic intervention in treating patients with low back pain [dissertation].

Knoxville (TN): University of Tennessee; 2005. p. 119.

9. George SZ, Wittmer VT, Fillingim RB, Robinson ME. Comparison of graded exercise and graded exposure clinical outcomes for patients with chronic low back pain. *J Orthop Sports Phys Ther.* 2010;40(11):694–704.

10. Geraets JJ, de Groot IJ, Goossens ME, et al. Comparison of two recruitment strategies for patients with chronic shoulder complaints. *Br J Gen Pract.* 2006;56(523):127–33.

11. Gladwell V, Head S, Haggard M, Beneke R. Does a program of Pilates improve chronic non-specific low back pain. *J Sport Rehabil.* 2006;15:338–50.

12. Guzman J, Esmail R, Karjalainen K, Malmivaara A, Irvin E, Bombardier C. Multidisciplinary bio-psycho-social rehabilitation for chronic low-back pain. *Cochrane Database Syst Rev.* 2006; (2):CD000963. 13. Hall H, McIntosh G. Low back pain (chronic). *Clin Evid (Online) [Internet].* 2008 [cited 2908004]; Accessed August 18, 2011.

14. Hayden JA, van Tulder MW, Malmivaara A, Koes BW. Exercise therapy for treatment of non-specific low back pain. *Cochrane Database Syst Rev.* 2005;(3):CD000335.

15. Henchoz Y, Kai-Lik So A. Exercise and nonspecific low back pain: a literature review. *Joint Bone Spine.* 2008;75(5):533–9

16. Henschke N, Maher CG, Refshauge KM, et al. Prognosis in patients with recent onset low back pain in Australian primary care: inception cohort study. *BMJ.* 2008;337:a171.

17. Hicks GE, Manal TJ. Psychometric properties of commonly used low back disability questionnaires: are they useful for older adults with low back pain? *Pain Med.* 2009;10(1):85–94.

18. Kamper SJ, Ostelo RW, Knol DL, Maher CG, de Vet HC, Hancock MJ. Global Perceived Effect scales provided reliable assessments of health transition in people with musculoskeletal disorders, but ratings are strongly influenced by current status. *J Clin Epidemiol.* 2010;63(7):760–6.e1.

19. Koes BW, van Tulder MW, Thomas S. Diagnosis and treatment of low back pain. *BMJ.* 2006;332(7555):1430–4.

20. Kopec JA, Esdaile JM, Abrahamowicz M, et al. The Quebec Back Pain Disability Scale. Measurement properties. *Spine (Phila Pa 1976)*. 1995;20(3):341–52.
21. Krogsboll LT, Hrobjartsson A, Gotzsche PC. Spontaneous improvement in randomised clinical trials: meta-analysis of three-armed trials comparing no treatment, placebo and active intervention. *BMC Med Res Methodol*. 2009;9:1.
22. La Touche R, Escalante K, Linares MT. Treating non-specific chronic low back pain through the Pilates Method. *J Bodyw Mov Ther*. 2008;12(4):364–70.
23. Lambeek LC, Bosmans JE, Van Royen BJ, Van Tulder MW, Van Mechelen W, Anema JR. Effect of integrated care for sick listed patients with chronic low back pain: economic evaluation alongside a randomised controlled trial. *BMJ*. 2010;341:c6414.
24. Leijon O, Mulder M. Prevalence of low back pain and concurrent psychological distress over a 16-year period. *Occup Environ Med*. 2009;66(2):137–9.
25. Lim EC, Poh RL, Low AY, Wong WP. Effects of Pilates-based exercises on pain and disability in individuals with persistent nonspecific low back pain: a systematic review with meta-analysis. *J Orthop Sports Phys Ther*. 2011;41(2):70–80.
26. Mannion AF, Balague F, Pellise F, Cedraschi C. Pain measurement in patients with low back pain. *Nat Clin Pract Rheumatol*. 2007; 3(11):610–8.
27. Morton V, Torgerson DJ. Regression to the mean: treatment effect without the intervention. *J Eval Clin Pract*. 2005;11(1):59–65.
28. Nicholas MK. The Pain Self-efficacy Questionnaire: taking pain into account. *Eur J Pain*. 2007;11(2):153–63.
29. O'Brien N, Hanlon M, Meldrum D. Randomised, controlled trial comparing physiotherapy and Pilates in the treatment of ordinary low back pain. *Phys Ther Rev*. 2006;11:224–5.
30. Ostelo RW, Deyo RA, Stratford P, et al. Interpreting change scores for pain and functional status in low back pain: towards international consensus regarding minimal important change. *Spine (Phila Pa 1976)*. 2008;33(1):90–4.

31. Pereira LM, Obara K, Dias JM, et al. Comparing the Pilates method with no exercise or lumbar stabilization for pain and functionality in patients with chronic low back pain: systematic review and metaanalysis. Clin Rehabil [Internet]. Accessed August 18, 2011 [cited].
32. Quinn J. Influence of Pilates-based mat exercises on chronic lower back pain [dissertation]. Boca Raton FL: Florida Atlantic University; 2005. p. 64.