

Pan Workflow Flowchart

This flowchart is for tracking the pan lifecycle features. Staff guides are in separate files in this folder.

```
flowchart TB
    START([Pan journey starts])

    subgraph LAB["Lab Staff / Lab Manager"]
        direction TB
        L1[Record production]
        L2[Enter flavour, date, pan count]
        L3[Enter weight for each pan]
        L4[App creates pan ID at production]
        L5[Label physical pan]
        L6[Dispatch selected pan IDs to store]
        L7[Receive empty-pan return from store]
    end

    subgraph STORE_RECEIVE["Store Staff: Receive Pans"]
        direction TB
        R1[Incoming pans grouped by flavour]
        R2{All pans received and correct?}
        R3[Accept all]
        R4[Choose pan-level status]
        R5[Accept received pan]
        R6[Mark pan missing]
        R7[Reject wrong/damaged pan]
        R8[Dispatch partially accepted if mixed]
        R9{Missing/rejected pan later found?}
        R10[Accept that individual pan]
        R11[Wait for lab/admin resolution]
    end

    subgraph DISPLAY["Store Staff: Move To Display"]
        direction TB
        D1[Choose flavour]
        D2[App shows FIFO recommended pan ID]
        D3{Eligible pan exists?}
        D4[No move; restock needed]
        D5{Use FIFO recommendation?}
        D6[Use recommended pan]
    end
```

```

D7["Tap Override FIFO"]
D8["Choose different pan ID"]
D9["App warns: not following FIFO"]
D10{"Active display pan already exists?"}
D11["Move pan to display"]
D12["Guided swap with old display pan"]
D13{"Old pan condition?"}
D14["Empty: mark depleted"]
D15["Too low: treat as empty"]
D16{"Partial allowed?"}
D17["Return old pan as one open/partial pan"]
D18["Block and send to review"]
end

subgraph OUTSIDE["Store Staff / Store Manager: Move Outside Store"]
  direction TB
  O1["Tap Move outside store"]
  O2["Choose flavour and pan ID"]
  O3["Destination: Event/B2B"]
  O4["Enter event/B2B name"]
  O5["Pan marked event/reserved"]
  O6["Removed from store FIFO backup"]
end

subgraph EOD["Store Staff / Store Manager: EOD Gelato Weight"]
  direction TB
  E1["App lists every pan displayed today"]
  E2["Enter closing weight for each pan"]
  E3{"Closing weight <= opening weight?"}
  E4["Block invalid weight"]
  E5{"Weight is 0 kg?"}
  E6["Close pan as empty"]
  E7["Return pan to deep as partial/open"]
  E8["Store Manager can correct same-day weight"]
end

subgraph LEGACY_EOD["System Review: Legacy Or Unexpected EOD Rows"]
  direction TB
  X1{"Flavour-level row has active display pan?"}
  X2["No active pan: save flavour row and flag review"]
  X3["One active pan: assign weight to pan"]
  X4["Multiple active pans: allocate FIFO and flag review"]
end

```

```

    X5["Over capacity: flag review"]
end

subgraph EMPTY["Store Staff: Empty Pans"]
    direction TB
    P1["App empty-pan count increases"]
    P2["Enter physical empty-pan count at BOD/EOD"]
    P3{"Physical count matches app count?"}
    P4["No discrepancy"]
    P5["Flag discrepancy"]
    P6["Send empty pans to lab"]
    P7["Return in transit; store empty count decreases"]
end

subgraph REVIEW["Store Manager / Admin Review"]
    direction TB
    A1["Review unmatched EOD rows"]
    A2["Review over-capacity rows"]
    A3["Review physical empty-pan mismatch"]
    A4["Review disputed empty-pan return"]
    A5["Review FIFO override if needed"]
end

START --> L1 --> L2 --> L3 --> L4 --> L5 --> L6 --> R1 --> R2

R2 -- "Yes" --> R3 --> D1
R2 -- "No" --> R4
R4 --> R5 --> D1
R4 --> R6 --> R8
R4 --> R7 --> R8
R8 --> R9
R9 -- "Yes" --> R10 --> D1
R9 -- "No" --> R11 --> A4

R3 -. "Event/B2B need" .-> O1
R5 -. "Event/B2B need" .-> O1
R10 -. "Event/B2B need" .-> O1
O1 --> O2 --> O3 --> O4 --> O5 --> O6 --> END

D1 --> D2 --> D3
D3 -- "No" --> D4
D3 -- "Yes" --> D5

```

```

D5 -- "Yes" --> D6 --> D10
D5 -- "No, manager instructed" --> D7 --> D8 --> D9 --> A5
D9 --> D10
D10 -- "No" --> D11 --> E1
D10 -- "Yes" --> D12 --> D13
D13 -- "Empty" --> D14 --> P1
D13 -- "Too low" --> D15 --> P1
D13 -- "Partial" --> D16
D16 -- "Yes" --> D17 --> D11
D16 -- "No" --> D18 --> A3
P1 --> D11

E1 --> E2 --> E3
E3 -- "No" --> E4
E3 -- "Yes" --> E5
E5 -- "Yes" --> E6 --> P1
E5 -- "No" --> E7
E8 -. "Correction path" .-> E1

X1 -- "None" --> X2 --> A1
X1 -- "One" --> X3
X1 -- "Multiple" --> X4 --> A1
X3 --> X5
X4 --> X5
X5 --> A2

P1 --> P2 --> P3
P3 -- "Yes" --> P4
P3 -- "No" --> P5 --> A3
P1 --> P6 --> P7 --> L7
L7 -- "Accept" --> END([Done])
L7 -- "Dispute" --> A4

classDef lab fill:#dff3ff,stroke:#0284c7,color:#0f172a;
classDef store fill:#dcfce7,stroke:#16a34a,color:#0f172a;
classDef manager fill:#fef3c7,stroke:#d97706,color:#0f172a;
classDef admin fill:#fae8ff,stroke:#a855f7,color:#0f172a;
classDef decision fill:#fff7ed,stroke:#f97316,color:#0f172a;
classDef warning fill:#fee2e2,stroke:#dc2626,color:#0f172a;
classDef endNode fill:#ecfccb,stroke:#65a30d,color:#0f172a;

class L1,L2,L3,L4,L5,L6,L7 lab;

```

```
class R1,R3,R4,R5,R6,R7,R8,R10,D1,D2,D4,D6,D7,D8,D11,D12,D14,D15,D17,O1,O2,O3,O4,O5,O6,E1,I  
class E8 manager;  
class A1,A2,A3,A4,A5,X2,X3,X4,X5 admin;  
class R2,R9,D3,D5,D10,D13,D16,E3,E5,X1,P3 decision;  
class R11,D9,D18,E4,P5 warning;  
class START,END endNode;
```