

- range
- compact
- array_map
- array_values
- array_count_values
- array_flip
- array_intersect_ukey
- array_uintersect
- array_uintersect_assoc
- array_intersect_uassoc
- array_uintersect_uassoc
- array_diff_ukey
- array_udiff
- array_diff_uassoc
- array_udiff_assoc
- array_udiff_uassoc
- array_filter
- array_intersect_key
- array_intersect
- array_intersect_assoc
- array_diff_key
- array_diff
- array_diff_assoc
- array_replace
- array_replace_recursive
- array_reverse
- array_change_key_case
- array_unique
- array_chunk
- array_pad
- array_slice
- array_column
- array_keys
- array_combine
- array_fill_keys
- array_splice
- array_merge
- array_merge_recursive
- array_fill
- array_key_exists
- key_exists
- array_multisort
- array_is_list
- natsort
- natcasesort
- rsort

- in_array
- extract
- array_push
- array_unshift
- count
- sizeof
- array_sum
- array_product
- array_rand
- array_search
- array_key_first
- array_key_last
- key
- array_reduce
- array_pop
- array_shift
- current
- pos
- end
- prev
- next
- reset
- min
- max
- shuffle
- usort
- uasort
- uksort
- krsort
- ksort
- asort
- arsort
- sort
- array_walk
- array_walk_recursive
- assert
- assert_options
- base64_encode
- base64_decode
- error_get_last
- config_get_hash
- time_nanosleep
- sys_getloadavg
- ini_get_all
- parse_ini_file
- parse_ini_string

- getopt
- register_tick_function
- time_sleep_until
- putenv
- is_uploaded_file
- move_uploaded_file
- error_log
- connection_aborted
- connection_status
- ignore_user_abort
- sleep
- ini_parse_quantity
- ip2long
- getprotobyname
- getservbyname
- call_user_func_array
- forward_static_call_array
- call_user_func
- forward_static_call
- constant
- get_current_user
- php_strip_whitespace
- getenv
- get_cfg_var
- print_r
- highlight_file
- show_source
- highlight_string
- get_include_path
- long2ip
- getservbyport
- getprotobyname
- set_include_path
- ini_get
- ini_set
- ini_alter
- flush
- error_clear_last
- unregister_tick_function
- register_shutdown_function
- usleep
- ini_restore
- get_browser
- crc32
- crypt
- strptime

- scandir
- glob
- chdir
- chroot
- dir
- readdir
- getcwd
- closedir
- rewinddir
- opendir
- gethostbyname
- dns_get_record
- dns_get_mx
- getmxrr
- dns_check_record
- checkdnsrr
- gethostbyname
- gethostname
- gethostbyaddr
- proc_nice
- passthru
- escapeshellarg
- escapeshellcmd
- exec
- system
- shell_exec
- fstat
- fgetcsv
- get_meta_tags
- file
- fscanf
- rewind
- fclose
- feof
- fflush
- fsync
- fdatasync
- flock
- ftruncate
- rmdir
- mkdir
- unlink
- rename
- copy
- fnmatch
- pclose

- fpassthru
- fseek
- umask
- ftell
- fputcsv
- fwrite
- fputs
- readfile
- file_put_contents
- sys_get_temp_dir
- fgetc
- fgets
- fread
- tempnam
- file_get_contents
- realpath
- tmpfile
- popen
- fopen
- realpath_cache_get
- stat
- lstat
- file_exists
- is_writable
- is_writeable
- is_readable
- is_executable
- is_file
- is_dir
- is_link
- touch
- chmod
- chgrp
- lchgrp
- chown
- lchown
- disk_total_space
- disk_free_space
- diskfreespace
- realpath_cache_size
- fileatime
- filectime
- filegroup
- fileinode
- filemtime
- fileowner

- fileperms
- filesize
- filetype
- clearstatcache
- vfprintf
- fprintf
- vprintf
- printf
- vsprintf
- sprintf
- fsockopen
- pfsockopen
- ftok
- headers_list
- headers_sent
- setrawcookie
- setcookie
- http_response_code
- header_remove
- header
- hrtime
- get_html_translation_table
- htmlspecialchars_decode
- html_entity_decode
- htmlspecialchars
- htmlentities
- http_build_query
- getimagesize
- getimagesizefromstring
- image_type_to_mime_type
- image_type_to_extension
- php_uname
- php_sapi_name
- php_ini_scanned_files
- php_ini_loaded_file
- phpversion
- phpcredits
- phpinfo
- iptcparse
- iptcembed
- levenshtein
- symlink
- link
- linkinfo
- readlink
- mail

- set_time_limit
- set_time_limit
- ob_list_handlers
- ob_get_status
- ob_start
- ob_flush
- ob_clean
- ob_end_flush
- ob_end_clean
- output_reset_rewrite_vars
- output_add_rewrite_var
- ob_get_level
- ob_get_length
- ob_get_flush
- ob_get_clean
- ob_get_contents
- ob_implicit_flush
- ob_start
- header_register_callback
- header_register_callback
- stream_wrapper_unregister
- stream_wrapper_restore
- stream_wrapper_register
- stream_register_wrapper
- stream_wrapper_unregister
- stream_wrapper_restore
- stream_wrapper_register
- stream_register_wrapper
- is_finite
- is_nan
- is_infinite
- pi
- sin
- cos
- tan
- asin
- acos
- atan
- atanh
- sinh
- cosh
- tanh
- asinh
- acosh
- expm1
- log1p

- exp
- log10
- sqrt
- deg2rad
- rad2deg
- log
- fmod
- fdiv
- hypot
- atan2
- ceil
- floor
- round
- intdiv
- abs
- bindec
- hexdec
- octdec
- pow
- number_format
- decbin
- decoct
- dechex
- base_convert
- md5
- md5_file
- metaphone
- getrusage
- gettimeofday
- microtime
- net_get_interfaces
- unpack
- pack
- getmyuid
- getmygid
- getmypid
- getmyinode
- getlastmod
- password_algos
- password_get_info
- password_verify
- password_needs_rehash
- password_hash
- proc_get_status
- proc_terminate
- proc_close

- `proc_open`
- `quoted_printable_decode`
- `quoted_printable_encode`
- `sha1`
- `sha1_file`
- `soundex`
- `stream_context_get_params`
- `stream_get_meta_data`
- `socket_get_status`
- `stream_context_get_options`
- `stream_get_wrappers`
- `stream_get_transports`
- `stream_socket_pair`
- `stream_context_set_params`
- `stream_context_set_option`
- `stream_supports_lock`
- `stream_is_local`
- `stream_isatty`
- `sapi_windows_vt100_support`
- `stream_set_blocking`
- `socket_set_blocking`
- `stream_socket_shutdown`
- `stream_set_timeout`
- `socket_set_timeout`
- `stream_filter_remove`
- `stream_set_write_buffer`
- `set_file_buffer`
- `stream_set_read_buffer`
- `stream_set_chunk_size`
- `stream_socket_enable_crypto`
- `stream_copy_to_stream`
- `stream_socket_sendto`
- `stream_select`
- `stream_socket_get_name`
- `stream_socket_recvfrom`
- `stream_get_contents`
- `stream_get_line`
- `stream_resolve_include_path`
- `stream_socket_accept`
- `stream_filter_prepend`
- `stream_filter_append`
- `stream_context_get_default`
- `stream_context_create`
- `stream_context_set_default`
- `stream_socket_client`
- `stream_socket_server`

- localeconv
- explode
- str_split
- str_getcsv
- str_word_count
- sscanf
- pathinfo
- count_chars
- str_contains
- str_starts_with
- str_ends_with
- ord
- substr_count
- substr_compare
- strspn
- strcspn
- strcoll
- strnatcmp
- strnatcasecmp
- similar_text
- strpos
- stripos
- strrpos
- stripslashes
- chr
- dirname
- basename
- bin2hex
- strtoupper
- strtolower
- quotemeta
- ucfirst
- lcfirst
- strrev
- addslashes
- stripslashes
- stripslashes
- str_rot13
- str_shuffle
- utf8_encode
- utf8_decode
- strip_tags
- nl2br
- chunk_split
- str_pad
- hebrew

- substr
- str_repeat
- wordwrap
- trim
- rtrim
- chop
- ltrim
- addslashes
- ucwords
- strtr
- implode
- join
- str_replace
- str_ireplace
- substr_replace
- setlocale
- nl_langinfo
- strrchr
- stristr
- strstr
- strchr
- hex2bin
- strtok
- strpbrk
- parse_str
- inet_ntop
- inet_pton
- closelog
- openlog
- syslog
- boolval
- is_null
- is_resource
- is_bool
- is_int
- is_integer
- is_long
- is_float
- is_double
- is_numeric
- is_string
- is_array
- is_object
- is_scalar
- is_iterable
- is_countable

- is_callable
- settype
- floatval
- doubleval
- intval
- gettype
- get_debug_type
- strval
- uniqid
- get_headers
- parse_url
- urlencode
- urldecode
- rawurlencode
- rawurldecode
- stream_bucket_make_writeable
- stream_get_filters
- stream_filter_register
- stream_bucket_new
- stream_bucket_prepend
- stream_bucket_append
- convert_uuencode
- convert_uudecode
- var_export
- memory_get_usage
- memory_get_peak_usage
- unserialize
- serialize
- memory_reset_peak_usage
- var_dump
- debug_zval_dump
- version_compare
- sapi_windows_cp_conv
- ob_list_handlers
- ob_get_status
- sapi_windows_cp_is_utf8
- ob_flush
- ob_clean
- ob_end_flush
- ob_end_clean
- output_reset_rewrite_vars
- sapi_windows_set_ctrl_handler
- sapi_windows_cp_set
- sapi_windows_generate_ctrl_event
- output_add_rewrite_var
- ob_get_level

- sapi_windows_cp_get
- ob_get_length
- ob_get_flush
- ob_get_clean
- ob_get_contents
- ob_implicit_flush