

Abraão Pessoa de Barros

Analista e Engenheiro de sistemas

abraaopessoa@yahoo.com.br

(81) 99131-6770

Technical

PHP / Laravel

HTML5 / CSS / Bootstrap

Javascript / Vue.js

React Native / NativeScript (Android/iOS)

MySQL/Oracle/MsSql

Unity / C# (Game development)

Project Management

Experience

NTTData Senior Consultant 2012 to present

Designed Backbone.js based application to replace and improve upon existing legacy system.

Introduced BDD style testing using Jasmine/Karma into existing application code.

Developed modern solutions and features for large Enterprise Java systems.

Collaborated with and guided global team members transitioning to client side architecture.

Technical Environment Backbone.js, Jasmine.js, Coffeescript, SpringSource, Tomcat.

Sumtotal Systems Senior Java Developer 2008 to 2012

Designed and implemented features and improvements for multiple enterprise sized applications.

Automated manual report generation for legacy ticketing system to provide reliable team analytics.

Provided quality solutions to mission critical production issues in a timely manner.

Proposed, designed and implemented a realtime tracking, deployment and notification system for test environments.

Technical Environment Weblogic/Websphere, SpringSource/Wicket, MSSQL/Oracle, JUnit.

We Can Pretend Technical Consultant 2011

Architected and implemented a interactive media streaming service that enabled realtime, massively multiplayer, jeopardy-style interactions.

Built host interface to inject synchronized prompts, overlays and widgets into live video stream.

Created detailed documentation regarding technical requirements, project time lines and staffing guidelines for realizing total product offering.

Technical Environment Wowza Media Server, Adobe Flex, Javascript.

CIBC Test Analyst 2007 to 2008

Eliminated manual testing processes with automated QTP scripts to increase productivity and limit repetitive human task based testing.

Worked cohesively with other developers and team members to plan, design and implement multi-system automated tests which simulate multiple users and roles.

Projects

Ethical Barcode

<a href=<http://www.ethicalbarcode.com> class=not-printed>ethicalbarcode.com

Cordova based app(iOS & Android) that leverages a huge amalgamation of public data. Driven by over 30 web spiders, 15 webservices and multiple external databases it provides brand ratings from non-profit organisations by scanning product barcodes.

Halifax Crime Heatmap

<a href=<http://www.crimeheatmap.ca> class=not-printed>crimeheatmap.ca

HTML5 Animated heatmap visualising crimes in the city of Halifax. Built on a customised version Heatmap.js library which enables smooth animation. Won silver in the [Apps4Halifax](#) city category.

Foxish

<a href=<https://chrome.google.com/webstore/detail/jpgagcapnkccceppgljfpoadahaopjdb> class=not-printed>chrome.google.com

Chrome extension that enables Firefox-style live RSS feeds with over fifteen thousand active users a 4/5 star rating. Featured on [Gizmodo](#) & [LifeHacker](#).

Education

Bachelor of Technology (Software Development) 2003 to 2007

Seneca College of Applied Arts and Technology (Seneca@York), Toronto, Ontario

layout: default

Text can be **bold**, *italic*, or ~~strikethrough~~.

[Link to another page.](#)

There should be whitespace between paragraphs.

There should be whitespace between paragraphs. We recommend including a README, or a file with information about your project.

Header 1

This is a normal paragraph following a header. GitHub is a code hosting platform for version control and collaboration. It lets you and others work together on projects from anywhere.

Header 2

This is a blockquote following a header.

When something is important enough, you do it even if the odds are not in your favor.

Header 3

```
// Javascript code with syntax highlighting.
var fun = function lang(l) {
  dateformat.i18n = require('./lang/' + l)
  return true;
}

# Ruby code with syntax highlighting
GitHubPages::Dependencies.gems.each do |gem, version|
  s.add_dependency(gem, "= #{version}")
end
```

Header 4

This is an unordered list following a header.

This is an unordered list following a header.

This is an unordered list following a header.

Header 5

- This is an ordered list following a header.
- This is an ordered list following a header.
- This is an ordered list following a header.

Header 6

head1	head two	three
ok	good swedish fish	nice
out of stock	good and plenty	nice
ok	good oreos	hmm
ok	good zoute drop	yumm

There's a horizontal rule below this.

Here is an unordered list:

- Item foo
- Item bar
- Item baz
- Item zip

And an ordered list:

- Item one
- Item two
- Item three
- Item four


And a nested list:

- level 1 item
 - level 2 item
 - level 2 item
 - level 3 item
 - level 3 item
- level 1 item
 - level 2 item
 - level 2 item
 - level 2 item
- level 1 item
 - level 2 item
 - level 2 item
- level 1 item

Small image



Large image



Definition lists can be used with HTML syntax.

Name

Godzilla

Born

1952

Birthplace

Japan

Color

Green

Long, single-line code blocks should not wrap. They should horizontally scroll if they are too long. This line should be long enough to demonstrate this.

The final element.
