

[REMOVE ADS](#)

# Keyboard Shortcuts

[< Previous](#)[Next >](#)

## Keyboard Shortcuts For Windows and Mac

Keyboard shortcuts are often used in modern operating systems and computer software programs.

Learning and using keyboard shortcuts can save you a lot of time.

## Basic Shortcuts

| Description     | Windows  | Mac OS        |
|-----------------|----------|---------------|
| Edit menu       | Alt + E  | Ctrl + F2 + F |
| File menu       | Alt + F  | Ctrl + F2 + E |
| View menu       | Alt + V  | Ctrl + F2 + V |
| Select all text | Ctrl + A | Cmd + A       |
| Copy text       | Ctrl + C | Cmd + C       |



Tutorials ▼

References ▼

Exercises ▼



Sign In

≡
[CSS](#)
[JAVASCRIPT](#)
[SQL](#)
[PYTHON](#)
[JAVA](#)
[PHP](#)
[W3.CSS](#)
[C](#)
[C++](#)

 New Document  
[REMOVE ADS](#)

Ctrl + N

Cmd + N

Open a file

Ctrl + O

Cmd + O

Print options

Ctrl + P

Cmd + P

Save file

Ctrl + S

Cmd + S

Paste text

Ctrl + V

Cmd + V

Cut text

Ctrl + X

Cmd + X

Redo text

Ctrl + Y

Shift + Cmd + Z

Undo text

Ctrl + Z

Cmd + Z

## Text Editing

| Description                                            | Windows     | Mac OS            |
|--------------------------------------------------------|-------------|-------------------|
| <b>Cursor Movement</b>                                 |             |                   |
| Go to the right or to the beginning of next line break | Right Arrow | Right Arrow       |
| Go to the left or to the end of previous line break    | Left Arrow  | Left Arrow        |
| Go up one row                                          | Up Arrow    | Up Arrow          |
| Go down one row                                        | Down Arrow  | Down Arrow        |
| Go to the beginning of the current line                | Home        | Cmd + Left Arrow  |
| Go to the end of the current line                      | End         | Cmd + Right Arrow |
| Go to the beginning of the document                    | Ctrl + Home | Cmd + Up Arrow    |
| Go to the end of the document                          | Ctrl + End  | Cmd + Down Arrow  |
| Move up one frame                                      | Page Up     | Fn + Up Arrow     |
| Move down one frame                                    | Page Down   | Fn + Down Arrow   |


[REMOVE ADS](#)

Go to beginning of line break

Ctrl + Up Arrow

Cmd + Left Arrow

Go to end of line break

Ctrl + Down Arrow

Cmd + Right Arrow

**Text Selection**

Select characters to the left

Shift + Left Arrow

Shift + Left Arrow

Select characters to the right

Shift + Right Arrow

Shift + Right Arrow

Select lines upwards

Shift + Up Arrow

Shift + Up Arrow

Select lines downwards

Shift + Down Arrow

Shift + Down Arrow

Select words to the left

Shift + Ctrl + Left

Shift + Opt + Left

Select words to the right

Shift + Ctrl + Right

Shift + Opt + Right

Select paragraphs to the left

Shift + Ctrl + Up

Shift + Opt + Up

Select paragraphs to the right

Shift + Ctrl + Down

Shift + Opt + Down

Select text between the cursor and the beginning of the current line

Shift + Home

Cmd + Shift + Left Arrow

Select text between the cursor and the end of the current line

Shift + End

Cmd + Shift + Right Arrow

Select text between the cursor and the beginning of the document

Shift + Ctrl + Home

Cmd + Shift + Up Arrow or Cmd + Shift + Fn + Left Arrow

Select text between the cursor and the end of the document

Shift + Ctrl + End

Cmd + Shift + Down Arrow or Cmd + Shift + Fn + Right Arrow

Select one frame at a time of text above the cursor

Shift + Page Up

Shift + Fn + Up Arrow



Tutorials ▼

References ▼

Exercises ▼



Sign In

|                                         | CSS | JAVASCRIPT | SQL | PYTHON | JAVA             | PHP | W3.CSS               | C | C++ |
|-----------------------------------------|-----|------------|-----|--------|------------------|-----|----------------------|---|-----|
| Select all text                         |     |            |     |        |                  |     |                      |   |     |
| <a href="#">REMOVE ADS</a><br>Find text |     |            |     |        | Ctrl + F         |     | Cmd + F              |   |     |
|                                         |     |            |     |        |                  |     |                      |   |     |
| <b>Text Formatting</b>                  |     |            |     |        |                  |     |                      |   |     |
| Make selected text bold                 |     |            |     |        | Ctrl + B         |     | Cmd + B              |   |     |
| Make selected text italic               |     |            |     |        | Ctrl + I         |     | Cmd + I              |   |     |
| Underline selected text                 |     |            |     |        | Ctrl + U         |     | Cmd + U              |   |     |
| Make selected text superscript          |     |            |     |        | Ctrl + Shift + = |     | Cmd + Shift + =      |   |     |
| Make selected text subscript            |     |            |     |        | Ctrl + =         |     | Cmd + =              |   |     |
|                                         |     |            |     |        |                  |     |                      |   |     |
| <b>Text Editing</b>                     |     |            |     |        |                  |     |                      |   |     |
| Delete characters to the left           |     |            |     |        | Backspace        |     | Backspace            |   |     |
| Delete characters to the right          |     |            |     |        | Delete           |     | Fn + Backspace       |   |     |
| Delete words to the right               |     |            |     |        | Ctrl + Del       |     | Cmd + Backspace      |   |     |
| Delete words to the left                |     |            |     |        | Ctrl + Backspace |     | Cmd + Fn + Backspace |   |     |
| Indent                                  |     |            |     |        | Tab              |     | Tab                  |   |     |
| Outdent                                 |     |            |     |        | Shift + Tab      |     | Shift + Tab          |   |     |
| Copy text                               |     |            |     |        | Ctrl + C         |     | Cmd + C              |   |     |
| Find and replace text                   |     |            |     |        | Ctrl + H         |     | Cmd + F              |   |     |
| Paste text                              |     |            |     |        | Ctrl + V         |     | Cmd + V              |   |     |
| Cut text                                |     |            |     |        | Ctrl + X         |     | Cmd + X              |   |     |
| Redo text                               |     |            |     |        | Ctrl + Y         |     | Shift + Cmd + Z      |   |     |
| Undo text                               |     |            |     |        | Ctrl + Z         |     | Cmd + Z              |   |     |


[REMOVE ADS](#)

## Web Browsers

| Description                  | Windows                                | Mac OS                         |
|------------------------------|----------------------------------------|--------------------------------|
| <b>Navigation</b>            |                                        |                                |
| Scroll down a frame          | Space or Page Down                     | Space or Fn + Down Arrow       |
| Scroll up a frame            | Shift + Space or Page Up               | Shift + Space or Fn + Up Arrow |
| Go to bottom of the page     | End                                    | Cmd + Down Arrow               |
| Go to top of the page        | Home                                   | Cmd + Up Arrow                 |
| Go back                      | Alt + Left Arrow or Backspace          | Cmd + Left Arrow               |
| Go forward                   | Alt + Right Arrow or Shift + Backspace | Cmd + Right Arrow              |
| Refresh a webpage            | F5                                     | Cmd + R                        |
| Refresh a webpage (no cache) | Ctrl + F5                              | Cmd + Shift + R                |



Tutorials ▼

References ▼

Exercises ▼



Sign In

≡
.
CSS
JAVASCRIPT
SQL
PYTHON
JAVA
PHP
W3.CSS
C
C++

 Zoom in  
[REMOVE ADS](#)

Ctrl + +

Cmd + +

Zoom out

Ctrl + -

Cmd + -

Zoom 100% (default)

Ctrl + 0

Cmd + 0

Open homepage

Alt + Home

Option + Home or  
Option + Fn + Left  
Arrow

Find text

Ctrl + F

Cmd + F

**Tab / Window Management**

Open a new tab

Ctrl + T

Cmd + T

Close current tab

Ctrl + W

Cmd + W

Close all tabs

Ctrl + Shift + W

Cmd + Q

Close all tabs except the current tab

Ctrl + Alt + F4

Cmd + Opt + W

Go to next tab

Ctrl + Tab

Control + Tab or  
Cmd + Shift + Right  
Arrow

Go to previous tab

Ctrl + Shift + Tab

Shift + Control +  
Tab or Cmd + Shift  
+ Left Arrow

Go to a specific tab number

Ctrl + 1-8

Cmd + 1-8

Go to the last tab

Ctrl + 9

Cmd + 9

Reopen the last closed tab

Ctrl + Shift + T

Cmd + Shift + T

Open a new window

Ctrl + N

Cmd + N

Close current window

Alt + F4

Cmd + W

Go to next window

Alt + Tab

Cmd + Tab

Go to previous window

Alt + Shift + Tab

Cmd + Shift + Tab



Open links in a new tab in the foreground  
[REMOVE ADS](#)

Ctrl + Shift + Click

Cmd + Shift + Click

Print current webpage

Ctrl + P

Cmd + P

Save current webpage

Ctrl + S

Cmd + S

## Address Bar

Cycle between toolbar, search bar, and page elements

Tab

Tab

Go to browser's address bar

Ctrl + L or Alt + D

Cmd + L

Focus and select the browser's search bar

Ctrl + E

Cmd + E / Cmd + K

Open the address bar location in a new tab

Alt + Enter

Opt + Enter

Display a list of previously typed addresses

F4

Add "www." to the beginning and ".com" to the end of the text typed in the address bar (e.g., type "w3schools" and press Ctrl + Enter to open "www.w3schools.com")

Ctrl + Enter

Cmd + Enter or  
Control + Enter

## Bookmarks

Open the bookmarks menu

Ctrl + B

Cmd + B

Add bookmark for current page

Ctrl + D

Cmd + Opt + B or  
Cmd + Shift + B

Open browsing history

Ctrl + H

Cmd + Shift + H or  
Cmd + Y

Open download history

Ctrl + J

Cmd + J or Cmd +  
Shift + J

# Screenshots



Tutorials ▼

References ▼

Exercises ▼



Sign In

|                                                      |                                        |                                    |
|------------------------------------------------------|----------------------------------------|------------------------------------|
| Copy screenshot of the whole screen to the clipboard | PrtScr (Print Screen) or Ctrl + PrtScr | Cmd + Ctrl + Shift + 3             |
| Save screenshot of window as file                    |                                        | Cmd + Shift + 4, then Space        |
| Copy screenshot of window to the clipboard           | Alt + PrtScr                           | Cmd + Ctrl + Shift + 4, then Space |
| Copy screenshot of wanted area to the clipboard      |                                        | Cmd + Ctrl + Shift + 4             |
| Save screenshot of wanted area as file               |                                        | Cmd + Shift + 4                    |

**Note:** Due to different keyboard setups, some shortcuts may not be compatible for all users.

[< Previous](#)
[Sign in to track progress](#)
[Next >](#)


Sign in to track your progress and earn XP!

Sign In

or



No account? [Register](#)



[Tutorials ▼](#)[References ▼](#)[Exercises ▼](#)[Sign In](#)[CSS](#)[JAVASCRIPT](#)[SQL](#)[PYTHON](#)[JAVA](#)[PHP](#)[W3.CSS](#)[C](#)[C++](#)[PLUS](#)[SPACES](#)[GET CERTIFIED](#)[FOR TEACHERS](#)[BOOTCAMPS](#)[CONTACT US](#)

## Top Tutorials

[HTML Tutorial](#)  
[CSS Tutorial](#)  
[JavaScript Tutorial](#)  
[How To Tutorial](#)  
[SQL Tutorial](#)  
[Python Tutorial](#)  
[W3.CSS Tutorial](#)  
[Bootstrap Tutorial](#)  
[PHP Tutorial](#)  
[Java Tutorial](#)  
[C++ Tutorial](#)  
[jQuery Tutorial](#)

## Top References

[HTML Reference](#)  
[CSS Reference](#)  
[JavaScript Reference](#)  
[SQL Reference](#)  
[Python Reference](#)  
[W3.CSS Reference](#)  
[Bootstrap Reference](#)  
[PHP Reference](#)  
[HTML Colors](#)  
[Java Reference](#)  
[AngularJS Reference](#)  
[jQuery Reference](#)

## Top Examples

[HTML Examples](#)  
[CSS Examples](#)  
[JavaScript Examples](#)  
[How To Examples](#)  
[SQL Examples](#)  
[Python Examples](#)  
[W3.CSS Examples](#)  
[Bootstrap Examples](#)

## Get Certified

[HTML Certificate](#)  
[CSS Certificate](#)  
[JavaScript Certificate](#)  
[Front End Certificate](#)  
[SQL Certificate](#)  
[Python Certificate](#)  
[PHP Certificate](#)  
[jQuery Certificate](#)

[Tutorials ▼](#)[References ▼](#)[Exercises ▼](#)[Sign In](#)[CSS](#)[JAVASCRIPT](#)[SQL](#)[PYTHON](#)[JAVA](#)[PHP](#)[W3.CSS](#)[C](#)[C++](#)[FORUM](#) [ABOUT](#) [ACADEMY](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.

Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness

of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookies](#) and [privacy policy](#).

[Copyright 1999-2026](#) by Refsnes Data. All Rights Reserved. [W3Schools is Powered by W3.CSS](#).