

AI-Powered Patient Onboarding Hub

Salesforce Capstone Project Documentation

Prepared by: Abrar Abdullah Alghamdi

Program: AI Career Accelerator for Future Engineers

Platform: Salesforce

Date: August 2026

Table of Contents

Project Overview	8
Problem Statement	8
Project Objectives	8
System Requirements.....	9
Hardware Requirements.....	9
Software Requirements	9
Key Technologies and Skills.....	9
Phase 1: Requirement Analysis & Planning	9
1.1 Understanding Business Requirements.....	9
1.1.1 Objective	9
1.1.2 Approach	9
1.1.3 Key Business Requirements Identified	10
1.2 Defining Project Scope & Objectives	10
1.2.1 Project Scope	10
1.2.2 Objectives Summary	11
1.3 Identifying Key Salesforce Features & Tools Required	11
1.3.1 Salesforce Features Used:	11
1.4 Designing Data Model and Security Model.....	12
1.4.1 Data Model Includes:	12
1.4.2 Security Model Design	13
1.5 User Stories	13
1.6 Use Cases	14
Phase 2: Salesforce Development –Backend & Configurations.....	16
2.1 Data Model Design and Setup	16
2.1.1 Patient (Patient__c).....	17
2.1.2 Insurance (Insurance__c)	18
2.1.3 Medical History (Medical_History__c).....	20
2.1.4 Current Health Concern (Current_Health_Concern__c)	21
2.1.5 Patient Consent (Patient_Consent__c).....	22
2.2 Validation Rules and Automation	23
2.2.1 Validation Rules	23
2.2.2 Salesforce Flows	24

2.3 Apex Development.....	32
Phase 3: UI/UX Development & Customization	33
3.1 Lightning App Setup	33
3.2 Page Layouts and Dynamic Forms	33
3.2.1 Page Layouts	33
3.2.2 Dynamic Forms.....	34
3.3 User Management	35
3.3.1 Onboarding Staff user	35
3.3.2 EinsteinServiceAgent User	36
3.4 Reports and Dashboards	36
3.4.1 Reports	36
3.4.2 Patient Onboarding Dashboard	38
3.5 Lightning Pages	39
3.5.1 Dynamic Visibility – Insurance Status.....	40
3.5.2 Dynamic Actions.....	40
Phase 4:Data Migration, Testing & Security	42
4.1 Data Loading Using Data Import Wizard	42
4.2 Field History Tracking	43
4.3 Duplicate and Matching Rules.....	44
4.3.1 Matching Rules	44
4.3.2 Duplicate Rules.....	45
4.4 Profiles, Roles and Role Hierarchy, Permission sets, Sharing Rules.....	45
4.4.1 Profiles	45
4.4.2 Roles and Role Hierarchy	46
4.4.3 Organization-Wide Defaults (OWD) and Sharing Rules.....	47
4.4.4 Permission Sets	48
4.5 Test Cases.....	52
4.5.1 Check Patient Registration Flow Test	52
4.5.2 Generate Onboarding URL Flow Test	52
4.5.3 Check Onboarding Status Flow	53
4.5.4 Patient Onboarding Screen Flow	53
4.5.5 Email Automation Testing - Record-Triggered Flow	55
4.5.6 Dynamic Visibility and Dynamic Actions Testing.....	56

4.5.7 Validation Rule Test	57
4.5.8 Matching and Duplicate Rule Test.....	58
4.5.9 Insurance Field History Tracking Test	58
4.6 Agentforce Implementation	59
4.6.1 Patient Onboarding Subagent Configuration	60
4.6.2 Agentforce Actions Configuration	60
4.6.3 Agent Action Configuration	61
4.6.4 Agentforce Testing	62
Phase 5: Deployment, Documentation & Maintenance	64
5.1 Proposed Deployment Strategy.....	64
5.2 System Maintenance and Monitoring	64
5.3 Troubleshooting Approach.....	64
6. Future Enhancements.....	64
7. Conclusion	65
8. References.....	66

Table of Tables

Table 1: Patient Object Fields and Data Types	17
Table 2: Insurance Object Fields and Data Types	18
Table 3: Medical History Object Fields and Data Types	20
Table 4: Current Health Concern Object Fields and Data Types	21
Table 5: Patient Consent Object Fields and Data Types	22

Table of Figures

Figure 1: Patient Onboarding data model and object relationships in Salesforce Schema Builder.....	16
Figure 2: Patient object fields configured in Salesforce.	18
Figure 3: Insurance object fields configured in Salesforce.....	20
Figure 4: Medical History object fields configured in Salesforce.	21
Figure 5: Current Health Concern object fields configured in Salesforce.....	22
Figure 6: Patient Consent object fields configured in Salesforce.	23
Figure 7: Insurance Validation Rule Configuration	23
Figure 8: Patient Onboarding Screen Flow showing the main screens.	24
Figure 9: Patient Onboarding Screen Flow showing the record creation elements, and secondary insurance decision logic.....	25
Figure 10: Patient Information screen used to collect the patient’s required demographic information.....	25
Figure 11: Create Patient element mapping the collected onboarding information to a new Patient record.	26
Figure 12: Decision element used to determine whether an additional secondary insurance record should be created.	26
Figure 13: Insurance Verification Record-Triggered Flow showing the status-based decision paths and automated email actions.	27
Figure 14: Verification Status decision logic configured to route the flow based on the Insurance record status.....	27
Figure 15: Automated email action configured to notify the patient based on the insurance verification outcome.	28
Figure 16: Check Patient Registration Autolaunched Flow	29
Figure 17: Patient Onboarding URL Autolaunched Flow	29
Figure 18: Check Onboarding Status Autolaunched Flow	30
Figure 19: Insurance loop and decision logic used to identify Primary and Secondary insurance verification statuses.	30
Figure 20: Find Patient configuration and debug result showing patient identification using the provided email address and mobile phone number.	31
Figure 21: Check Insurance Level decision and debug result showing the identification of a Primary Insurance record during the insurance loop.	31
Figure 22: Navigation items configured for the AI-Powered Patient Onboarding Hub Lightning application.	33
Figure 23: Patient Page Layout displaying the fields available on the Patient record.....	34
Figure 24: Patient Record Page Using Dynamic Forms in Lightning App Builder.....	34
Figure 25: Patient Record Page Using Dynamic Forms.	35
Figure 26: Onboarding Staff User Configuration	35
Figure 27: EinsteinServiceAgent User Configuration.	36
Figure 28: Insurance Verification Status Overview Report.	37
Figure 29: Patients by City Report.....	37
Figure 30: Patient Allergy Status Overview Report.	38

Figure 31: Patient Registration Trend Report.	38
Figure 32: Patient Onboarding Dashboard.	39
Figure 33: Insurance Lightning Record Page Configuration.....	39
Figure 34: Insurance Record Page with Dynamic Visibility based on the verification status.	40
Figure 35: Dynamic Action configuration displaying the Log a Call action.....	41
Figure 36: Patient Data Import Using Salesforce Data Import Wizard	42
Figure 37: Patient CSV Field Mapping in Data Import Wizard	42
Figure 38: Successfully Imported Patient Records in Salesforce	43
Figure 39: Field History Tracking Configuration	43
Figure 40: Patient Matching Rule	44
Figure 41: Patient Duplicate Rule.....	45
Figure 42: Standard Platform User Profile for Onboarding Staff.....	45
Figure 43: Einstein Agent User Profile for Agentforce Service User.....	46
Figure 44: Patient Onboarding Role Hierarchy	46
Figure 45: User Role Assignments	47
Figure 46: Insurance Organization-Wide Default (OWD).....	47
Figure 47: Insurance Sharing Rules.....	48
Figure 48: Patient Onboarding Staff Permission Set	48
Figure 49: Insurance Object and Field-Level Permissions for Onboarding Staff.....	49
Figure 50: Application Access for Patient Onboarding Staff.....	49
Figure 51: Permission Set Assignment to Onboarding Staff	50
Figure 52: Object and Field-Level Permissions for Onboarding Staff.....	51
Figure 53: Agentforce Agent Permission Set – Insurance Access	51
Figure 54: Check Patient Registration Flow – Debug Result	52
Figure 55: Generate Onboarding URL Flow – Debug Result	52
Figure 56: Check Onboarding Status Flow – Debug Result.....	53
Figure 57: Patient Onboarding Flow – Welcome Screen.....	53
Figure 58: Patient Information – Auto-Prefilled Data	54
Figure 59: Patient Information – Completed Input.....	54
Figure 60: Patient Consent – Confirmed Consent	54
Figure 61: Patient Onboarding – Successful Submission	54
Figure 62: Patient Onboarding – Created Patient Record.....	55
Figure 63: Verified Status Email Test	55
Figure 64: Rejected Status Email Test	56
Figure 65: Dynamic Visibility Based on Insurance Verification Status.....	56
Figure 66: Dynamic Action Testing – Log a Call for Expired Insurance	57
Figure 67: Validation Rule Testing – Rejected Insurance Verification	58
Figure 68: Matching and Duplicate Rule Testing	58
Figure 69: Insurance Field History Tracking Test	59
Figure 70: Patient Onboarding Agent Structure.....	59
Figure 71: Patient Onboarding Subagent Reasoning Instructions and Actions	60
Figure 72: Agentforce Actions and Input/Output Configuration	61
Figure 73: Example of Agentforce Action Configuration – Generate Onboarding URL	61

Figure 74:Agentforce Live Testing – Existing Patient Status Check.....	62
Figure 75: Agentforce Live Testing – Existing Patient Registration Check	62
Figure 76: Agentforce Live Testing – New Patient Registration and Onboarding URL Generation.....	63

AI-Powered Patient Onboarding Hub

Project Overview

The AI-Powered Patient Onboarding Hub is a Salesforce-based healthcare solution designed to streamline the initial patient registration and information-gathering process. The solution combines Lightning components, Flow Builder, and Agentforce to create an intelligent, automated, and secure onboarding experience. It also leverages generative AI capabilities to personalize patient interactions and automate routine patient intake activities, with the goal of improving operational efficiency and the overall patient experience.

Problem Statement

Traditional patient onboarding processes are often manual, time-consuming, and inconsistent, which can lead to delayed data capture, increased administrative workload, potential errors, and a less efficient patient experience. The project addresses these challenges by introducing an integrated, AI-powered Salesforce solution that automates and organizes initial patient interactions and onboarding activities.

Project Objectives

- Design and implement a secure and scalable Salesforce data model for patient onboarding.
- Develop a Lightning Experience application utilizing Dynamic Forms, Actions, and Visibility to create an intuitive patient onboarding interface.
- Configure and integrate Agentforce to provide an AI-powered conversational interface for patient data collection and inquiry resolution.
- Automate key patient onboarding workflows using Flow Builder, integrating with Agentforce for seamless interaction.
- Implement reporting and dashboards to monitor patient onboarding metrics and system performance.
- Apply Salesforce best practices for security, data management, and application deployment.

System Requirements

Hardware Requirements

- Computer or laptop
- Stable internet connection

Software Requirements

- Salesforce Developer Edition Org
- Salesforce Lightning Experience
- Modern web browser

Key Technologies and Skills

- Salesforce Platform
- Lightning App Builder and Dynamic Forms
- Flow Builder
- Agentforce
- Salesforce Security and Access Management
- Data Management
- Reports and Dashboards

Phase 1: Requirement Analysis & Planning

1.1 Understanding Business Requirements

1.1.1 Objective

Understand the Patient Onboarding journey and the challenges faced by patients and healthcare staff when collecting, registering, and verifying patient information. This phase focuses on identifying opportunities to improve the process through a centralized digital system that reduces reliance on manual procedures, improves data accuracy and completeness, facilitates access to information for authorized users, and maintains patient data privacy and security.

1.1.2 Approach

1. Analyze the patient onboarding process to understand how basic patient information, insurance details, medical history, initial health information, and required consents are collected during registration.
2. Identify the key users involved in the process, including patients and Onboarding Staff, and understand their needs and responsibilities throughout the onboarding journey.

3. Identify challenges associated with manual processes, such as excessive data entry, incomplete or inaccurate information, and the time required to collect and review patient information.
4. Examine the need to maintain onboarding information in an organized and centralized manner, making it easier for authorized users to access and manage patient data.
5. Identify processes that can be improved using automation and artificial intelligence, such as collecting patient information, checking for existing registrations, creating onboarding records, and monitoring insurance verification status.
6. Identify the need to monitor the patient onboarding process through reports and dashboards while applying appropriate controls to protect data privacy and manage access.

1.1.3 Key Business Requirements Identified

1. **Centralized Patient Onboarding Data:** Organize patient information related to the onboarding process within a centralized system rather than maintaining scattered information, making the data easier to access and manage.
2. **Reduced Manual Work:** Reduce repetitive tasks and manual data entry to save staff time and improve the efficiency of the patient onboarding process.
3. **Improved Data Accuracy and Completeness:** Collect required information in a structured manner and ensure that essential information is complete before progressing through the onboarding process.
4. **Existing Patient Registration Check:** Verify whether a patient is already registered before starting a new registration, helping reduce the creation of duplicate patient records.
5. **Insurance Information Management:** Collect and review insurance information, monitor the **Verification Status**, and allow authorized staff to update the information when required.
6. **Patient Data Protection:** Control access to patient and insurance information so that only authorized users can access or modify records according to their responsibilities.
7. **Monitoring and Decision Support:** Provide reports and a dashboard that present key metrics related to patient registration activity, insurance verification status, and other onboarding data to support administrative monitoring and decision-making.

1.2 Defining Project Scope & Objectives

1.2.1 Project Scope

1. **Build a centralized patient onboarding system using Salesforce** to organize patient registration and manage onboarding data in a structured and secure manner.

2. **Support the patient onboarding journey**, from collecting basic patient information and checking for an existing registration to recording insurance information, medical history, health information, and patient consents.
3. **Implement a structured data model** using custom objects and relationships to manage patient, insurance, medical history, health information, and patient consent data.
4. **Provide a conversational interface using Agentforce** to help users start a new patient registration or check their registration status while collecting the required information interactively.
5. **Automate patient onboarding processes using Salesforce Flow** and integrate them with Agentforce to perform required processes and reduce manual data entry.
6. **Provide a user interface using Lightning Experience** to organize access to patient onboarding records and components and simplify their management for users.
7. **Implement security and access controls** to protect patient data and manage record access according to user permissions and responsibilities.
8. **Provide reports and a dashboard** to monitor patient onboarding metrics, including total onboarded patients, registration trends, patient distribution by city, insurance verification status, and allergy status.

1.2.2 Objectives Summary

- **Streamline the patient onboarding process** by organizing the collection and management of onboarding data within a centralized system.
- **Reduce manual work and repetitive tasks** by using Salesforce Flow and Agentforce to automate appropriate processes.
- **Improve the accuracy and completeness of patient data** by collecting required information in a structured manner during registration.
- **Improve the patient onboarding experience** through a conversational interface that supports information collection and registration status checks.
- **Protect patient data** by implementing appropriate security and access controls.
- **Provide clear visibility into the onboarding process** through reports and dashboards that support administrative monitoring and decision-making.

1.3 Identifying Key Salesforce Features & Tools Required

1.3.1 Salesforce Features Used:

- **Custom Objects:** Patient, Insurance, Medical History, Current Health Concern, and Patient Consent.

- **Automation:** Salesforce Flow Builder, including Screen Flows, Autolaunched Flows, and Record-Triggered Flows, used to collect patient information, create and update records, automate onboarding processes, send notifications, and support Agentforce Actions.
- **AI & Agentic Capabilities:** Agentforce using Topics and Actions integrated with Salesforce Flows to support patient registration, existing patient checks, and onboarding-related processes.
- **UI:** Lightning App, Lightning Record Pages, Dynamic Forms, Dynamic Visibility, Dynamic Actions, Page Layouts, and Screen Flows.
- **Security:** Permission Sets, Organization-Wide Defaults (OWD), Public Groups, Sharing Rules, and object and field access permissions.
- **Data Quality:** Validation Rules to support accurate and complete data entry during the patient onboarding process.
- **Analytics:** Custom Reports and the Patient Onboarding Dashboard for monitoring patient registration, insurance verification, and other onboarding metrics.
- **Communication:** Salesforce email automation integrated with Flows to send relevant notifications and updates during the onboarding process.

1.4 Designing Data Model and Security Model

1.4.1 Data Model Includes:

- **Patient** serves as the central object in the data model and stores the basic and demographic patient information used throughout the onboarding process.
- **Insurance is linked to Patient through a Lookup Relationship**, allowing insurance information and verification status to be associated with the corresponding patient.
- **Medical History is linked to Patient through a Lookup Relationship**, allowing medical history information such as allergies, chronic diseases, current medications, and previous surgeries to be recorded for each patient.
- **Current Health Concern is linked to Patient through a Lookup Relationship**, allowing the patient's current health concern, symptoms, and related pain information to be recorded.
- **Patient Consent is linked to Patient through a Lookup Relationship**, allowing patient consents and acknowledgments to be associated with the corresponding patient record.

1.4.2 Security Model Design

- **Onboarding Staff User:** A dedicated Onboarding Staff user was created to represent the staff member responsible for managing patient onboarding data and reviewing insurance information.
- **Permission Set – Patient Onboarding Staff:** A custom permission set was created and assigned to the Onboarding Staff user to provide the required access to the Patient Onboarding application. Object and field permissions were configured to control read and edit access based on the staff member's responsibilities.
- **Organization-Wide Defaults (OWD):** The Insurance object was configured as Private for both internal and external access to restrict default access to sensitive insurance records.
- **Public Groups:** Public groups were created to organize users requiring access to Insurance records, including Onboarding Staff and Patient Onboarding Agent.
- **Sharing Rules:** Sharing rules were configured to provide the required access to Insurance records while maintaining the Private OWD setting. Onboarding Staff was granted the access required to review and update insurance information, while the Patient Onboarding Agent was provided with the access needed to support onboarding and registration-status verification processes.

1.5 User Stories

Patient

- **Patient Onboarding:**
As a patient, I want to complete my onboarding digitally so that I can provide the required information conveniently.
- **Onboarding Status:**
As a patient, I want to check my onboarding status so that I know whether my onboarding is complete or requires further action.

Onboarding Staff

- **Patient Information Management:**
As an Onboarding Staff member, I want to access and manage patient onboarding information so that I can review patient records efficiently.
- **Insurance Verification:**
As an Onboarding Staff member, I want to review and update insurance verification information so that patients receive the appropriate verification outcome and follow-up information.

Management

- **Onboarding Monitoring:**
As a manager, I want to view reports and dashboards so that I can monitor patient onboarding activity and key onboarding metrics.

1.6 Use Cases

Use Case 1: Starting Patient Onboarding

- **User:** Patient
- **Goal:** Start and complete the patient onboarding process.
- **Standard Flow:** The patient selects the option to start onboarding. Agentforce collects the required basic information and checks whether the patient is already registered. If no existing registration is found, the system generates an onboarding link. The patient opens the link, completes the remaining required information, and submits the onboarding form successfully.
- **Alternative Flow:** If an existing patient record is found, the system does not start a new registration and instead informs the patient that a registration already exists.

Use Case 2: Checking Onboarding Status

- **User:** Patient
- **Goal:** Check the current status of the patient onboarding process.
- **Standard Flow:** The patient requests to check the onboarding status. Agentforce identifies the patient and retrieves the related onboarding and insurance information, then provides the current status.
- **Exception Flow:** If no matching patient is found, the system informs the patient that no existing registration was found.

Use Case 3: Insurance Verification

- **User:** Onboarding Staff
- **Goal:** Review and update the patient's insurance verification status.
- **Standard Flow:** The Onboarding Staff reviews the insurance record and updates the Verification Status to **Verified**. The system saves the update and automatically sends a confirmation email to the patient.
- **Alternative Flow:** If the insurance is not successfully verified, the status may be changed to Rejected or Expired. If Rejected, the Onboarding Staff enters **Verification Notes**, and an email is sent to the patient containing the notes and the required corrective action. If Expired, a message indicates that the insurance has expired, and the **Log a Call** action becomes available for the Onboarding Staff to follow up with the patient.

Use Case 4: Preventing Invalid Insurance Verification

- **User:** Onboarding Staff
- **Goal:** Ensure rejected insurance information is corrected before being verified.
- **Standard Flow:** The staff updates the required insurance information before changing the status from **Rejected** to **Verified**.
- **Exception Flow:** If the staff attempts to change the status directly from **Rejected** to **Verified** without updating the insurance information, Salesforce blocks the save and displays the configured validation error.

Use Case 5: Monitoring Patient Onboarding

- **User:** Manager
- **Goal:** Monitor patient onboarding activity and key indicators.
- **Standard Flow:** The manager accesses the Patient Onboarding Dashboard and reports to review metrics such as total onboarded patients, registration trends, insurance verification status, patient distribution by city, and allergy status.

Phase 2: Salesforce Development –Backend & Configurations

The project was developed and configured within a Salesforce environment using Salesforce Setup and the Lightning Platform. The required custom objects, fields, automation, security configurations, and Agentforce components were created and tested within the same environment. No separate DevOps or CI/CD workflow was implemented for this project.

2.1 Data Model Design and Setup

The data model was designed to support the Patient Onboarding process through a set of interconnected custom objects in Salesforce. The Patient object serves as the central object, with Insurance, Medical History, Current Health Concern, and Patient Consent records linked to it through Lookup Relationships. Fields were configured within each object to capture the information required throughout the different stages of the patient onboarding process.




Figure 1: Patient Onboarding data model and object relationships in Salesforce Schema Builder.

2.1.1 Patient (Patient__c)

Table 1: Patient Object Fields and Data Types

Field Label	Data Type	Required / Notes
Patient ID	Auto Number	Auto-generated
First Name	Text(80)	Required
Last Name	Text(80)	Required
Date of Birth	Date	Required
Gender	Picklist	Required — Male, Female
Nationality	Picklist	Required — Saudi, Egyptian, Syrian, Jordanian, Yemeni, Indian, Pakistani, Filipino, Sudanese, Other
Mobile Phone	Phone	Required
Email	Email	Required
City	Picklist	Required — Saudi cities and Other
Primary Language	Picklist	Required — Arabic, English, Urdu, Hindi, Tagalog, Other
Marital Status	Picklist	Optional
Emergency Contact Name	Text(80)	Required
Emergency Contact Relationship	Picklist	Required
Emergency Contact Mobile	Phone	Required
Emergency Contact Email	Email	Optional

Setup	Home	Object Manager
-------	------	----------------

SETUP > OBJECT MANAGER				
Patient				

Details	Fields & Relationships	18 Items. Sorted by Field Label			Q, Quick Find	New	Deleted Fields	Field Dependencies	Set History Tracking
Fields & Relationships		FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED			
Page Layouts		City	City__c	Picklist					
Lightning Record Pages		Created By	CreatedById	Lookup(User)					
Buttons, Links, and Actions		Date of Birth	Date_of_Birth__c	Date					
Compact Layouts		Email	Email__c	Email					
Field Sets		Emergency Contact Email	Emergency_Contact_Email__c	Email					
Object Limits		Emergency Contact Mobile	Emergency_Contact_Mobile__c	Phone					
Record Types		Emergency Contact Name	Emergency_Contact_Name__c	Text(80)					
Related Lookup Filters		Emergency Contact Relationship	Emergency_Contact_Relationship__c	Picklist					
Search Layouts		First Name	First_Name__c	Text(80)					
List View Button Layout		Gender	Gender__c	Picklist					
Restriction Rules		Last Modified By	LastModifiedById	Lookup(User)					
Scoping Rules									
Object Access									
Field Access									
Triggers									

Setup	Home	Object Manager
-------	------	----------------

SETUP > OBJECT MANAGER				
Patient				

Details	Fields & Relationships	18 Items. Sorted by Field Label			Q, Quick Find	New	Deleted Fields	Field Dependencies	Set History Tracking
Fields & Relationships		Emergency Contact Name	Emergency_Contact_Name__c	Text(80)					
Page Layouts		Emergency Contact Relationship	Emergency_Contact_Relationship__c	Picklist					
Lightning Record Pages		First Name	First_Name__c	Text(80)					
Buttons, Links, and Actions		Gender	Gender__c	Picklist					
Compact Layouts		Last Modified By	LastModifiedById	Lookup(User)					
Field Sets		Last Name	Last_Name__c	Text(80)					
Object Limits		Marital Status	Marital_Status__c	Picklist					
Record Types		Mobile Phone	Mobile_Phone__c	Phone					
Related Lookup Filters		Nationality	Nationality__c	Picklist					
Search Layouts		Owner	OwnerId	Lookup(User,Group)					
List View Button Layout		Patient ID	Name	Auto Number					
Restriction Rules		Primary Language	Primary_Language__c	Picklist					
Scoping Rules									
Object Access									
Field Access									
Triggers									

Figure 2: Patient object fields configured in Salesforce.

2.1.2 Insurance (Insurance__c)

Table 2: Insurance Object Fields and Data Types

Field Label	Data Type	Required / Notes
Insurance ID	Auto Number	Auto-generated
Patient	Lookup (Patient)	Required — Links the insurance record to the patient
Insurance Level	Picklist	Required — Primary, Secondary

Insurance Company	Picklist	Required — Bupa Arabia, Tawuniya, MedGulf, Gulf Union Al Ahlia, Arabian Shield, Al Rajhi Takaful, Walaa, Other
Group Number	Text (30)	Optional
Member ID	Text (50)	Required
Is Patient the Policyholder?	Picklist	Required — Yes, No
Policyholder Relationship	Picklist	Conditional — Spouse, Child, Parent, Other
Policyholder Name	Text (100)	Conditional
Policyholder Date of Birth	Date	Conditional
Verification Status	Picklist	Required — Pending, Verified, Rejected, Expired
Verification Notes	Long Text Area (1000)	Optional

Setup Home Object Manager																																																																					
SETUP > OBJECT MANAGER Insurance																																																																					
Details Fields & Relationships Page Layouts Lightning Record Pages Buttons, Links, and Actions Compact Layouts Field Sets Object Limits Record Types Related Lookup Filters Search Layouts List View Button Layout Restriction Rules Scoping Rules Object Access Field Access Triggers	Fields & Relationships 15 Items. Sorted by Field Label Q, Quick Find New Deleted Fields Field Dependencies Set History Tracking <table> <tr> <th>FIELD LABEL</th><th>FIELD NAME</th><th>DATA TYPE</th><th>CONTROLLING FIELD</th><th>INDEXED</th></tr> <tr> <td>Created By</td><td>CreatedById</td><td>Lookup(User)</td><td></td><td></td></tr> <tr> <td>Group Number</td><td>Group_Number__c</td><td>Text(30)</td><td></td><td></td></tr> <tr> <td>Insurance Company</td><td>Insurance_Company__c</td><td>Picklist</td><td></td><td></td></tr> <tr> <td>Insurance ID</td><td>Name</td><td>Auto Number</td><td></td><td>✓</td></tr> <tr> <td>Insurance Level</td><td>Insurance_Level__c</td><td>Picklist</td><td></td><td></td></tr> <tr> <td>Is Patient the Policyholder?</td><td>Is_Patient_the_Policyholder__c</td><td>Picklist</td><td></td><td></td></tr> <tr> <td>Last Modified By</td><td>LastModifiedById</td><td>Lookup(User)</td><td></td><td></td></tr> <tr> <td>Member ID</td><td>Member_ID__c</td><td>Text(50)</td><td></td><td></td></tr> <tr> <td>Owner</td><td>OwnerId</td><td>Lookup(User,Group)</td><td></td><td>✓</td></tr> <tr> <td>Patient</td><td>Patient__c</td><td>Lookup(Patient)</td><td></td><td>✓</td></tr> <tr> <td>Policyholder Date of Birth</td><td>Policyholder_Date_of_Birth__c</td><td>Date</td><td></td><td></td></tr> <tr> <td>Policyholder Name</td><td>Policyholder_Name__c</td><td>Text(100)</td><td></td><td></td></tr> </table>				FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED	Created By	CreatedById	Lookup(User)			Group Number	Group_Number__c	Text(30)			Insurance Company	Insurance_Company__c	Picklist			Insurance ID	Name	Auto Number		✓	Insurance Level	Insurance_Level__c	Picklist			Is Patient the Policyholder?	Is_Patient_the_Policyholder__c	Picklist			Last Modified By	LastModifiedById	Lookup(User)			Member ID	Member_ID__c	Text(50)			Owner	OwnerId	Lookup(User,Group)		✓	Patient	Patient__c	Lookup(Patient)		✓	Policyholder Date of Birth	Policyholder_Date_of_Birth__c	Date			Policyholder Name	Policyholder_Name__c	Text(100)		
FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED																																																																	
Created By	CreatedById	Lookup(User)																																																																			
Group Number	Group_Number__c	Text(30)																																																																			
Insurance Company	Insurance_Company__c	Picklist																																																																			
Insurance ID	Name	Auto Number		✓																																																																	
Insurance Level	Insurance_Level__c	Picklist																																																																			
Is Patient the Policyholder?	Is_Patient_the_Policyholder__c	Picklist																																																																			
Last Modified By	LastModifiedById	Lookup(User)																																																																			
Member ID	Member_ID__c	Text(50)																																																																			
Owner	OwnerId	Lookup(User,Group)		✓																																																																	
Patient	Patient__c	Lookup(Patient)		✓																																																																	
Policyholder Date of Birth	Policyholder_Date_of_Birth__c	Date																																																																			
Policyholder Name	Policyholder_Name__c	Text(100)																																																																			

SETUP > OBJECT MANAGER			
Insurance			
Details	Fields & Relationships		
Fields & Relationships	15 Items, Sorted by Field Label		
Page Layouts	Q, Quick Find		
Lightning Record Pages	New Deleted Fields Field Dependencies Set History Tracking		
Buttons, Links, and Actions			
Compact Layouts			
Field Sets			
Object Limits			
Record Types			
Related Lookup Filters			
Search Layouts			
List View Button Layout			
Restriction Rules			
Scoping Rules			
Object Access			
Field Access			
Triggers			
	Insurance ID	Name	Auto Number
	Insurance Level	Insurance_Level__c	Picklist
	Is Patient the Policyholder?	Is_Patient_the_Policyholder__c	Picklist
	Last Modified By	LastModifiedById	Lookup(User)
	Member ID	Member_ID__c	Text(50)
	Owner	OwnerId	Lookup(User,Group)
	Patient	Patient__c	Lookup(Patient)
	Policyholder Date of Birth	Policyholder_Date_of_Birth__c	Date
	Policyholder Name	Policyholder_Name__c	Text(100)
	Policyholder Relationship	Policyholder_Relationship__c	Picklist
	Verification Notes	Verification_Notes__c	Long Text Area(1000)
	Verification Status	Verification_Status__c	Picklist

Figure 3: Insurance object fields configured in Salesforce.

2.1.3 Medical History (Medical_History__c)

Table 3: Medical History Object Fields and Data Types

Field Label	Data Type	Required / Notes
Medical History ID	Auto Number	Auto-generated
Patient	Lookup (Patient)	Required
Has Allergies	Checkbox	Required
Allergy Details	Long Text Area (1000)	Conditional — displayed when Has Allergies is selected
Chronic Disease	Multi-Select Picklist	Optional — Diabetes, Hypertension, Asthma, Heart Disease, Kidney Disease, Cancer, None, Other
Other Chronic Disease	Text (100)	Conditional — used when Other is selected
Current Medications	Long Text Area (1000)	Optional
Previous Surgeries	Checkbox	Required
Surgery Details	Long Text Area (1000)	Conditional — displayed when Previous Surgeries is selected

Setup	Home	Object Manager
-------	------	----------------

SETUP > OBJECT MANAGER				
Medical History				

Details	Fields & Relationships 12 Items, Sorted by Field Label				Q, Quick Find	New	Deleted Fields	Field Dependencies	Set History Tracking
Fields & Relationships	FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED				
Page Layouts	Allergy Details	Allergy_Details__c	Long Text Area(1000)						
Lightning Record Pages	Chronic Disease	Chronic_Disease__c	Picklist (Multi-Select)						
Buttons, Links, and Actions	Created By	CreatedById	Lookup(User)						
Compact Layouts	Current Medications	Current_Medications__c	Long Text Area(1000)						
Field Sets	Has Allergies	Has_Allergies__c	Checkbox						
Object Limits	Last Modified By	LastModifiedById	Lookup(User)						
Record Types	Medical History ID	Name	Auto Number		✓				
Related Lookup Filters	Other Chronic Disease	Other_Chronic_Disease__c	Text(100)						
Search Layouts	Owner	OwnerId	Lookup(User,Group)		✓				
List View Button Layout	Patient	Patient__c	Lookup(Patient)		✓				
Restriction Rules	Previous Surgeries	Previous_Surgeries__c	Checkbox						
Scoping Rules	Surgery Details	Surgery_Details__c	Long Text Area(1000)						
Object Access									
Field Access									
Triggers									

Figure 4: Medical History object fields configured in Salesforce.

2.1.4 Current Health Concern (Current_Health_Concern__c)

Table 4: Current Health Concern Object Fields and Data Types

Field Label	Data Type	Required / Notes
Current Health Concern Name	Auto Number	Auto-generated
Patient	Lookup (Patient)	Required
Primary Health Concern	Text (100)	Required
Approximately When Did This Issue Begin?	Date	Optional
Does the Issue Cause You Pain?	Checkbox	Required
If Yes, Where?	Text (100)	Conditional — displayed when pain is selected
How Has the Pain Changed Since It Began?	Picklist	Conditional — Increased, Decreased, Unchanged
How Quickly Did Your Pain Begin?	Picklist	Conditional — Gradually, Suddenly
How Often Does Your Pain Occur?	Picklist	Conditional — Constantly, Occasionally, Rarely

When Is Your Pain at Its Worst?	Multi-Select Picklist	Conditional — Morning, Afternoon, Evening, Night
Current Symptoms	Long Text Area (1000)	Optional

SETUP > OBJECT MANAGER

Current Health Concern

Details

Fields & Relationships
14 Items, Sorted by Field Label

Q Quick Find

New Deleted Fields Field Dependencies Set History Tracking

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Approximately When Did This Issue Begin?	Approximately_When_Did_This_Issue_Begin__c	Date		
Created By	CreatedById	Lookup(User)		
Current Health Concern Name	Name	Auto Number		✓
Current Symptoms	Current_Symptoms__c	Long Text Area(1000)		
Does the Issue Cause You Pain?	Does_the_Issue_Cause_You_Pain__c	Checkbox		
How Has the Pain Changed Since It Began?	How_Has_the_Pain_Changed_Since_It_Began__c	Picklist		
How Often Does Your Pain Occur?	How_Often_Does_Your_Pain_Occur__c	Picklist		
How Quickly Did Your Pain Begin?	How_Quickly_Did_Your_Pain_Begin__c	Picklist		
If Yes, Where?	If_Yes_Where__c	Text(100)		
Last Modified By	LastModifiedById	Lookup(User)		
Owner	OwnerId	Lookup(User,Group)		✓
Patient	Patient__c	Lookup(Patient)		✓

Figure 5: Current Health Concern object fields configured in Salesforce.

2.1.5 Patient Consent (Patient_Consent__c)

Table 5: Patient Consent Object Fields and Data Types

Field Label	Data Type	Required / Notes
Consent ID	Auto Number	Auto-generated
Patient	Lookup (Patient)	Required
Information Accuracy Confirmed	Checkbox	Required
Privacy Policy Acknowledged	Checkbox	Required
Medical Information Release Consent	Checkbox	Required
Treatment Consent	Checkbox	Required
Consent Date	Date/Time	Required

Setup	Home	Object Manager
-------	------	----------------

Patient Consent				
Details	Fields & Relationships			
Fields & Relationships	10 Items, Sorted by Field Label			
Page Layouts				
Lightning Record Pages				
Buttons, Links, and Actions				
Compact Layouts				
Field Sets				
Object Limits				
Record Types				
Related Lookup Filters				
Search Layouts				
List View Button Layout				
Restriction Rules				
Scoping Rules				
Object Access				

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Consent Date	Consent_Date__c	Date/Time		
Consent ID	Name	Auto Number		✓
Created By	CreatedById	Lookup(User)		
Information Accuracy Confirmed	Information_Accuracy_Confirmed__c	Checkbox		
Last Modified By	LastModifiedById	Lookup(User)		
Medical Information Release Consent	Medical_Information_Release_Consent__c	Checkbox		
Owner	OwnerId	Lookup(User,Group)		✓
Patient	Patient__c	Lookup(Patient)		✓
Privacy Policy Acknowledged	Privacy_Policy_Acknowledged__c	Checkbox		
Treatment Consent	Treatment_Consent__c	Checkbox		

Figure 6: Patient Consent object fields configured in Salesforce.

2.2 Validation Rules and Automation

2.2.1 Validation Rules

Setup	Home	Object Manager
-------	------	----------------

Object Manager	
Insurance Validation Rule	
Back to Insurance	
Validation Rule Detail Rule Name Require_Insurance_Update_Before_Verifica Active ✓	
Error Condition Formula AND(ISPICKVAL(PRIORVALUE(Verification_Status__c), "Rejected"), ISPICKVAL(Verification_Status__c, "Verified"), NOT(OR(ISCHANGED(Insurance_Level__c), ISCHANGED(Insurance_Company__c), ISCHANGED(Group_Number__c), ISCHANGED(Member_ID__c))))	
Error Message Please update the insurance information before changing the verification status from Rejected to Verified.	
Description	
Created By Ahmed Alghamdi, 8/15/2026, 5:42 PM	
Modified By Ahmed Alghamdi, 8/15/2026, 5:42 PM	

Figure 7: Insurance Validation Rule Configuration

A custom validation rule was configured on the Insurance object to prevent a previously rejected insurance record from being changed to Verified without first updating at least one key insurance field, such as the insurance level, insurance company, group number, or member ID. This rule helps maintain data integrity and ensures that rejected insurance information is corrected before verification.

2.2.2 Salesforce Flows

2.2.2.1 Patient Onboarding Screen Flow

The Patient Onboarding Screen Flow guides the user through a structured onboarding process to collect patient information, emergency contact details, insurance information, medical history, current health concerns, and patient consent. After collecting the required information, the flow creates the related Salesforce records and links them to the patient. A decision element is used to determine whether a secondary insurance record should also be created.




Figure 8: Patient Onboarding Screen Flow showing the main screens.




Figure 9: Patient Onboarding Screen Flow showing the record creation elements, and secondary insurance decision logic.

2.2.2.1.1 Patient Information Screen

Edit Screen

Components | Fields

Search components...

- Input (72)
 - Action Button
 - Add Attendees
 - Address
 - Advanced CSV Import
 - Call Script
 - Cancel Appointment
 - Cancel Appointment (Depr...
 - Checkbox
 - Checkbox Group
 - Choice Lookup
 - CntrlTypeSelector
 - Content Search Container
 - Currency

Get more on the AppExchange

Patient Onboarding Flow

* First Name
{!varFirstName}

* Last Name
{!varLastName}

* Date of Birth

* Gender

* Nationality

Screen Properties

Label: Patient Information Screen

API Name: Patient_Information_Screen

Description

Stage: Select a stage resource...

Configure Header

Configure Footer

Configure Screen Actions

Cancel Done

Figure 10: Patient Information screen used to collect the patient's required demographic information.

2.2.2.1.2 Create Patient




Figure 11: Create Patient element mapping the collected onboarding information to a new Patient record.

2.2.2.1.3 Has Secondary Insurance? Decision




Figure 12: Decision element used to determine whether an additional secondary insurance record should be created.

2.2.2.2 Insurance Verification Record-Triggered Flow

The Insurance Verification Record-Triggered Flow automates actions when the Verification Status of an Insurance record is updated. The flow retrieves the related Patient record and evaluates the updated verification status. Based on the result, Verified, Rejected, and Expired

outcomes trigger the corresponding email notification to the patient, while Pending requires no additional action.




Figure 13: Insurance Verification Record-Triggered Flow showing the status-based decision paths and automated email actions.

2.2.2.2.1 Verification Status decision logic




Figure 14: Verification Status decision logic configured to route the flow based on the Insurance record status.

2.2.2.2.2 Automated email action




Figure 15: Automated email action configured to notify the patient based on the insurance verification outcome.

2.2.2.3 Check Patient Registration Autolaunched Flow

The Check Patient Registration Autolaunched Flow supports Agentforce in determining whether a patient is already registered before starting a new onboarding process. The flow searches for an existing Patient record using the information provided through the agent. It then evaluates whether a matching patient record was found and follows one of two outcomes: Registered or Not Registered. The corresponding result is returned to Agentforce, allowing the agent to either inform the patient that a registration already exists or continue with the new patient onboarding process.




Figure 16: Check Patient Registration Autolaunched Flow

2.2.2.4 Patient Onboarding URL Autolaunched Flow

The Patient Onboarding URL Autolaunched Flow supports the Agentforce patient registration process. After the agent confirms that the patient is not already registered, the patient's First Name, Last Name, and Email, and Mobile Phone Number are passed to the flow as input values. The flow uses an Assignment element to build the Patient Onboarding URL and passes these values through the generated link. The link is then provided to the patient to open the Patient Onboarding Screen Flow and begin the registration process.




Figure 17: Patient Onboarding URL Autolaunched Flow

2.2.2.5 Check Onboarding Status Autolaunched Flow

The Check Onboarding Status Autolaunched Flow is used by Agentforce to retrieve the onboarding status of an existing patient. The flow first searches for the Patient record. If the patient is found, it retrieves the patient's related Insurance records and loops through them to

identify the Primary and Secondary insurance records. The corresponding verification status for each insurance level is then assigned and returned for use by the agent. If no matching patient is found, the flow returns a Patient Not Found result.




Figure 18: Check Onboarding Status Autolaunched Flow




Figure 19: Insurance loop and decision logic used to identify Primary and Secondary insurance verification statuses.

2.2.2.5.1 Find Patient configuration




Figure 20: Find Patient configuration and debug result showing patient identification using the provided email address and mobile phone number.

2.2.2.5.2 Check Insurance Level decision




Figure 21: Check Insurance Level decision and debug result showing the identification of a Primary Insurance record during the insurance loop.

2.3 Apex Development

No custom Apex Classes, Triggers, or Asynchronous Apex Classes were developed for this project. The required backend automation was implemented using Salesforce Flow.

Phase 3: UI/UX Development & Customization

3.1 Lightning App Setup

The AI-Powered Patient Onboarding Hub Lightning application was configured to provide centralized access to the main components used throughout the patient onboarding process. The application navigation includes Patients, Insurances, Medical Histories, Current Health Concerns, Patient Consents, Reports, and Dashboards.




Figure 22: Navigation items configured for the AI-Powered Patient Onboarding Hub Lightning application.

3.2 Page Layouts and Dynamic Forms

3.2.1 Page Layouts

Page Layouts are used to organize the fields and record information available to users. The Patient Page Layout is shown below as an example of the configured object layout.




Figure 23: Patient Page Layout displaying the fields available on the Patient record.

3.2.2 Dynamic Forms

Dynamic Forms were used on the Patient Lightning Record Page to organize patient information into field sections and provide greater control over how individual fields and sections are displayed on the record page. The page includes dedicated sections for general patient information and emergency contact details.




Figure 24: Patient Record Page Using Dynamic Forms in Lightning App Builder.

Logged in as Onboarding Staff (onboarding.staff.abrar2026@gmail.com) Log out as Onboardi

Search...

AI-Powered Patient Onboa... Patients Insurances Medical Histories Current Health Concerns Patient C

Patient PAT-0003

Related Details

Information

Patient ID	PAT-0003	Email	abrar_algh@outlook.sa
First Name	abrar	Mobile Phone	056888888
Last Name	algh	Primary Language	Arabic
Date of Birth	8/1/2007	Marital Status	
Gender	Female	Owner	Abzar Alghamdi
Nationality	Saudi		
City	Riyadh		

Emergency Contact

Emergency Contact Name	azzah	Emergency Contact Mobile	(054) 434-3434
Emergency Contact Relationship	Mother	Emergency Contact Email	

System Information

Figure 25: Patient Record Page Using Dynamic Forms.

3.3 User Management

3.3.1 Onboarding Staff user

User accounts were configured to support the different users involved in the patient onboarding process. The **Onboarding Staff** user represents the staff member responsible for managing patient onboarding records, particularly reviewing and managing insurance information during the patient onboarding journey.

Setup Home Object Manager

Quick Find

Setup Home
Salesforce Go
Service Setup Assistant
Service Cloud Reports
Commerce Setup Assistant
Hyperforce Assistant
Release Updates
Salesforce Mobile App
Lightning Usage
AgentExchange Offers
Sales Cloud Everywhere

ADMINISTRATION

Users

Analytics Groups
Permission Set Groups
Permission Sets
Profiles
Public Groups
Queues
Roles
User Management Settings

Users

Onboarding Staff

Salesforce now sends emails only from verified domains. To avoid delivery failures, verify your email domains or enable your substitute email-sending domain. [Learn More](#)

Permission Set Assignments (0) | Permission Set Assignments Activation Required (0) | Permission Set Group Assignments (0) | Permission Set License Assignments (0) | Personal Groups (0) | Public Group Membership (0) | Queue Membership (0) | Team (0) | Managers in the Role Hierarchy (0) | OAuth Apps (0) | Third-Party Account Links (0) | Built-in Authentications (0) | Installed Mobile Apps (0) | Authentication Settings for External Systems (0) | Login History (0) | User Provisioning Accounts (0)

User Detail

Edit | Sharing | Reset Password | Login | Freeze | View Summary

Name	Onboarding Staff	Role	Salesforce Platform
Alias	abra	User License	Standard Platform User
Email	abrarabdul.gh@gmail.com (Verify)	Profile	Standard Platform User
Username	onboarding.staff.abrar2026@gmail.com	Active	☒
Nickname	OnboardingStaff	Marketing User	☐
Title		Offline User	☐
Company		Knowledge User	☐
Department		Flow User	☐
Division		Service Cloud User	☐
Address		Site.com Contributor User	☐
Time Zone	(GMT-07:00) Pacific Daylight Time (America/Los_Angeles)	Site.com Publisher User	☐
Locale	English (United States)	WDC User	☐
Language	English	Mobile Push Registrations	View
Delegated Approver		Data.com User Type	☐
Manager		Accessibility Mode (Classic Only)	☐
Receive Approval Request Emails	Only if I am an approver	Debug Mode	☐
Federation ID		High-Contrast Palette on Charts	☐
App Registration: One-Time Password Authenticator	☐	Load Lightning Pages While Scrolling	☒
App Registration: Salesforce Authenticator	☐	Salesforce CRM Content User	☐
Security Key (U2F or WebAuthn)	☐	Receive Salesforce CRM Content Email	☒

Figure 26: Onboarding Staff User Configuration

3.3.2 EinsteinServiceAgent User

The EinsteinServiceAgent User is used by the Agentforce agent to interact with the patient onboarding solution and execute the actions and flows assigned to the agent. The user is configured with the Einstein Agent User profile and the required permissions to support the agent's operations.

The screenshot displays the 'Users' setup page in Salesforce. At the top, there's a 'SETUP Users' header. Below it, the user 'EinsteinServiceAgent User' is selected. A navigation bar contains links for various setup areas like 'Permission Set Assignments', 'Personal Groups', and 'Queue Membership'. The main section is titled 'User Detail' and includes buttons for 'Edit', 'Sharing', 'Reset Password', 'Freeze', and 'View Summary'. The user's details are as follows:

Field	Value	Field	Value
Name	EinsteinServiceAgent User	Role	Einstein Agent
Alias	einstein	User License	Einstein Agent
Email	noreply@salesforce.com [Verify]	Profile	Einstein Agent User
Username	patient_onboarding_assistant@00dg500000cevt1703092319.ext	Active	☒
Nickname	User1786310627860579400	Marketing User	☐
Title		Offline User	☐
Company		Knowledge User	☐
Department		Flow User	☐
Division		Service Cloud User	☐
Address		Site.com Contributor User	☐
Time Zone	(GMT-07:00) Pacific Daylight Time (America/Los_Angeles)	Site.com Publisher User	☐
Locale	English (United States)	WDC User	☐
Language	English	Mobile Push Registrations	View
Delegated Approver		Data.com User Type	i
Manager		Accessibility Mode (Classic Only)	☐ i
Receive Approval Request Emails	Only if I am an approver	Debug Mode	☐ i
Federation ID		High-Contrast Palette on Charts	☐ i
App Registration: One-Time Password Authenticator	i	Load Lightning Pages While Scrolling	☒ i
App Registration: Salesforce Authenticator	i	Salesforce CRM Content User	☐

Figure 27: EinsteinServiceAgent User Configuration.


3.4 Reports and Dashboards

Four reports were created to support monitoring and analysis of the patient onboarding process. These reports provide visibility into insurance verification, patient distribution, allergy information, and patient registration activity. The reports are also used as data sources for the Patient Onboarding Dashboard.

3.4.1 Reports

3.4.1.1 Insurance Verification Status Overview

The Insurance Verification Status Overview report was created using the Insurance object and grouped by Verification Status. It summarizes insurance records into statuses such as Pending, Verified, and Rejected, allowing onboarding staff and administrators to monitor the current verification workload and identify records that may require follow-up.




The screenshot shows a web application interface for an "Insurance Verification Status Overview" report. The top navigation bar includes a search bar and several menu items: "AI-Powered Patient Onboa...", "Patients", "Insurances", "Medical Histories", "Current Health Concerns", "Patient Consents", "Reports" (highlighted), and "Dashboards". The report header shows "Report: Insurances" and "Insurance Verification Status Overview". Below the header, there are buttons for "Enable Field Editing", "Add Chart", and a filter icon. The main content area displays a table with 4 total records. The table has two columns: "Verification Status" and "Insurance: Insurance ID". The data is grouped by status: Pending (2), Verified (1), and Rejected (1). Each group has a "Subtotal" row. The final row shows the "Total (4)".

Verification Status	Insurance: Insurance ID
Pending (2)	INS-0002
	INS-0004
Subtotal	
Verified (1)	INS-0001
Subtotal	
Rejected (1)	INS-0003
Subtotal	
Total (4)	

Figure 28: Insurance Verification Status Overview Report.

3.4.1.2 Patients by City

The Patients by City report was created using the Patient object and grouped by the City field. It provides a summarized view of the geographic distribution of onboarded patients and allows administrators to understand where registered patients are located.



The screenshot shows a web application interface for a "Patients by City" report. The top navigation bar is identical to the previous figure. The report header shows "Report: Patients" and "Patients by City". Below the header, there are buttons for "Enable Field Editing", "Add Chart", and a filter icon. The main content area displays a table with 3 total records. The table has two columns: "City" and "Patient: Patient ID". The data is grouped by city: Riyadh (2) and Makkah (1). Each group has a "Subtotal" row. The final row shows the "Total (3)".

City	Patient: Patient ID
Riyadh (2)	PAT-0002
	PAT-0003
Subtotal	
Makkah (1)	PAT-0004
Subtotal	
Total (3)	

Figure 29: Patients by City Report.

3.4.1.3 Patient Allergy Status Overview

The Patient Allergy Status Overview report was created using the Medical History object and grouped by the Has Allergies field. It summarizes patients based on whether allergies were reported during the onboarding process and supports analysis of patient allergy information.

Has Allergies	Medical History: Medical History ID
☐ (1)	MH-0003
Subtotal	
☒ (2)	MH-0001
	MH-0002
Subtotal	
Total (3)	

Figure 30: Patient Allergy Status Overview Report.

3.4.1.4 Patient Registration Trend

The Patient Registration Trend report was created using the Patient object and grouped by Created Date. It tracks patient registrations over time, providing administrators with visibility into onboarding activity and registration volume.

Patient: Created Date	Patient: Patient ID
☐ 8/6/2026 (1)	PAT-0002
Subtotal	
☐ 8/11/2026 (1)	PAT-0003
Subtotal	
☐ 8/16/2026 (1)	PAT-0004
Subtotal	
Total (3)	

Figure 31: Patient Registration Trend Report.

3.4.2 Patient Onboarding Dashboard

- **Total Onboarded Patients:** Displays the total number of registered patients, providing a quick overview of the overall onboarding volume.
- **Patient Registration Trend:** Shows patient registrations over time to support monitoring of onboarding activity and trends.
- **Insurance Verification Status:** Displays insurance records by verification status, helping identify pending or rejected cases that may require follow-up.
- **Patients by City:** Shows the geographic distribution of registered patients across different cities.
- **Patient Allergy Status:** Summarizes patients with and without reported allergies to provide visibility into relevant health information.
- **Overall Benefit:** Provides management and administrators with a centralized visual overview of key patient onboarding metrics for monitoring and decision-making.




Figure 32: Patient Onboarding Dashboard.

3.5 Lightning Pages

The Insurance Record Page was configured using Lightning App Builder and assigned to the AI-Powered Patient Onboarding Hub for both desktop and phone. The page provides the interface used to manage insurance information and supports status-based visibility and actions during the onboarding process.




Figure 33: Insurance Lightning Record Page Configuration

3.5.1 Dynamic Visibility – Insurance Status

Dynamic visibility was configured on the Insurance Record Page to display contextual messages based on the insurance verification status. Separate messages are configured for **Verified, Rejected, Pending, and Expired** statuses, allowing staff to quickly identify the current verification state and any required action.




Figure 34: Insurance Record Page with Dynamic Visibility based on the verification status.

3.5.2 Dynamic Actions

Dynamic Actions were configured on the Insurance Record Page to display relevant actions based on the insurance verification status. The Log a Call action is displayed only when the Verification Status is Expired, enabling onboarding staff to follow up on expired insurance information.




Figure 35: Dynamic Action configuration displaying the Log a Call action

Phase 4: Data Migration, Testing & Security

4.1 Data Loading Using Data Import Wizard

Patient data was prepared in CSV format and loaded into the Patient object using Salesforce Data Import Wizard. The CSV fields were mapped to the corresponding Salesforce fields before starting the import, and the imported records were verified in the Patient object. This approach can also support healthcare organizations when existing patient data needs to be migrated into the system, allowing prepared hospital data to be imported into the appropriate Salesforce objects instead of being entered manually record by record.

Getting closer...

Choose data Edit mapping Start import

Confidential Client >

Current Health Concerns >

Equipment Requests >

Insurances >

Loan Applications >

Medical Histories >

Offers >

Patient Consents >

Patient Onboardings >

Patients ✓

Match by: ?
--None--

Which User field in your file designates record owners? ?
--None--

Trigger workflow rules and processes? ?
☐ Trigger workflow rules and processes for new and updated records

Update existing records >

Add new and update existing records >

CSV

File
Choose File Patient (Data Import Wizard).csv

Character Code ?
Unicode (UTF8)

Values Separated By
Comma

Cancel Previous Next

Figure 36: Patient Data Import Using Salesforce Data Import Wizard

Almost done

Choose data Edit mapping Start import

Edit Field Mapping: Patients

Your file has been auto-mapped to existing Salesforce fields, but you can edit the mappings if you wish. Unmapped fields will not be imported.

Edit	Mapped Salesforce Object	CSV Header	Example	Example	Example
Change	First Name	First Name	Khalid	Sara	Faisal
Change	Last Name	Last Name	Alotaibi	Alharbi	Alqahtani
Change	Date of Birth	Date of Birth	15/04/1998	22/09/2000	10/02/1995
Change	Gender	Gender	Male	Female	Male
Change	Nationality	Nationality	Saudi	Saudi	Saudi
Change	City	City	Riyadh	Riyadh	Jeddah
Change	Email	Email	khalid.test01@example.com	sara.test02@example.com	faisal.test03@example.com
Change	Mobile Phone	Mobile Phone	501112233	502223344	505556677
Change	Primary Language	Primary Language	Arabic	Arabic	Arabic
Change	Marital Status	Marital Status	Single	Single	Married

Cancel Previous Next

Figure 37: Patient CSV Field Mapping in Data Import Wizard

The screenshot shows the 'Patients' tab in a Salesforce interface. At the top, there are navigation tabs: 'Patients' (selected), 'Insurances', 'Medical Histories', 'Current Health Concerns', 'Patient Consents', and 'Rep'. Below the tabs, there's a 'Patients' header with a filter dropdown set to 'All' and a search bar. The main content area displays a list of 9 patient records, sorted by Patient ID. Each record has a checkbox and a Patient ID.

	☐ Patient ID ↑
1	☐ PAT-0002
2	☐ PAT-0003
3	☐ PAT-0004
4	☐ PAT-0005
5	☐ PAT-0006
6	☐ PAT-0007
7	☐ PAT-0011
8	☐ PAT-0012
9	☐ PAT-0013

Figure 38: Successfully Imported Patient Records in Salesforce

4.2 Field History Tracking

Field History Tracking was enabled for the Insurance Verification Status field to maintain an audit trail of changes made during the patient onboarding process. Salesforce records the previous and new verification status, along with the user and time of the change

The screenshot shows the 'Insurance Field History' configuration page in Salesforce. The left sidebar contains a navigation menu with options like 'Details', 'Fields & Relationships' (selected), 'Page Layouts', 'Lightning Record Pages', 'Buttons, Links, and Actions', 'Compact Layouts', 'Field Sets', 'Object Limits', 'Record Types', 'Related Lookup Filters', 'Search Layouts', 'List View Button Layout', and 'Restriction Rules'. The main content area is titled 'Insurance Field History' and includes a description: 'This page allows you to select the fields you want to track on the Insurance History related list. Whenever a user modifies any of the fields selected below, the old and new field values are added to the History related list...'. Below this, there are two sections: 'Track old and new values' and 'Track changes only'. The 'Track old and new values' section has two columns of checkboxes for fields to track. The 'Track changes only' section has a checkbox for 'Verification Notes'.

Track old and new values	
Group Number	☐
Insurance ID	☐
Is Patient the Policyholder?	☐
Owner	☐
Policyholder Date of Birth	☐
Policyholder Relationship	☐
Insurance Company	☐
Insurance Level	☐
Member ID	☐
Patient	☐
Policyholder Name	☐
Verification Status	☒

Track changes only	
Verification Notes	☐

Figure 39: Field History Tracking Configuration

4.3 Duplicate and Matching Rules

4.3.1 Matching Rules

A custom matching rule was configured for the Patient object to identify potential duplicate patients using an exact match on both Email and Mobile Phone. Both fields must match an existing patient record for the record to be considered a duplicate.

The screenshot displays the Salesforce Setup interface for Matching Rules. The left sidebar shows the navigation menu with 'Setup', 'Home', and 'Object Manager' tabs. Under 'Data', 'Duplicate Management' is expanded, and 'Matching Rules' is selected. The main content area is titled 'Matching Rules' and shows a specific rule named 'Patient Email and Mobile Match'. The rule details are as follows:

Matching Rule Detail	
Object	Patient
Rule Name	Patient Email and Mobile Match
Unique Name	Patient_Email_and_Mobile_Match
Description	
Matching Criteria	(Patient: Email EXACT MatchBlank = FALSE) AND (Patient: Mobile_Phone EXACT MatchBlank = FALSE)
Status	Active
Created By	Abrar Alghamdi, 8/19/2026, 7:08 AM
Modified By	Abrar Alghamdi, 8/19/2026, 7:08 AM

Buttons for 'Delete', 'Clone', and 'Deactivate' are visible next to the rule name. A 'Help for this Page' link is also present in the top right corner of the rule detail section.

Figure 40: Patient Matching Rule

4.3.2 Duplicate Rules

A duplicate rule was configured and activated on the Patient object using the Patient Email and Mobile Match rule. When a new patient record matches an existing record based on both Email and Mobile Phone, record creation is blocked to prevent duplicate patient records and maintain data quality.

The screenshot shows the 'Duplicate Rules' setup page in Salesforce. The rule is named 'Prevent Duplicate Patients' and is active. It is configured for the 'Patient' object. The rule's description is 'Prevents duplicate patient records based on matching Email and Mobile Phone.' The rule is set to 'Block' on create and 'Allow' on edit. The alert text is 'A patient with the same email and mobile phone already exists.' The matching criteria are '(Patient: Email EXACT MatchBlank = FALSE) AND (Patient: Mobile_Phone EXACT MatchBlank = FALSE)'. The rule is created by 'Abrar Alghamdi' on 8/19/2026 at 7:16 AM.

Duplicate Rule Detail		Order	1 of 1 [Reorder]
Rule Name	Prevent Duplicate Patients		
Description	Prevents duplicate patient records based on matching Email and Mobile Phone.		
Object	Patient		
Record-Level Security	Enforce sharing rules		
Action On Create	Block	Operations On Create	☐ Alert ☐ Report
Action On Edit	Allow	Operations On Edit	☐ Alert ☐ Report
Alert Text	A patient with the same email and mobile phone already exists.		
Active	☒		
Matching Rule	☒ Patient Email and Mobile Match ☒ Mapped	Matching Criteria	(Patient: Email EXACT MatchBlank = FALSE) AND (Patient: Mobile_Phone EXACT MatchBlank = FALSE)
Conditions			
Created By	Abrar Alghamdi, 8/19/2026, 7:16 AM	Modified By	Abrar Alghamdi, 8/19/2026, 7:16 AM

Figure 41: Patient Duplicate Rule

4.4 Profiles, Roles and Role Hierarchy, Permission sets, Sharing Rules

4.4.1 Profiles

Profiles define the baseline access and permissions assigned to Salesforce users. In the patient onboarding solution, different profiles are used for the onboarding staff user and the Agentforce service user.

4.4.1.1 Onboarding Staff Profile

The Onboarding Staff user uses the Standard Platform User profile, which provides the baseline access associated with the Salesforce Platform license.

The screenshot shows the 'Standard Platform User' profile configuration page in Salesforce. The profile is active and has a user license of 'Salesforce Platform'. The profile is created by 'Abrar Alghamdi' on 8/17/2026 at 4:03 PM. The page layout is configured with various standard object layouts.

Profile Detail		Custom Profile	Modified By
Name	Standard Platform User	☐	Abrar Alghamdi, 8/17/2026, 4:03 PM
User License	Salesforce Platform		
Created By	Salesforce, Inc., 6/11/2026, 4:52 AM		

Page Layouts	
Standard Object Layouts	
Global	Global Layout [View Assignment]
Email Application	Not Assigned [View Assignment]
Home Page Layout	Home Page Default [View Assignment]
Account	Account Layout [View Assignment]
Alternative Payment Method	Alternative Payment Method Layout [View Assignment]
Appointment Invitation	Appointment Invitation Layout [View Assignment]
Asset	Asset Layout [View Assignment]
Asset Relationship	Asset Relationship Layout [View Assignment]
Assigned Resource	Assigned Resource Layout [View Assignment]
Lead	Lead Layout [View Assignment]
Location	Location Layout [View Assignment]
Location Group	Location Group Layout [View Assignment]
Location Group Assignment	Location Group Assignment Layout [View Assignment]
Object Milestone	Object Milestone Layout [View Assignment]
Operating Hours	Operating Hours Layout [View Assignment]
Order	Order Layout [View Assignment]
Order Product	Order Product Layout [View Assignment]
Payment	Payment Layout [View Assignment]

Figure 42: Standard Platform User Profile for Onboarding Staff

4.4.1.2 Agentforce Service User Profile

The Agentforce service user uses the Einstein Agent User profile to support the operation of the Patient Onboarding Agentforce agent.

The screenshot shows the 'Einstein Agent User' profile configuration page. At the top, there's a 'Profile' section with the name 'Einstein Agent User' and a 'Help for this Page' link. Below this, a note states: 'Users with this profile have the permissions and page layouts listed below. Administrators can change a user's profile by editing that user's personal information. If your organization uses Record Types, use the Edit links in the Record Type Settings section below to make one or more record types available to users with this profile.' A long list of permissions follows, including 'Login IP Ranges', 'Enabled Apex Class Access', 'Enabled External Data Source Access', 'Enabled Named Credential Access', 'Enabled External Credential Principal Access', 'Enabled Custom Metadata Type Access', 'Enabled Custom Setting Definition Access', 'Enabled Flow Access', 'Enabled Agent Access', 'Enabled Service Presence Status Access', and 'Enabled Custom Permissions'. Below the permissions, there's a 'Profile Detail' section with buttons for 'Edit', 'Clone', and 'View Users'. It shows the 'User License' as 'Einstein Agent' and the 'Created By' as 'Salesforce, Inc.' on '6/11/2020, 4:52 AM'. The 'Custom Profile' is set to 'Off', and the 'Modified By' is 'Abrar Alghamdi' on '6/17/2020, 4:03 PM'. The 'Page Layouts' section is a table with two columns: 'Standard Object Layouts' and 'Custom Object Layouts'. The 'Standard Object Layouts' column lists various objects like 'Global', 'Email Application', 'Home Page Layout', 'Account', 'Alternative Payment Method', 'Appointment Invitation', 'Asset', 'Asset Action', and 'Asset Action Source', each with a 'View Assignment' link. The 'Custom Object Layouts' column lists 'Location Group', 'Location Group Assignment', 'Macro', 'Object Milestone', 'Operating Hours', 'Opportunity', 'Opportunity Contact Role', 'Opportunity Product', and 'Order', each with a 'View Assignment' link.

Figure 43: Einstein Agent User Profile for Agentforce Service User

4.4.2 Roles and Role Hierarchy

A role hierarchy was configured with the Patient Onboarding Manager role above the Onboarding Staff role. This structure represents the organizational relationship between managerial oversight and staff responsible for day-to-day patient onboarding activities.

The screenshot shows the 'Roles' page in Salesforce. At the top, there's a 'Creating the Role Hierarchy' section with a note: 'You can build on the existing role hierarchy shown on this page. To insert a new role, click Add Role.' Below this, there's a 'Your Organization's Role Hierarchy' section. It shows a tree structure of roles. The root role is 'Fresh graduate'. Under 'Fresh graduate' is 'Add Role'. Under 'Add Role' is 'CEO' (with 'Edit', 'Del', and 'Assign' links). Under 'CEO' is 'Add Role'. Under 'Add Role' is 'IT Manager' (with 'Edit', 'Del', and 'Assign' links). Under 'IT Manager' is 'Add Role'. Under 'Add Role' is 'Patient Onboarding Manager' (with 'Edit', 'Del', and 'Assign' links). Under 'Patient Onboarding Manager' is 'Add Role'. Under 'Add Role' is 'Onboarding Staff' (with 'Edit', 'Del', and 'Assign' links). Under 'Onboarding Staff' is 'Add Role'.

Figure 44: Patient Onboarding Role Hierarchy

Users were assigned to roles according to the patient onboarding hierarchy. The administrator user is assigned to the Patient Onboarding Manager role, while the Onboarding Staff user is assigned to the Onboarding Staff role.



Users

All Users

On this page you can create, view, and manage users.

To get more licenses, use the Your Account app. [Let's Go](#)

View:

All Users

[Edit | Create New View](#)

							New User	Reset Password(s)	Add Multiple Users
Action	Full Name ↑	Alias	Username	Role	Active	Profile			
 Edit	Alghamdi, Abrar	abr	abrar_algh.166c2a04b71f@agentforce.com	Patient Onboarding Manager	✓	System Administrator			
 Edit	Chatter Expert	Chatter	chattv.00dg500000cevfteam.bq3af4a6jncp@chatter.salesforce.com		✓	Chatter Free User			
 Edit	EinsteinServiceAgent User	einstein	patient_onboarding_assistant@00dg500000cevt1703092319.ext		✓	Einstein Agent User			
 Edit	EinsteinServiceAgent User1	einstein	kssu_std_agent@00dg500000cevt1007059840.ext		✓	Einstein Agent User			
 Edit	EinsteinServiceAgent User2	einstein	kssu_agent@00dg500000cevt678542771.ext		✓	Einstein Agent User			
 Edit Login	Employee_Test	templ	abrarabdull.qh@gmail.com		✓	Standard User			
 Edit Login	EPIC_OrgFarm	OEPIC	epic.#940b4c238b@orgfarm.salesforce.com		✓	System Administrator			
 Edit Login	Manager_IT	imana	abrarabdull.qh@gmail.com2026		✓	System Administrator			
 Edit	Manager_Sales	smana	salesmanager111987654@example.com	East Sales Team	☐	Standard Platform User			
 Edit	Rep_Sales	s.rep	salesrep11162026@gmail.com	Eastern Sales Team	☐	Standard User			
 Edit Login	Staff_Onboarding	abra	onboarding.staff.abrar2026@gmail.com	Onboarding.Staff	✓	Standard Platform User			
 Edit Login	User_Lab_Limited	luser	abrar_algh@outlook.sa	East Sales Team	✓	Standard Platform User			
 Edit	User_Integration	integ	integration@00dg500000cevfteam.com		✓	Analytics Cloud Integration User			
 Edit	User_Security	sec	insightssecurity@00dg500000cevfteam.com		✓	Analytics Cloud Security User			

Show me [fewer](#) ▲ records per list page

New User
Reset Password(s)
Add Multiple Users


4.4.3 Organization-Wide Defaults (OWD) and Sharing Rules

The Insurance object was configured with Private OWD for internal and external access to restrict access to insurance records by default.

Figure 46: Insurance Organization-Wide Default (OWD)

4.4.3.2 Sharing Rules

Sharing rules were configured for the Insurance object to provide Read/Write access to the Onboarding Staff and Patient Onboarding Agent groups.



Insurance Sharing Rules			
Action	Criteria	Shared With	Access Level
Edit Del	Owner in Group: Insurance Record Owners	Group: Onboarding Staff	Read/Write
Edit Del	Owner in Group: Insurance Record Owners	Group: Patient Onboarding Agent	Read/Write

Loan Application Sharing Rules: No sharing rules specified.

Medical History Sharing Rules: No sharing rules specified.

Patient Sharing Rules: No sharing rules specified.

Patient Consent Sharing Rules: No sharing rules specified.


Patient Onboarding Sharing Rules: No sharing rules specified.

Figure 47: Insurance Sharing Rules

4.4.4 Permission Sets

4.4.4.1 Permission Set for Patient Onboarding Staff

A dedicated permission set was configured for Patient Onboarding Staff to provide the access required for staff responsibilities within the patient onboarding process.



Permission Set Overview	
Description	API Name
License	Patient_Onboarding_Staff
Session Activation Required	Namespace Prefix
Permission Set Groups Added To	Created By
	Last Modified By

Apps

- Assigned Apps**
Settings that specify which apps are visible in the app menu
- Assigned Connected Apps**
Settings that specify which connected apps are visible in the app menu
- Object Settings**
Permissions to access objects and fields, and settings such as tab availability
- App Permissions**
Permissions to perform app-specific actions, such as "Manage Call Centers"
- Apex Class Access**
Permissions to execute Apex classes
- Visualforce Page Access**
Permissions to execute Visualforce pages
- External Data Source Access**
Permissions to authenticate against external data sources
- Flow Access**
Permissions to execute Flows
- Named Credential Access**
Permissions to authenticate against named credentials

Figure 48: Patient Onboarding Staff Permission Set

4.4.4.2 Insurance Object Permissions for Patient Onboarding Staff

The Patient Onboarding Staff permission set provides Read and Edit access to the Insurance object. Field-level permissions allow staff to review insurance information and update the Verification Status and Verification Notes during the insurance verification process, while Delete and Modify All permissions remain restricted.

Permission Sets

Object Permissions

Permission Name	Enabled
Read	☒
Create	☐
Edit	☒
Delete	☐
View All Records	☐
Modify All Records	☐
View All Fields	☐

Field Permissions

Field Name	Field API Name	Read Access	Edit Access
Created By	CreatedById	☒	☐
Group Number	Group_Number__c	☐	☐
Insurance Company	Insurance_Company__c	☒	☒
Insurance ID	Name	☒	☐
Insurance Level	Insurance_Level__c	☒	☒
Is Patient the Policyholder?	Is_Patient_the_Policyholder__c	☒	☒
Last Modified By	LastModifiedById	☒	☐
Member ID	Member_ID__c	☒	☒
Owner	OwnerId	☒	☒
Patient	Patient__c	☒	☒
Policyholder Date of Birth	Policyholder_Date_of_Birth__c	☐	☐
Policyholder Name	Policyholder_Name__c	☐	☐
Policyholder Relationship	Policyholder_Relationship__c	☐	☐
Verification Notes	Verification_Notes__c	☒	☒
Verification Status	Verification_Status__c	☒	☒

Figure 49: Insurance Object and Field-Level Permissions for Onboarding Staff

4.4.4.3 Assigned Apps

The AI-Powered Patient Onboarding Hub application was assigned to the Patient Onboarding Staff permission set, providing authorized staff with access to the application.

Permission Sets

Patient Onboarding Staff

Find Settings... | Clone | Edit Properties | Manage Assignments | View Summary

Permission Set Overview > **Assigned Apps**

Items per page: 50 Items | View: All

Assigned Apps | Edit

App Name	Installed Package
AI-Powered Patient Onboarding Hub (AIPowered_Patient_Onboarding_Hub)	

Page 1 of 1

Figure 50: Application Access for Patient Onboarding Staff

4.4.4.4 Assignment Summary

The Patient Onboarding Staff permission set was successfully assigned to the Onboarding Staff user, providing the required access for patient onboarding and insurance verification activities.




Figure 51: Permission Set Assignment to Onboarding Staff

4.4.4.5 Patient Object Permissions for Patient Onboarding Staff

The Patient Onboarding Staff permission set was configured to provide controlled access to the objects required throughout the patient onboarding process, including Patient, Insurance, Medical History, Current Health Concern, and Patient Consent. Object-level and field-level permissions were configured according to staff responsibilities, allowing authorized staff to view and manage the information required for patient onboarding while restricting unnecessary access.

SETUP
Permission Sets

Permission Set
Patient Onboarding Staff

Permission Set Overview > Object Settings ▾ **Patients** ▾

Patients

Tab Settings

Available	Visible
☐	☐ i

Object Permissions

Permission Name	Enabled
Read	☒
Create	☐
Edit	☐
Delete	☐
View All Records	☐
Modify All Records	☐
View All Fields	☐

Field Permissions

Field Name	Field API Name	Read Access	Edit Access
City	City__c	☒	☒
Created By	CreatedById	☒	☐
Date of Birth	Date_of_Birth__c	☒	☒
Email	Email__c	☒	☒
Emergency Contact Email	Emergency_Contact_Email__c	☐	☐

Figure 52: Object and Field-Level Permissions for Onboarding Staff

4.4.4.6 Permission Set for Agentforce Agent

The Agentforce Patient Onboarding Assistant permission set provides the agent with controlled access to the Insurance object and required fields. This enables the agent to access insurance information needed during the patient onboarding process while restricting unnecessary object-level permissions.

SETUP
Permission Sets

Permission Set
Agentforce Agent Patient_Onboarding_Assistant Permissions

Permission Set Overview > Object Settings ▾ **Insurances** ▾

Insurances

Tab Settings

Available	Visible
☐	☐ i

Object Permissions

Permission Name	Enabled
Read	☒
Create	☐
Edit	☐
Delete	☐
View All Records	☐
Modify All Records	☐
View All Fields	☐

Field Permissions

Field Name	Field API Name	Read Access	Edit Access
Created By	CreatedById	☒	☐
Group Number	Group_Number__c	☐	☐
Insurance Company	Insurance_Company__c	☒	☒
Insurance ID	Name	☒	☐
Insurance Level	Insurance_Level__c	☒	☒

Figure 53: Agentforce Agent Permission Set – Insurance Access

4.5 Test Cases

4.5.1 Check Patient Registration Flow Test

The Check Patient Registration flow was tested using an existing patient record. The flow successfully found the patient and followed the Registered path, returning IsRegistered = true and the Patient ID PAT-0003.




Figure 54: Check Patient Registration Flow – Debug Result

4.5.2 Generate Onboarding URL Flow Test

The Generate Onboarding URL flow was tested using patient information as input. The flow completed successfully and generated an onboarding URL containing the provided patient details.




Figure 55: Generate Onboarding URL Flow – Debug Result

4.5.3 Check Onboarding Status Flow

The Check Onboarding Status flow was tested using an existing patient record. The flow successfully found the patient, checked the insurance information, and returned the Primary Insurance status as Rejected.




Figure 56: Check Onboarding Status Flow – Debug Result

4.5.4 Patient Onboarding Screen Flow

Test Case: Complete Patient Onboarding

The Patient Onboarding Screen Flow was tested using the generated onboarding URL. The patient's first name, last name, email, and mobile phone number were automatically pre-filled. The remaining required information and consent were completed by the patient. The onboarding was submitted successfully, and a new patient record (PAT-0005) was created.




Figure 57: Patient Onboarding Flow – Welcome Screen

Patient Onboarding Flow

* First Name
Yousef

* Last Name
algh

* Date of Birth

* Gender
--None--

* Nationality
--None--

* City
--None--

* Phone
057676767

* Email
Yousef@gmail.com

* Primary Language
--None--

Marital Status
--None--

Previous

Figure 58: Patient Information – Auto-Prefilled Data

Patient Onboarding Flow

* First Name
Yousef

* Last Name
algh

* Date of Birth
Aug 6, 1999

* Gender
Male

* Nationality
Saudi

* City
Madinah

* Phone
057676767

* Email
Yousef@gmail.com

* Primary Language
Arabic

Marital Status
--None--

Figure 59: Patient Information – Completed Input

Patient Onboarding Flow

Please review the statements below carefully.
You must acknowledge them before submitting your patient onboarding form.

☒ I confirm that all information I have provided is accurate.

☒ I have read and agree to the Privacy Policy.

☒ I consent to receive medical treatment as determined by my healthcare provider.

Thank You!

Your patient onboarding information has been submitted **successfully**.

Our healthcare team will review your information before your appointment.

If additional information is needed, we will contact you using the phone number or email you provided.

Previous

Figure 61: Patient Onboarding – Successful Submission




Figure 64: Rejected Status Email Test

4.5.6 Dynamic Visibility and Dynamic Actions Testing

4.5.6.1 Dynamic Visibility Test

The dynamic visibility was tested to confirm that the appropriate message is displayed based on the insurance Verification Status. For example, when the status is Verified, the Insurance Verified message is displayed on the record page.




Figure 65: Dynamic Visibility Based on Insurance Verification Status

4.5.6.2 Dynamic Action Test

The Log a Call action was tested by setting the insurance Verification Status to Expired. The action was dynamically displayed, allowing the Onboarding Staff to follow up with the patient when updated insurance information is required.




Figure 66: Dynamic Action Testing – Log a Call for Expired Insurance

4.5.7 Validation Rule Test

The validation rule was tested by attempting to change the insurance status from Rejected to Verified without updating the insurance information. Salesforce prevented the record from being saved and displayed the validation error, requiring the insurance information to be updated before verification.

Figure 67: Validation Rule Testing – Rejected Insurance Verification

4.5.8 Matching and Duplicate Rule Test

The Matching and Duplicate Rules were tested by attempting to create a patient using information that matched an existing patient record. Salesforce detected the matching record and prevented the duplicate patient from being saved.

Figure 68: Matching and Duplicate Rule Testing

4.5.9 Insurance Field History Tracking Test

The Insurance Verification Status was changed from Pending to Verified, and Salesforce successfully recorded the change in Insurance History, including the original value, new value, user, and date/time.




Figure 69: Insurance Field History Tracking Test

4.6 Agentforce Implementation

The Patient Onboarding AI Agent was configured to support patient onboarding requests through a conversational interface. The Agent Router directs user requests to the appropriate subagent, while the Patient Onboarding subagent handles onboarding, new patient registration, and onboarding status inquiries using its configured actions.




Figure 70: Patient Onboarding Agent Structure

4.6.1 Patient Onboarding Subagent Configuration

The Patient Onboarding subagent was configured with reasoning instructions to guide the patient through two main paths: starting a new patient registration or checking registration status. The subagent uses three configured actions: Check Patient Registration, Generate Onboarding URL, and Check Onboarding Status to support the onboarding process.




Figure 71: Patient Onboarding Subagent Reasoning Instructions and Actions

4.6.2 Agentforce Actions Configuration

The Patient Onboarding subagent was configured with three actions: Check Patient Registration, Generate Onboarding URL, and Check Onboarding Status. The required patient information is populated by the agent and passed as input to the corresponding actions, while the returned outputs are used to continue the appropriate onboarding path and provide the patient with the relevant response.




Figure 72: Agentforce Actions and Input/Output Configuration

4.6.3 Agent Action Configuration

Each Agentforce action was configured with a clear label, description, reference action, inputs, and outputs to define its purpose and how it should interact with the corresponding Flow. The Generate Onboarding URL action shown below is one example of this configuration.




Figure 73: Example of Agentforce Action Configuration – Generate Onboarding URL

4.6.4 Agentforce Testing

The Patient Onboarding Agent was tested through the Agentforce Live Test interface to validate its main onboarding paths. The agent successfully identified existing patients and returned their onboarding and insurance status. For new patients, it collected the required information, checked for an existing registration, and generated the onboarding URL when no matching patient was found. The tests confirmed that the agent correctly selected and executed the configured actions based on the patient's request.




Figure 74: Agentforce Live Testing – Existing Patient Status Check




Figure 75: Agentforce Live Testing – Existing Patient Registration Check




Figure 76: Agentforce Live Testing – New Patient Registration and Onboarding URL Generation

Phase 5: Deployment, Documentation & Maintenance

5.1 Proposed Deployment Strategy

The proposed deployment strategy is to use Salesforce Change Sets to move the tested solution components from a sandbox environment to the production org. The change set would include the required configuration and metadata, such as custom objects, fields, flows, validation rules, Lightning components, and permission settings. Patient records and other business data would not be transferred through the change set.

5.2 System Maintenance and Monitoring

The system will be maintained by a technical support team or Salesforce administrator responsible for monitoring system performance, reviewing Flow errors, maintaining Agentforce functionality, managing user access, and monitoring onboarding activity through reports and dashboards. A support contact can also be provided for users to report technical issues or request assistance. Any system updates or configuration changes should be tested before being applied to the production environment.

5.3 Troubleshooting Approach

When an issue is reported, the support team first identifies the affected feature and reproduces the problem. Flow Debug and error details are reviewed for automation issues, user access settings are checked for permission-related problems, and Agentforce actions and permissions are reviewed for agent-related issues. The issue is then corrected, retested, and monitored to confirm that the system is working as expected.

6. Future Enhancements

- **Hospital System Integration:** Integrate the solution with hospital systems to enable automated patient data exchange and reduce manual data entry.
- **AI-Powered Recommendations:** Enhance the solution with AI-driven suggestions to further personalize and improve the patient onboarding experience.
- **Multilingual Agentforce Support:** Enable Agentforce to communicate with patients based on their selected Primary Language, providing a more personalized and accessible onboarding experience.
- **Standardized Data Exchange with the Ministry of Health:** Expand the solution to support standardized patient onboarding data across multiple hospitals, enabling consistent data collection and facilitating centralized data management and analysis by the Ministry of Health.

7. Conclusion

The AI-Powered Patient Onboarding Hub demonstrates how Salesforce automation and AI can support a more efficient and organized patient onboarding process. By enabling patients to provide their information digitally, supporting registration checks, managing insurance information, and automating follow-up activities, the solution helps reduce manual administrative work, improve the accuracy and completeness of patient information, and simplify the onboarding experience for both patients and staff.

The integration of Agentforce, Flow automation, security controls, and reporting also demonstrates how patient onboarding can be managed through a connected and secure system. Overall, the project highlights the value of digital patient onboarding in reducing errors, improving process efficiency, and enhancing the patient experience, while providing a foundation that can be expanded in the future to meet the evolving needs of healthcare organizations.

8. References

- LeadSquared. *Patient Onboarding Guide.*
- Solum. *Patient Onboarding.*
- MedLaunch. *Patient Onboarding Process.*