</footer>

Multiplication: *

ul>li*5

<u1>

<1i></1i></1i>

<1i></1i></1i>

Naming and numbering: \$

ul>li.sample\$*5

<u1>

</u1>

<1i class="sample1"></1i><1i class="sample2"></1i>

<!r class="sample2">! class="sample3">! class="sample4">! class="sample4">!

<1i class="sample5"></1i>

h \$ [title=topic \$] { Headline \$}*3

<h1 title="topic1">Headline 1</h1>
<h2 title="topic2">Headline 2</h2>
<h3 title="topic3">Headline 3</h3>

ul>li.item\$\$\$*5

<l

class="item001">
class="item002">

<p

<1i class="item003">
<1i class="item004">
<1i class="item005">

ul>li.item\$@-*5

<u1>

<1i class="item5"></1i><1i class="item4"></1i>

<1i class="item3"></1i>
<1i class="item2"></1i>

<1i class="item2"></1i>
<1i class="item1"></1i>
</u1>

ul>li.item\$@3*5

<u1>

<1i class="item3"></1i>

<1i class="item4">

<1i class="item5"></1i>

<1i class="item6"></1i><1i class="item7"></1i>

</u1>

ID and CLASS attributes

#header

<div id="header"></div>

.title

<div class="title"></div>

form#search.wide

<form id="search" class="wide"></
form>

p.class1.class2.class3

Custom attributes

p[title="Hello world"]

td[rowspan=2 colspan=3 title]

title="">

[a='value1' b="value2"]

<div a="value1" b="value2"></div>

Text: {}

a{Click me}

Click me

p>{Click }+a{here}+{ to continue}
 Click here to
 continue

Implicit tag names

.class

<div class="class"></div>

em>.class

</
em>

ul>.class

<u1>

<1i class = "class"></1i>

table>.row>.col

HTML

All unknown abbreviations will be transformed to tag, e.g. foo \rightarrow <foo></foo>.

a

< a href="">

a:link

< a href="http://">

a:mail

abbr

<abbr title=""></abbr>

acronym, acr

<acronym title=""></acronym>

base

<base href="" />

basefont

<basefont />

br

frame

<frame />

hr

<hr />

bdo

<bdo dir=""></bdo>

bdo:r

<bdo dir="rtl"></bdo>

bdo:1

<bdo dir="ltr"></bdo>

col

< col />

link

link rel="stylesheet" href="" />

link:css

<link rel="stylesheet"
href="style.css" />

link:print

link rel="stylesheet"

href="print.css" media="print" />

link:favicon

link rel="shortcut icon"

type="image/x-icon" href="favicon.
ico" />

link:touch

<link rel="apple-touch-icon"
href="favicon.png" />

link:rss

<link rel="alternate"
type="application/rss+xml"
title="RSS" href="rss.xml" />

link:atom

<link rel="alternate"
type="application/atom+xml"
title="Atom" href="atom.xml" />

link:import, link:im

<link rel="import"
href="component.html" />

meta

<meta />

meta:utf

<meta http-equiv="Content-Type"
content="text/html;charset=UTF-8"
/>

meta:win

<meta http-equiv="ContentType" content="text/
html;charset=windows-1251" />

meta:vp

<meta name="viewport"
content="width=device-width, userscalable=no, initial-scale=1.0,
maximum-scale=1.0, minimumscale=1.0" />

meta:compat

<meta http-equiv="X-UA-Compatible"
content="IE=7" />

style

<style></style>

script

< s c r i p t > < / s c r i p t >

script:src

<script src=""></script>

img

img:srcset, img:s

img:sizes, img:z

<img sizes="" srcset="" src=""
alt="" />

picture

<picture></picture>

source, src

<source />

source:src, src:sc

<source src="" type="" />

source:srcset, src:s	Form, Input, Button
<source srcset=""/>	form
source:media, src:m	<pre><form action=""></form></pre>
<pre><source media="(min-width:)" srcset=""/></pre>	<pre>form:get <form action="" method="get"><!--/pre--></form></pre>
<pre>source:type, src:t <source srcset="" type="image/"/></pre>	form>
source:sizes, src:z	form:post
<pre><source sizes="" srcset=""/></pre>	<form action="" method="post"><!--<br-->form></form>
<pre>source:media:type, src:mt</pre>	<pre>label <label for=""></label> input</pre>
source:media:sizes, src:mz	<pre><input type="text"/></pre>
<pre><source media="(min-width:)" sizes="" srcset=""/></pre>	inp
	<pre><input <="" id="" name="" pre="" type="text"/></pre>
<pre>source:sizes:type, src:zt <source <="" pre="" sizes="" srcset=""/></pre>	/>
type="image/" />	<pre>input:hidden, input:h <input name="" type="hidden"/></pre>
iframe	input:text, input:t
<iframe frameborder="0" src=""><!-- iframe--></iframe>	<pre><input id="" name="" type="text"/></pre>
embed	input:search
<embed $src="" type="" />$	<pre><input.search <="" <input="" id="" name="" pre="" type="search"></input.search></pre>
object	/>
<object data="" type=""></object>	input:email
param <pre>param name="" value="" /></pre>	<pre><input id="" name="" type="email"/></pre>
map	input:url
<map name=""></map>	<pre><input id="" name="" type="url"/></pre>
area <area alt="" coords="" href="" shape=""/>	<pre>input:password, input:p <input id="" name="" type="password"/></pre>
<pre>area:d <area alt="" href="" shape="default"/></pre>	<pre>input:datetime <input id="" name="" type="datetime"/></pre>
<pre>area:c <area alt="" coords="" href="" shape="circle"/></pre>	<pre>input:date <input id="" name="" type="date"/></pre>
<pre>area:r</pre>	<pre>input:datetime-local <input id="" name="" type="datetime-local"/></pre>
area:p <area <="" coords="" shape="poly" td=""/> <td><pre>input:month</pre></td>	<pre>input:month</pre>
href="" alt="" />	/>
	<pre>input:week <input id="" name="" type="week"/></pre>
	input:time
	<pre><input id="" name="" type="time"/></pre>

<pre>input:tel <input id="" name="" type="tel"/></pre>	audio <audio src=""></audio>
<pre>input:number <input id="" name="" type="number"/></pre>	html:xml <html xmlns="http://www.
w3.org/1999/xhtml"></html>
<pre>input:color <input id="" name="" type="color"/></pre>	keygen /> <keygen/>
input:checkbox, input:c	command <command/>
<pre><input id="" name="" type="checkbox"/></pre>	button:submit, button:s, btn:s button type="submit">
<pre>input:radio, input:r <input <="" id="" name="" pre="" type="radio"/></pre>	button:reset, button:r, btn:r button type="reset">
/> input:range <input id="" name="" type="range"/>	<pre>button:disabled, button:d, btn:d</pre>
<pre>input:file, input:f <input id="" name="" type="file"/></pre>	fieldset:disabled, fieldset:d, fset:d, fst:d <fieldset disabled="disabled"><!--</td--></fieldset>
<pre>input:submit, input:s <input type="submit" value=""/></pre>	fieldset> bq
<pre>input:image, input:i <input alt="" src="" type="image"/></pre>	<pre><blockquote></blockquote> fig</pre>
<pre>input:button, input:b <input type="button" value=""/></pre>	<figure></figure> figc <figcaption></figcaption>
isindex <isindex/>	pic <pre><pre><pre><pre><picture></picture></pre></pre></pre></pre>
<pre>input:reset <input type="reset" value=""/> select</pre>	ifr <iframe frameborder="0" src=""><!--</td--></iframe>
<pre><select <select="" id="" name=""></select></pre>	iframe>
select:disabled, select:d <select <="" id="" name="" td=""><td><pre>emb <embed src="" type=""/> ab:</pre></td></select>	<pre>emb <embed src="" type=""/> ab:</pre>
disabled="disabled">	<pre>obj <object data="" type=""></object></pre>
<pre>option, opt <option value=""></option></pre>	cap <caption></caption>
textarea <textarea <br="" cols="30" id="" name="">rows="10"></textarea>	<pre>colg <colgroup></colgroup></pre>
marquee behavior=""	fst, fset <fieldset></fieldset> btn
direction="">	<pre></pre>
menu:context, menu:c <menu type="context"></menu>	<pre>optg <optgroup></optgroup></pre>
menu:toolbar, menu:t <menu type="toolbar"></menu>	tarea
video <video src=""></video>	<textarea cols="30" id="" name="" rows="10"></textarea>

```
leg
                                        ri:type, ri:t
   <legend></legend>
                                           <picture>
                                              <source srcset="" type="image/"</pre>
sect
   <section></section>
                                              <img src="" alt="" />
art
                                           </picture>
   <article></article>
hdr
                                       ol+
   <header></header>
                                           < 01>
                                              <1i></1i>
ftr
                                           </01>
   <footer></footer>
                                       n1+
adr
                                           <u1>
   <address></address>
                                             <1i></1i>
dlg
                                           </u1>
   <dialog></dialog>
                                       dl+
str
                                           < d1>
   <strong></strong>
                                              < dt > < /dt >
                                              < dd > < /dd >
   progress></progress>
                                           </d1>
mn
   <main></main>
                                           <map name="">
                                              <area shape="" coords=""
tem
                                           href="" alt="" />
   <template></template>
                                           </map>
                                       table+
   <datagrid></datagrid>
                                           datal
                                              <datalist></datalist>

                                              <keygen />
                                           out
                                       colgroup+, colg+
   <output></output>
                                           <colgroup>
                                              <col />
det
                                           </colgroup>
   <details></details>
                                       tr+
cmd
                                           <command />

                                           ri:dpr, ri:d
   <img srcset="" src="" alt="" />
                                        select+
                                           <select name="" id="">
ri:viewport, ri:v
                                              <option value=""></option>
   <img sizes="" srcset="" src=""</pre>
  alt=""/>
                                           </select>
ri:art, ri:a
                                        optgroup+, optg+
                                           <optgroup>
   <picture>
                                              <option value=""></option>
      <source media="(min-width: )"</pre>
  srcset="" />
                                           </optgroup>
      <img src="" alt="" />
                                        pic+
   </picture>
                                           <picture>
                                              <source srcset="" />
                                              <img src="" alt="" />
                                           </picture>
```

CSS

CSS module uses fuzzy search to find unknown abbreviations, e.g. ov:h == ov-h == oh.

If abbreviation wasn't found, it is transformed into property name: foo-bar \rightarrow foo-bar: |;

You can prefix abbreviations with hyphen to produce vendor-prefixed properties: -foo

```
Visual Formatting
pos position:relative;
pos:s
   position:static;
pos:a
   position:absolute;
pos:r
   position:relative;
pos:f
   position:fixed;
   top:;
t:a top:auto;
   right:;
r:a right:auto;
b
   bottom::
b:a bottom:auto:
1
   left:;
l:a left:auto;
Z
   z-index:;
z:a
   z-index:auto;
f l
   float:left;
fl:n
```

float:none;

float:left;

f1:1

```
float:right;
c l
   clear:both;
cl:n
   clear:none;
c1:1
   clear:left;
cl:r
   clear:right;
cl:b
   clear:both;
d
   display:block;
d:n display:none;
d:b display:block;
d:f display:flex;
d:if
   display:inline-flex;
d:i display:inline;
d:ib
   display:inline-block;
d:1i
   display:list-item;
d:ri
   display:run-in;
   display:compact;
d:tb
   display:table;
d:itb
   display:inline-table;
d:tbcp
   display:table-caption;
d:tbcl
   display:table-column;
d:tbclg
   display:table-column-group;
d:tbhg
   display:table-header-group;
```

```
d:tbfg
                                          ovx:a
   display:table-footer-group;
                                             overflow-x:auto:
d:tbr
                                          ovy
   display:table-row;
                                             overflow-y:hidden;
d:tbrg
                                          ovv:v
   display:table-row-group;
                                             overflow-y:visible;
d:thc
                                          ovv:h
   display:table-cell;
                                             overflow-y:hidden;
d:rb
   display:ruby;
                                             overflow-y:scroll;
d:rbb
                                          ovy:a
   display:ruby-base;
                                             overflow-y:auto;
d:rbbg
                                          OVS
   display:ruby-base-group;
                                             overflow-style:scrollbar;
                                          ovs:a
   display:ruby-text;
                                             overflow-style:auto;
d:rbtg
                                          ovs:s
   display:ruby-text-group;
                                             overflow-style:scrollbar;
\mathbf{V}
                                          ovs:p
   visibility:hidden;
                                             overflow-style:panner;
v:v visibility:visible;
                                          ovs:m
                                             overflow-style:move;
v:h visibility:hidden;
                                          ovs:mq
v:c visibility:collapse;
                                             overflow-style:marquee;
\mathbf{ov}
                                          zoo, zm
   overflow:hidden:
                                             zoom:1;
ov:v
                                          cp
   overflow: visible;
                                             clip:;
ov:h
                                          cp:a
   overflow:hidden:
                                             clip:auto;
ov:s
                                          cp:r
   overflow:scroll;
                                             clip:rect(top right bottom left);
ov:a
                                          rsz resize:;
   overflow: auto:
                                          rsz:n
OVX
                                             resize:none;
   overflow-x:hidden;
                                          rsz:b
ovx:v
                                             resize:both;
   overflow-x:visible;
                                          rsz:h
ovx:h
                                             resize: horizontal;
   overflow-x:hidden;
                                          rsz:v
```

overflow-x:scroll;

resize: vertical;

cur cursor: \$ {pointer};

```
cur: a
                                         p l
   cursor: auto;
                                            padding-left:;
cur:d
   cursor: default;
                                          Box Sizing
cur:c
                                         b x z
   cursor:crosshair;
                                            box-sizing:border-box;
cur:ha
                                         bxz:cb
   cursor: hand;
                                            box-sizing:content-box;
cur:he
                                         bxz:bb
   cursor: help;
                                            box-sizing:border-box;
cur:m
                                         bxsh
   cursor:move;
                                            box-shadow:inset hoff voff blur
                                            color:
cur:p
   cursor:pointer;
                                         bxsh:r
                                            box-shadow:inset hoff voff blur
cur:t
                                            spread rgb(0, 0, 0);
   cursor:text:
                                         bxsh:ra
Margin & Padding
                                            box-shadow:inset h v blur spread
                                            rgba(0, 0, 0, .5);
m
   margin:;
                                         bxsh:n
                                            box-shadow:none:
m:a margin:auto;
                                         W
mt
                                            width::
   margin-top:;
                                         w:a width:auto;
mt:a
   margin-top:auto;
                                         h
                                            height:;
mr
   margin-right:;
                                         h:a height:auto;
mr:a
                                         maw
   margin-right:auto;
                                            max-width::
mb
                                         maw:n
   margin-bottom:;
                                            max-width:none;
mb:a
                                         mah
   margin-bottom:auto;
                                            max-height:;
ml
                                         mah:n
   margin-left:;
                                            max-height:none;
ml:a
                                         miw
   margin-left:auto;
                                            min-width:;
                                         mih
p
                                            min-height:;
   padding:;
p t
                                          Font
   padding-top:;
pr
                                            font:;
   padding-right:;
pb
   padding-bottom:;
```

	10
f+	ff:t
font:1em Arial,sans-serif; fw	font-family: "Times New Roman", Times, Baskerville, Georgia, serif
font-weight:;	ff:v
<pre>fw:n font-weight:normal;</pre>	font-family: Verdana, Geneva, sans-serif;
fw:b font-weight:bold;	fef font-effect:;
fw:br font-weight:bolder;	<pre>fef:n font-effect:none;</pre>
fw:lr font-weight:lighter;	<pre>fef:eg font-effect:engrave;</pre>
fs, fs:i font-style:italic;	<pre>fef:eb font-effect:emboss;</pre>
fs:n font-style:normal;	<pre>fef: o font-effect:outline;</pre>
fs: o font-style: oblique;	<pre>fem font-emphasize:;</pre>
fv font-variant:;	<pre>femp font-emphasize-position:;</pre>
fv:n font-variant:normal;	<pre>femp:b font-emphasize-position:before;</pre>
fv:sc font-variant:small-caps;	<pre>femp:a font-emphasize-position:after;</pre>
fz font-size:;	fems font-emphasize-style:;
fza font-size-adjust:;	<pre>fems:n font-emphasize-style:none;</pre>
fza:n font-size-adjust:none;	<pre>fems:ac font-emphasize-style:accent;</pre>
ff font-family:;	<pre>fems:dt font-emphasize-style:dot;</pre>
ff:s font-family:serif;	<pre>fems:c font-emphasize-style:circle;</pre>
ff:ss font-family:sans-serif;	<pre>fems:ds font-emphasize-style:disc;</pre>
ff: c font-family:cursive;	fsm font-smooth:;
ff: f	fsm:a font-smooth:auto;
font-family:fantasy; ff. m	fsm:n

font-smooth:never;

font-smooth:always;

fsm:aw

ff:m

ff:a

font-family:monospace;

font-family: Arial, "Helvetica Neue", Helvetica, sans-serif;

	11
fst font-stretch:;	ta:r text-align:right;
<pre>fst:n font-stretch:normal;</pre>	ta:j text-align:justify;
fst:uc font-stretch:ultra-condensed;	<pre>ta-lst text-align-last:;</pre>
fst:ec font-stretch:extra-condensed;	tal:a text-align-last:auto;
fst:c font-stretch:condensed;	tal:l text-align-last:left;
fst:sc font-stretch:semi-condensed;	tal: c text-align-last:center;
fst:se font-stretch:semi-expanded;	tal:r text-align-last:right;
fst:e font-stretch:expanded;	td, td:n text-decoration:none;
fst:ee font-stretch:extra-expanded;	td:u text-decoration:underline;
fst:ue font-stretch:ultra-expanded;	<pre>td:o text-decoration:overline;</pre>
Text	td:l text-decoration:line-through;
va vertical-align:top;	te text-emphasis:;
va:sup vertical-align:super;	te:n text-emphasis:none;
va:t vertical-align:top;	te:ac text-emphasis:accent;
va:tt vertical-align:text-top;	te:dt text-emphasis:dot;
va:m vertical-align:middle;	te:c text-emphasis:circle;
va:bl vertical-align:baseline;	te:ds text-emphasis:disc;
va:b vertical-align:bottom;	te:b text-emphasis:before;
va:tb vertical-align:text-bottom;	te:a text-emphasis:after;
va:sub vertical-align:sub;	th text-height:;
ta, ta:l text-align:left;	th:a text-height:auto;

th:f

text-height:font-size;

ta:c

text-align:center;

```
12
th:t
                                        tw
   text-height:text-size;
                                            text-wrap:;
th:m
                                         tw:n
   text-height:max-size;
                                           text-wrap:normal;
t i
                                         tw:no
   text-indent:;
                                            text-wrap:none;
fi:-
                                        tw:u
   text-indent:-9999px;
                                           text-wrap:unrestricted;
t i
                                        tw:s
   text-justify:;
                                            text-wrap:suppress;
tj:a
                                        tsh
   text-justify:auto;
                                            text-shadow:hoff voff blur #000:
                                         tsh:r
ti:iw
   text-justify:inter-word;
                                            text-shadow:h v blur rgb(0, 0, 0);
tj:ii
                                        tsh:ra
                                            text-shadow:h v blur rgba(0, 0,
   text-justify:inter-ideograph;
                                           0,.5);
ti:ic
                                         tsh+
   text-justify:inter-cluster;
                                            text-shadow:0 0 0 #000;
                                        tsh:n
   text-justify: distribute;
                                            text-shadow:none;
ti:k
                                        1 h
   text-justify:kashida;
                                            line-height:;
ti:t
                                        It s
   text-justify:tibetan;
                                           letter-spacing:;
to
   text-outline:;
                                           letter-spacing:normal;
to+
                                        whs
   text-outline: 0 0 #000;
                                            white-space:;
to:n
                                         whs:n
   text-outline:none;
                                            white-space:normal;
tr
                                         whs:p
   text-replace:;
                                            white-space:pre;
tr:n
                                         whs:nw
   text-replace:none;
                                            white-space:nowrap;
t t
                                         whs:pw
   text-transform:uppercase;
                                            white-space: pre-wrap;
tt:n
                                         whs:pl
   text-transform:none:
                                            white-space:pre-line;
tt:c
   text-transform: capitalize;
                                            white-space-collapse:;
tt:u
                                        whsc:n
   text-transform:uppercase;
                                            white-space-collapse:normal;
tt:l
                                        whsc:k
   text-transform:lowercase;
                                            white-space-collapse: keep-all;
```

```
whsc:1
                                         Background
   white-space-collapse:loose;
                                        bg
whsc:bs
                                           background:#000;
  white-space-collapse:break-strict;
                                        bg+
whsc:ba
                                           background:#fff url() 0 0
   white-space-collapse:break-all;
                                           no-repeat;
woh
                                        bg:n
   word-break:;
                                           background:none;
wob:n
                                        bgc
  word-break:normal;
                                           background-color:#fff;
wob:k
                                        bgc:t
  word-break:keep-all;
                                           background-color:transparent;
wob:ba
                                        bgi
  word-break:break-all:
                                           background-image:url();
WOS
                                        bgi:n
   word-spacing:;
                                           background-image:none;
                                        bgr
  word-wrap:;
                                           background-repeat:;
wow:nm
                                        bgr:n
  word-wrap:normal;
                                           background-repeat:no-repeat;
wow:n
                                        bgr:x
  word-wrap:none;
                                           background-repeat:repeat-x;
wow:u
                                        bgr:v
  word-wrap:unrestricted;
                                           background-repeat:repeat-y;
wow:s
                                        bgr:sp
   word-wrap:suppress;
                                           background-repeat:space;
wow:b
                                        bgr:rd
   word-wrap:break-word;
                                           background-repeat:round;
                                        bga
                                           background-attachment:;
                                        bga:f
                                           background-attachment:fixed;
                                        bga:s
                                           background-attachment:scroll;
                                           background-position:0 0;
                                           background-position-x:;
                                        bgpy
                                           background-position-y:;
                                        bgbk
                                           background-break:;
                                        bgbk:bb
                                           background-break:bounding-box;
```

```
bgbk:eb
                                         Color
  background-break:each-box;
                                        \mathbf{c}
bgbk:c
                                           color:#000;
  background-break:continuous;
                                        c:r
                                           color:rgb(0, 0, 0);
  background-clip:padding-box;
                                        c:ra
bgcp:bb
                                           color:rgba(0, 0, 0, .5);
  background-clip:border-box;
                                        op
bgcp:pb
                                           opacity:;
  background-clip:padding-box;
                                         Generated content
bgcp:cb
  background-clip:content-box;
                                        cnt content:";
bgcp:nc
                                        cnt:n, ct:n
  background-clip:no-clip;
                                           content:normal;
bgo
                                        cnt:oq, ct:oq
  background-origin:;
                                           content:open-quote;
bgo:pb
                                        cnt:noq, ct:noq
  background-origin:padding-box;
                                           content:no-open-quote;
bgo:bb
                                        cnt:cq, ct:cq
   background-origin:border-box;
                                           content:close-quote;
bgo:cb
                                        cnt:ncq, ct:ncq
  background-origin:content-box;
                                           content:no-close-quote;
bgsz
                                        cnt:a, ct:a
  background-size:;
                                           content:attr();
bgsz:a
                                        cnt:c, ct:c
   background-size:auto;
                                           content:counter();
bgsz:ct
                                        cnt:cs, ct:cs
   background-size:contain;
                                           content:counters();
bgsz:cv
                                       c t
  background-size:cover;
                                           content:;
                                           quotes:;
                                        q:n quotes:none;
                                        q:ru
                                           quotes: '\00AB', \00BB', \201E'
                                           ,\201C';
                                        q:en
                                           quotes: '\201C', \201D', \2018'
                                           ,\2019;
                                        coi
                                           counter-increment:;
                                        cor
                                           counter-reset:;
```

Outline **Tables** o l t b l outline:: table-layout:; ol:n thl:a outline:none: table-layout:auto; olo outline-offset:; table-layout:fixed; olw cps outline-width:; caption-side:; olw:tn cps:t outline-width:thin; caption-side:top; olw:m cps:b outline-width: medium; caption-side:bottom; olw:tc e c outline-width:thick; empty-cells:; ols outline-style:; empty-cells:show; ols:n ec:h outline-style:none; empty-cells:hide; ols:dt Border outline-style:dotted; bd ols:ds border:; outline-style:dashed; bd+ ols:s border:1px solid #000; outline-style:solid; bd:n ols:db border:none; outline-style:double; bdbk ols:g border-break:close; outline-style: groove; bdbk:c ols:r border-break:close: outline-style:ridge; bdcl ols:i border-collapse:; outline-style:inset; bdcl:c ols: o border-collapse:collapse; outline-style:outset; bdcl:s olc border-collapse:separate; outline-color:#000: **bdc** olc:i border-color:#000; outline-color:invert: bdc:t border-color:transparent; b d i border-image:url(); bdi:n

border-image:none;

<pre>bdti border-top-image:url();</pre>	<pre>bdbli:c border-bottom-left-image:continue;</pre>
bdti:n border-top-image:none;	<pre>bdf border-fit:repeat;</pre>
<pre>bdri border-right-image:url();</pre>	<pre>bdf:c border-fit:clip;</pre>
bdri:n border-right-image:none;	<pre>bdf:r border-fit:repeat;</pre>
<pre>bdbi border-bottom-image:url();</pre>	<pre>bdf:sc border-fit:scale;</pre>
bdbi:n border-bottom-image:none;	<pre>bdf:st border-fit:stretch;</pre>
<pre>bdli border-left-image:url();</pre>	bdf:ow border-fit:overwrite;
bdli:n border-left-image:none;	<pre>bdf:of border-fit:overflow;</pre>
bdci border-corner-image:url();	<pre>bdf:sp border-fit:space;</pre>
bdci:n border-corner-image:none;	bdlen border-length:;
bdci:c border-corner-image:continue;	<pre>bdlen:a border-length:auto;</pre>
<pre>bdtli border-top-left-image:url();</pre>	<pre>bdsp border-spacing:;</pre>
<pre>bdtli:n border-top-left-image:none;</pre>	bds border-style:;
<pre>bdtli:c border-top-left-image:continue;</pre>	<pre>bds:n border-style:none;</pre>
<pre>bdtri border-top-right-image:url();</pre>	<pre>bds:h border-style:hidden;</pre>
bdtri:n border-top-right-image:none;	<pre>bds:dt border-style:dotted;</pre>
bdtri:c border-top-right-image:continue;	<pre>bds:ds border-style:dashed;</pre>
<pre>bdbri border-bottom-right-image:url();</pre>	<pre>bds:s border-style:solid;</pre>
bdbri:n border-bottom-right-image:none;	<pre>bds:db border-style:double;</pre>
bdbri:c border-bottom-right-image:continue;	<pre>bds:dtds border-style:dot-dash;</pre>
<pre>bdbli border-bottom-left-image:url();</pre>	<pre>bds:dtdtds border-style:dot-dot-dash;</pre>
bdbli:n border-bottom-left-image:none;	bds:w border-style:wave;

```
bds:g
                                        bdb+
   border-style: groove;
                                           border-bottom:1px solid #000;
hds:r
                                        hdb:n
  border-style:ridge;
                                           border-bottom:none:
                                        bdbw
bds:i
  border-style:inset;
                                           border-bottom-width:;
hds:o
                                        hdhs
  border-style:outset;
                                           border-bottom-style:;
bdw
                                        bdbs:n
  border-width:;
                                           border-bottom-style:none;
bdt, bt
                                        bdbc
  border-top:;
                                           border-bottom-color:#000:
bdt+
                                        bdbc:t
   border-top:1px solid #000;
                                           border-bottom-color:transparent;
                                        bdl, bl
bdt:n
  border-top:none;
                                           border-left::
                                        bdl+
bdtw
  border-top-width:;
                                           border-left:1px solid #000;
                                        hdl:n
                                           border-left:none:
  border-top-style:;
bdts:n
                                        bdlw
                                           border-left-width:;
  border-top-style:none;
                                        bdls
  border-top-color:#000;
                                           border-left-style:;
bdtc:t
                                        bdls:n
                                           border-left-style:none;
  border-top-color:transparent;
bdr, br
                                        hdle
  border-right:;
                                           border-left-color:#000;
bdr+
                                        bdlc:t
   border-right:1px solid #000;
                                           border-left-color:transparent;
bdr:n
                                        hdrs
  border-right:none;
                                           border-radius::
bdrw
                                        bdtrrs
   border-right-width:;
                                           border-top-right-radius:;
bdrst
                                        bdtlrs
  border-right-style:;
                                           border-top-left-radius:;
hdrst:n
  border-right-style:none;
                                           border-bottom-right-radius:;
bdrc
                                        bdblrs
  border-right-color:#000;
                                           border-bottom-left-radius:;
bdrc:t
  border-right-color:transparent;
bdb, bb
   border-bottom:;
```

```
pgbb:r
 Lists
                                            page-break-before:right;
lis
                                        pgbi
   list-style:;
                                            page-break-inside:;
lis:n
                                         pgbi:au
   list-style:none;
                                            page-break-inside:auto;
                                         pgbi:av
   list-style-position:;
                                            page-break-inside:avoid;
lisp:i
   list-style-position:inside;
                                            page-break-after:;
lisp:o
                                         pgba:au
   list-style-position:outside;
                                            page-break-after:auto;
list
                                         pgba:al
   list-style-type:;
                                            page-break-after:always;
list:n
   list-style-type:none;
                                            page-break-after:left;
list:d
                                         pgba:r
   list-style-type:disc;
                                            page-break-after:right;
list: c
                                         orp orphans:;
   list-style-type:circle;
                                         wid widows::
   list-style-type:square;
                                          Others
list:dc
   list-style-type:decimal;
                                            !important
list:dclz
                                        (a)f
   list-style-type:decimal-leading-
                                            @font-face
   zero;
                                               { font-
list:lr
                                               family:;
   list-style-type:lower-roman;
                                               src:url(|);
   list-style-type:upper-roman;
                                         (a)f+
lisi
                                            @font-face {
   list-style-image:;
                                               font-family: ,FontName';
                                               src: url(,FileName.eot');
lisi:n
                                               src: url(,FileName.eot?#iefix')
   list-style-image:none;
                                            format(,embedded-opentype'),
                                                   url(,FileName.woff')
 Print
                                            format(, woff'),
                                                   url(,FileName.ttf')
pgbb
                                            format(,truetype'),
   page-break-before:;
                                                   url(, File Name.
pgbb:au
                                            svg#FontName') format(,svg');
   page-break-before:auto;
                                               font-style: normal;
                                               font-weight: normal;
pgbb:al
                                            }
   page-break-before: always;
pgbb:l
```

page-break-before:left;

```
@i, @import
   @import url();
(a)kf
   @-webkit-keyframes identifier
      { from { }
      to
   @-o-keyframes identifier
      { from { }
      to
   @-moz-keyframes identifier
      { from { }
      to
   {
   @keyframes identifier
      { from { }
      to
am, amedia
   @media screen { }
ac
   align-content:;
   align-content:center;
ac:fe
   align-content: flex-end;
ac:fs
   align-content:flex-start;
ac:s
   align-content:stretch;
ac:sa
   align-content:space-around;
   align-content:space-between;
a i
   align-items:;
ai:b
   align-items:baseline;
ai:c
   align-items:center;
ai:fe
```

align-items:flex-end;

```
align-items:flex-start;
ai:s
   align-items:stretch;
```

ai:fs

```
anim
   anim
  atio
   n:;
anim-
  animation:name duration
  timing-function delay
  iteration-count direction
  fill-mode;
animdel
   animation-delay:time;
animdir
   animation-direction:normal;
animdir:a
  animation-
  direction:alternate;
animdir:ar
  animation-
  direction:alternate-
  reverse;
animdir:n
  animation-direction:normal;
animdir:r
   animation-direction:reverse;
animdur
  animation-duration:0s;
animfm
  animation-fill-mode:both;
animfm:b
   animation-fill-
   mode:backwards;
animfm:bt,
  animfm:bh
  animation-fill-
  mode:both:
animfm:f
  animation-fill-mode:forwards;
animic
  animation-iteration-count:1;
animic:i
   animation-iteration-
  count:infinite:
animn
   animation-name:none;
```

animps

```
animation-play-state:paused;

animps:r
animation-play-state:running;

animtf
animation-timing-function:linear;
```

```
animtf:cb
                                         colmf
   animation-timing-
                                            column-fill:;
  function:cubic-bezier(0.1, 0.7,
   1.0.0.1):
                                         colmg
                                            column-gap:;
animtf:e
   animation-timing-function:ease;
                                         colmr
                                            column-rule:;
animtf:ei
   animation-timing-function:ease-in;
                                         colmre
anim tf: eio
                                            column-rule-color:;
   animation-timing-function:ease-in-
  out:
                                         colmrs
                                            column-rule-style:;
animtf:eo
  animation-timing-function:ease-out; colmrw
                                            column-rule-width:;
animtf:1
   animation-timing-function:linear;
                                         colms
                                            column-span:;
ap
   appearance: $ {none};
                                            column-width:;
as
   align-self:;
                                         d:ib+
                                            display: inline-block;
                                            *display: inline;
   align-self:auto;
                                            *zoom: 1:
as:b
   align-self:baseline;
                                          Flex
as:c
                                        fx
   align-self:center;
                                           flex:;
as:fe
                                        fxb
  align-self:flex-end;
                                           flex-basis:;
as:fs
                                        fxd
  align-self:flex-start;
                                            flex-direction::
                                         fxd:c
   align-self: stretch;
                                           flex-direction:column:
                                         fxd:cr
   backface-visibility:;
                                            flex-direction:column-reverse;
                                         fxd:r
   backface-visibility:hidden;
                                           flex-direction:row;
bfv:v
                                         fxd:rr
   backface-visibility:visible;
                                            flex-direction:row-reverse:
bg:ie
                                        fxf
  filter:progid:DXImageTransform.
                                           flex-flow:;
  Microsoft. AlphaImageLoader(src='x.
  png', sizing Method='crop');
                                            flex-grow:;
cm
      ${child} */
                                         fxsh
                                           flex-shrink::
colm
   columns:;
                                         fxw
                                           flex-wrap:;
colmc
```

column-count:;

fxw:n	Transform, Transition
flex-wrap:nowrap;	trf
fx w:w	t nsform:;
flex-wrap:wrap;	trf:r
fxw:wr	transform: rotate(angle);
flex-wrap:wrap-reverse;	trf:rx
c	transform: rotateX(angle);
justify-content:;	
c:c	trf:ry transform: rotateY(angle);
justify-content:center;	
c:fe	trf:rz transform: rotateZ(angle);
justify-content:flex-end;	
c:fs	trf:sc
justify-content:flex-start;	transform: scale(x, y);
0.100	trf:sc3
c:sa justify-content:space-around;	transform: $scale3d(x, y, z);$
	trf:scx
c:sb justify-content:space-between;	transform: scaleX(x);
	trf:scy
nar max-resolution:res;	transform: scaleY(y);
, and the second se	trf:scz
nir min-resolution:res;	<pre>transform: scaleZ(z);</pre>
	trf:skx
op+ opacity: ;	transform: skewX(angle);
filter: alpha(opacity=);	trf:sky
	transform: skewY(angle);
op:ie filter:progid:DXImageTransform.	trf:t
Microsoft.Alpha(Opacity=100);	<pre>transform: translate(x, y);</pre>
op:ms	trf:t3
-ms-filter: 'progid:DXImageTransform.	transform: translate3d(tx, ty,
Microsoft.Alpha(Opacity=100);	t z);
ord	trf:tx
order:;	<pre>transform: translateX(x);</pre>
ri	trf:ty
orientation:;	<pre>transform: translateY(y);</pre>
ri:l	trf:tz
orientation:landscape;	<pre>transform: translateZ(z);</pre>
ori:p	trfo
orientation:portrait;	transform-origin:;
: 0 V	trfs
text-overflow: \$ {ellipsis};	transform-style:preserve-3d;
OV:C	trs
text-overflow:clip;	transition:prop time;
to V:e	trsde
text-overflow:ellipsis;	transition-delay:time;
tone overriow.erriporo,	· · · · · · · · · · · · · · · · · · ·

```
trsdu
   transition-duration:time;
                                           tmatch, tm
trsp
                                              <x s1:template match="" mode=""></
   transition-property:prop;
                                              xsl:template>
                                           tname, tn
   transition-timing-function:tfunc;
                                              < x s1:template name=""></
                                              xsl:template>
u s
   user-select: $ {none};
                                           call
                                              < x s1: call-template name=""/>
wfsm
                                           ap
   -webkit-font-
                                              <xsl:apply-templates select=""
   smoothing: $ {antialiased};
                                              mode="" />
wfsm:a
   -webkit-font-smoothing:antialiased;
                                              <xsl:apply-imports />
wfsm:n
   -webkit-font-smoothing:none;
                                              <xsl:import href="" />
wfsm:s, wfsm:sa
                                           inc
   -webkit-font-smoothing:subpixel-
                                              <xsl:include href="" />
   antialiased:
                                          ch
                                              < x sl: choose > < /x sl: choose >
wm
   writing-mode: lr-tb;
                                           xsl:when, wh
                                              \langle xs1:when test="">\langle /xs1:when>
wm:btl
   writing-mode:bt-lr;
                                           o t
                                              <xsl:otherwise></xsl:otherwise>
wm:btr
   writing-mode:bt-rl;
                                          i f
                                              < x s1:if test = ""></x s1:if>
wm:lrb
   writing-mode:lr-bt;
                                           par
                                              <xsl:param name=""></xsl:param>
wm:lrt
                                              < x s1:
   writing-mode: lr-tb;
                                                   param name="" select="" />
wmrlb
   writing-mode:rl-bt;
                                              < x s1: variable name=""></
                                              xsl:variable>
wm:rlt
   writing-mode:rl-tb;
                                              < x s1: variable name="" select="" />
wm:tbl
   writing-mode:tb-lr;
                                              <xsl:with-param name="" select="" />
wm:tbr
                                           key
   writing-mode:tb-rl;
                                              <xsl:key name="" match="" use="" />
                                           elem
                                              <xsl:element name=""></xsl:element>
                                           attr
                                              < x s1: attribute name=""></
                                              xsl:attribute>
                                           attrs
                                              < x sl:attribute-set name=""></
                                              xsl:attribute-set>
```

<xsl:copy select="" />

```
HTML DOCTYPES
co
   <xsl:copy-of select="" />
                                           !. html:5
                                              <!DOCTYPE html>
val
                                              <html lang="en">
   <xsl:value-of select="" />
                                              <head>
each, for
                                                  <meta charset="UTF-8" />
   < x s1: for-each select = ""></
                                                 <title>Document</title>
   xsl:for-each>
                                              </head>
tex
                                              <body>
   < x s1: t e x t > < / x s1: t e x t >
com
                                              </body>
   <xsl:comment></xsl:comment>
                                              </html>
msg
   <xsl:message terminate="no"></
                                           doc
                                              <html>
   xsl:message>
                                              <head>
fall
                                                 <meta charset="UTF-8" />
   < x s1: fallback > < / x s1: fallback >
                                                 <title>Document</title>
                                              </head>
   <xsl:number value="" />
                                              <body>
nam
   <namespace-alias stylesheet-prefix=""
                                              </body>
   result-prefix="" />
                                              </html>
pres
                                           doc4
   <xsl:preserve-space elements="" />
                                              <htm1>
                                              <head>
   <xsl:strip-space elements=""/>
                                                 <meta http-equiv="Content-Type"</pre>
proc
                                              content="text/html;charset=UTF-8"
   < xsl:processing-
   instruction name=""></
                                                 <title>Document</title>
   xsl:processing-instruction>
                                              </head>
                                              <body>
sort
   <xsl:sort select="" order="" />
                                              </body>
choose+
                                              </html>
   <xsl:choose>
      < xsl: when test=""></ xsl: when>
                                           html:4t
      <xsl:otherwise></xsl:otherwise>
                                              <!DOCTYPE HTML PUBLIC "-//W3C//
   </xsl:choose>
                                              DTD HTML 4.01 Transitional//EN"
xsl \mid 
                                              "http://www.w3.org/TR/htm14/loose.
   <?xml version="1.0"
                                              dtd">
   encoding="UTF-8"?>
                                              <html lang="en">
   <xsl:stylesheet version="1.0"</pre>
                                              <head>
   xmlns:xsl="http://www.w3.org/1999/
                                                 <meta http-equiv="Content-Type"
   XSL/Transform"></xsl:stylesheet>
                                              content="text/html;charset=UTF-8"
111
   <?xml version="1.0"
                                                 <title>Document</title>
   encoding="UTF-8"?>
                                              </head>
                                              <body>
                                              </body>
                                              </html>
```

html:4s html:xxs <!DOCTYPE HTML PUBLIC "-//W3C//DTD</pre> <!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01//EN" "http://www.w3.org/ XHTML 1.1//EN" "http://www.w3.org/ TR/html4/strict.dtd"> TR/xhtml11/DTD/xhtml11.dtd"> <html lang="en"> <html xmlns="http://www. <head> w3.org/1999/xhtml" xml:lang="en"><meta http-equiv="Content-Type"</pre> <head> content="text/html:charset=UTF-8" <meta http-equiv="Content-Type"</pre> content="text/html;charset=UTF-8" <title>Document</title> </head> <title>Document</title> <body> </head> <body> </body></html></body></html>html:xt !!! <!DOCTYPE html> <!DOCTYPE html PUBLIC "-//W3C//</pre> DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/ !!!4t xhtml1-transitional.dtd"> <!DOCTYPE HTML PUBLIC "-//W3C// <html xmlns="http://www. DTD HTML 4.01 Transitional//EN" w3.org/1999/xhtml" xml:lang="en">"http://www.w3.org/TR/htm14/loose. <head> dtd"> <meta http-equiv="Content-Type"</pre> !!!4s content="text/html:charset=UTF-8" <!DOCTYPE HTML PUBLIC "-//W3C//DTD /> HTML 4.01//EN" "http://www.w3.org/ <title>Document</title> TR/htm14/strict.dtd"> </head> !!!xt <body> <!DOCTYPE html PUBLIC "-//W3C// DTD XHTML 1.0 Transitional//EN" </body>"http://www.w3.org/TR/xhtml1/DTD/ </html>xhtmll-transitional.dtd"> html:xs !!!xs <!DOCTYPE html PUBLIC "-//W3C//DTD</pre> <!DOCTYPE html PUBLIC "-//W3C//DTD</pre> XHIML 1.0 Strict//EN" "http://www. XHTML 1.0 Strict//EN" "http://www. w3.org/TR/xhtml1/DTD/xhtml1-strict. w3.org/TR/xhtml1/DTD/xhtml1-strict. dtd"> dtd"> <html xmlns="http://www. !!!xxs w3.org/1999/xhtml" xml:lang="en"> <! D OCTY PE html PUBLIC "-<head> XHTML 1.1//EN" //W3C//DTD <meta http-equivFR'\Cxhnthelnth\Dy\DDO\"xhtml11.dtd"> "http://www.w3.org/ content="text/html;charset=UTF-8" <title>Document</title> </head> <body> </body>

</html>

http://docs.emmet.io/