



Date Printed: 16-Mar-23

End Dump 4X**End Dump 4X****End Dumps**

Promotional Drawing	21-Mar-23	Approved By	☐	Base Weight:	0	Base Price	\$133,490
----------------------------	-----------	--------------------	--------------------------	---------------------	---	-------------------	-----------

TRAILER

Overall Length	30 ft. 2 in.	
Overall Frame Length	45 ft. 6 in.	
Overall Box Length	44 ft. 6 in.	
Width	102 in.	
King Pin to Rear Axle	295 in.	
Board Size	None Required	
Wall Height	,	\$316
Rear Axle Setting	19 in.	
Weight lbs +/- 3%	21074, including options	
Cubic Capacity - No Planks		
Cubic Yard Capacity	81.08	
Cubic Capacity with Planks		

CHASSIS

Frame Length	28 ft.	
Coupler Plate	1/2 in. Hi-Tensile, 49 in. Height	
Frame Construction	18 in. Extruded Aluminum Beam Construction, Milled Finish	
Coupler Location	16 in.	
King Pin Height	49 in.	
King Pin Location	18 in.	
Beams	Fabricated T1 I-Beams, run full length	
Fifth Wheel Plate	5/16 in	
Wear Pad	6 in. Braided rubber on top of frame to act as buffer between box and frame	
Crossmembers	Steel Sills	
Ride Axle Configuration	3 of 25,000 lbs Capacity	
Side Skirts	Diamond plate Aluminum, 96 in. at front and 102 in. wide at rear over wheel	
Extra Lift Kit	,	\$1,950
Lift Axle Control Valve	RAR-220 IN	
Steer Axle Configuration	Ingersol with IMT (Dexter) Steer	
Axle Spread	72 in. - 72 in. - 100 in	
Ride Suspension	3 of Hendrickson Intraax - Webb Slacks, TSE Long Stroke Booster, fixed	
Ride Suspension Control	Electric	
Steer Suspension	Ingersol with IMT (Dexter) Steer	
Steer Suspension Control	Electric	
Wheel Monitor	None Required	
Bearing	Propar Equal Inner and Outer	
Hubs & Drums	Duralight Hubs and Drums	
Brakes	16 1/2 x 7 Drum	
Dust Shields	Included	
Ride Rims	8.25 x 22.5 Aluminum Alcoa, High Polish	
Steer Rims	12.25 x 22.5 Aluminum Alcoa, High Polish	
Ride Tires	Continental HSC-1 24.5	\$39
Suspension Hanger	Galvanized	\$390
Steer Tires	Continental HSR-2 11R22.5	\$195
Hubmeter	None Required	



Date Printed: 16-Mar-23

End Dump 4X

End Dump 4X

End Dumps

Promotional Drawing	21-Mar-23	Approved By	☐	Base Weight:	0	Base Price	\$133,490
---------------------	-----------	-------------	--------------------------	--------------	---	------------	-----------

CHASSIS

Spare Tire Carrier	None Required	
ABS	Wabco 2S/1M	
Weight Gauge	Located on front at 45 degree	
Frame Finish	Milled, Non Polished	
Paint Color for Steel Compo	Black	
Board Color	None Required	
Mudflaps	3 Flaps Across the Rear of the Trailer	
Mudflaps	Extra set w/ brackets: In front of front axle	\$195
Fenders on Front	None Required	
Fenders Over Axles	Aluminum Smooth Plate, Polished	
Calcium Tank	Aluminum, mounted on Driver Side c/w Hose and Ball Valve	\$813
Air Tanks	Aluminum	
Landing Gear	Jost 10 year, No Lube w/Painted, Landing Gear and Braces	
Toolbox	None Required	

BODY

Box Length	96 in.	(\$1,200)
Wall Panels	2 in. Hollow Core Double Wall 6061 Aluminum Extrusion. Fully Welded Interior Wall	
Box Height	60 in.	
Box width	102 in.	
Wall Thickness	Outside Wall 0.094 (3/32)in. and Inside Wall 0.125 (1/8) in.	
Bulkhead	Slope Nose 1/4 in. AR450 (or Equivalent)	
Side Boards	No	
Wall Finish	Polished	
Rear Posts	3/16 in. 50W	
Last 5 Rear Wall Panels	Outside Wall 0.094 (3/32)in. and Inside Wall 0.125 (1/8) in.	
Top Rail	1/4 in. c 4 in. x 6 in. Steel Box	
Floor Construction	.250 (1/4 in.) 6061 Aluminum Sheets welded together, supported by Reinforced Extruded Aluminum, C-Channel crossmembers on 12 in. centers	
Bottom Rail	Steel Box	
Sides	60 in. High 1/4 in. AR450 (or Equivalent)	
Floor Liner	None Required	
Bulkhead Construction	3/16 in. 5083 Aluminum Sheets with Corners Formed into a Radius	
Tailgate	60 in. Straight Hi Lift Gate - Dual Acting, 1/4 in. Hardox (or Equivalent), Access plates on rear posts and 40 in. spreader chains	
Tailgate Seal	1/2 in. round sides and bottom	
Spreader Chains	40 in.	
Tailgate	Heavy Duty 2 in. Hollow Core Double Wall 6061 Aluminum Extrusion. Fully Welded inside extruded frame	
Tailgate Locks	Air Operated	
Tailgate Slope	Straight	
Compression Locks	1 per side	
Tailgate Type	Overslung (Hinged at top)	
Wear Pad	Air Cylinder	\$974
Tailgate Hinges	Stainless	



Date Printed: 16-Mar-23

End Dump 4X**End Dump 4X****End Dumps**

Promotional Drawing	21-Mar-23	Approved By	☐	Base Weight:	0	Base Price	\$133,490
----------------------------	-----------	--------------------	--------------------------	---------------------	---	-------------------	-----------

BODY

Floor	1/4 in. AR450 (or Equivalent)
Compression Locks	None Required
Tarp	No
Rear Tailgate Seal	Rubber Seal
Dump Hoist	Custom Hoist 8-5-235
Grain Chute	None Required
Ladder	1 on front drivers side, inside and outside
Sock Adapter	None Required
Remote Grease Block	Located at rear
Header Type	None Required
Hydraulic Hose	9 Ft. with Wing Fittings
Tarp	None Required
Tarp Drive	None Required
Front Tarp Shield	None Required
Rear Tarp Shield	None Required
Tarp Color	None Required
Tarp Supplies	None Required
Cross Pipes	None Required
Man Door	None Required
Hoist Size	CUSTOM 95-4500-340 (Minimum of 59.4 Gallons required to Fully Extend Cylinders)
Square Offs	Installed on Top Front Outside Corners of Box
Catwalk	None Required
Shovel Holder	Located on Dog House
Broom Holder	Located on Dog House
Asphalt Lip	None Provided (If required It is 8 in. with no compression locks and 6 in. with bottom compression locks)
Steps - Front, Driver Side	None Required
Steps - Rear, Driver Side	None Required
Steps - Front Passenger Side	None Required
Steps - Rear, Passenger Side	None Required
Jug Holder	None Required
Fork Lift Package	None Required
Hydraulic Hose	None Required
Document Holder	Standard Round

SUSPENSION/AXLES

Axles	25,000 lbs Capacity 77.5 in. Track Synethetic Semi Fluid Grease
Spread	44 in. - 44 in. - 46 in.
Suspension	1of Reyco 21B Triaxle Single Leaf Springs, 1 of AAL25K Lifiable Axle with Electric switch in box, 17 in. Ride Height
Control Box	Stainless Steel
Air Tanks	Aluminum
Air Gauge	Located at front
Brakes	16 1/2 in. x 7 in., Includes Dust Shields
Air Brake System	4S/2M Wabco



Date Printed: 16-Mar-23

End Dump 4X

End Dump 4X

End Dumps

Promotional Drawing	21-Mar-23	Approved By	☐	Base Weight:	0	Base Price	\$133,490
---------------------	-----------	-------------	--------------------------	--------------	---	------------	-----------

SUSPENSION/AXLES

Hubs & Drums	10 Stud Cast Drums
Tires	16 of 11R22.5 Continental HSR
Wheels	16 of 8.25 x 22.5 Steel Disc

LIGHTING/ELECTRICAL

Electrical System	Grote
Electrical System	Modular, Vapor Proof LED GROTE as per DOT Requirements
Lights	LED CMVSS 108 / FMVSS 108
Front Connector	SAE J560 7 Pin and ISO Connector
Lights	2 of 4 in. per side at rear and 3 of 2 1/2 in. in center, 1 pair of flashers located below rail.
LED Type	Colored
Back up Lights	1 set
Rear Lighting	3 of 4 in. per side at rear
Side Lights	3 per Side
Rear Center Plate Lights	None Required
Lights Located in Bottom Rail	3 of 2 1/2 in. Amber evenly spaced per side
Air/Electrical Connections	setup for cab controls and plumbed for Hi Lift and air locks on gate
Lights Located in Top Wall	None Required
Finishing	Steel Shot Blast
Tarp Shield Lights	None Required. They can only be mounted in tarp shield for Slide N Go Tarp Only
Color	Primed and Painted Black, consist of the Box, beams, Axles
Mudflaps	Full Flaps across rear
Tailgate Lights	None Required
Tailgate Post Lights	None Required
Signal Lights on Sides	Located in the Siderail
Reverse Lights below the rail	None Required
Light Shield	1/4 in. x 4 in.

\$273



Date Printed: 16-Mar-23

End Dump 4X

End Dump 4X

End Dumps

Promotional Drawing	21-Mar-23	Approved By	☐	Base Weight:	0	Base Price	\$133,490																								
				Options & NPOs:	10	Weight:		Price:	\$7,184																						
Approved for:	Remorques Lewis Inc.			Invoicing Information Per Trailer <table border="1"><tr><td colspan="2">Gross Price (CAD)</td><td>\$140,674</td></tr><tr><td>Slot Program Discount</td><td>1.0%</td><td>-\$1,407</td></tr><tr><td colspan="2">Subtotal</td><td>\$139,267</td></tr><tr><td></td><td>0.0%</td><td>\$0</td></tr><tr><td colspan="2">Subtotal</td><td>\$139,267</td></tr><tr><td></td><td>0.0%</td><td>\$0</td></tr><tr><td colspan="2">Payable in CDN Funds:</td><td>\$139,267</td></tr><tr><td colspan="3">FOB Milton, Ontario APPLICABLE TAXES & SHIPPING NOT INCLUDED</td></tr></table>				Gross Price (CAD)		\$140,674	Slot Program Discount	1.0%	-\$1,407	Subtotal		\$139,267		0.0%	\$0	Subtotal		\$139,267		0.0%	\$0	Payable in CDN Funds:		\$139,267	FOB Milton, Ontario APPLICABLE TAXES & SHIPPING NOT INCLUDED		
Gross Price (CAD)		\$140,674																													
Slot Program Discount	1.0%	-\$1,407																													
Subtotal		\$139,267																													
	0.0%	\$0																													
Subtotal		\$139,267																													
	0.0%	\$0																													
Payable in CDN Funds:		\$139,267																													
FOB Milton, Ontario APPLICABLE TAXES & SHIPPING NOT INCLUDED																															
Dealer Branch:	Main Branch - La Presentation																														
Sales Person:	Pierre-Antony Cote																														
Customer:	Double Run																														
Work Order #		Serial Number:																													
Sales Order #		PO Number:																													
PO Date:		Delivery Date:																													
Order Date:		Payment Terms:	Net 10 Days																												
Prepared by:	Avery Briggs																														
Authorized Signature:																															
QUOTE IS VALID FOR 15 DAYS																															

Special Instructions

* Represents Major Component Changes (requires Structural Alterations and cannot be included on finished Trailer Products)