



TRAILSTAR INTERNATIONAL, INC
20700 HARRISBURG WESTVILLE RD
ALLIANCE, OH 44609
Phone: (330) 821-9900
Website: WWW.TRAILSTARINTL.COM

PR 4X Pace
ED 4X PACE
512
GROSS

This offer is valid until the printed expiration date, and is subject to change at Manufacturer discretion based on market conditions.

IS FRAME TYPE ROCKBODY				Quote ID # 77969	JOB #	Rev 1
Customer	PACE TRAILER SALES & SERVICE INC			Balance Due	\$90,420.00	
Dealer Name	TRAILSTAR INTERNATIONAL, INC			Cubic Yards	37	
Quote Date	10/18/22	Quote Expires	11/18/22	Qty	1	Weight 20780 lbs. ***
Dealer Salesman	MARK FLETCHER			Model Code	HH	Plant of Mfg R
Cust P.O. #				Cust Unit #	STK QUAD PACE	

BODY

LOAD PROFILE	MATERIAL, 80K GVWR
STK QUAD PACE	\$0.00
LENGTH	28
WIDTH	96 IN. BODY W/102 IN. FRAME AND SKIRTS
BODY STYLE	SINGLE PIECE
FLOOR	1/4 IN. FULL
RADIUS BOTTOM	22 IN. HARDOX AR450F
CROSSMEMBER TYPE	3-1/2 IN. AR450 BOX ON 16 IN. CENTERS
LONGITUDINAL	4 X 4 X 1/4 SQ. TUBE
FLOOR MATERIAL	HARDOX AR450F
BODY HOLD DOWN	NONE
VIBRATOR	NONE
REAR HINGE PIN	STANDARD SINGLE DUMP SHOE
WALL HEIGHT	60
TOP RAIL	3/16 IN. X 4 IN. X 6 IN.
TOP RAIL OPTION	3 X 3 X 3/8 ANGLE (ADD 2 1/4 IN. TO WALL HEIGHT)
3 X 3 X 3/8 ANGLE (ADD 2 1/4 IN. TO WALL HEIGHT)	
BOLSTER	(1) BOLSTER(s) 80" WH x 96" WIDE
REAR POCKET SLOPE	0
NO. OF INCHES TO EXTEND REAR POCKET	NONE
REAR SKIRTS	ALUMINUM DIAMOND PLATE FULL LENGTH
FRONT SKIRTS	NONE
HOIST	8-5-235 - CUSTOM
REMOTE GREASE	SINGLE POINT REMOTE REAR W/ HOIST GREASE
BULKHEAD TYPE	FLAT SLOPE NOSE
BULKHEAD LADDER	FIXED STEEL BULKHEAD LADDER D.S. (ALUM POSS)
BULKHEAD DOOR	NONE
SIDES STEPS D.S.	STEEL LADDER AT REAR
SIDES STEPS C.S.	NONE
FOLD DOWN LADDERS D.S.	NONE
FOLD DOWN LADDERS C.S.	NONE
SHOVEL HANGER	YES, CURB SIDE
FRONT CAB SHIELD	12 IN. CAB SHIELD
REAR END STYLE	SQUARED-OFF
SIDES	SAME AS FLOOR (SINGLE PIECE)

LIGHTS

LIGHT TYPE	TRUCKLITE L.E.D. W/ GROMMET
LIGHT PANEL	3 LARGE - 3 LARGE - 3 LARGE
APRON	3/8 IN. X 4 IN. FULL LIGHT SHIELD
STD. MARKER LIGHTS	5 EACH SIDE

MID-TURNS	(1) PAIR L.E.D. (COMBO)	
BACK-UP LIGHTS	NONE	
INTEGRATED TRKLITE 44556R		\$200.00
AUXILIARY CABLE	7 WAY	
BACK-UP LIGHT WIRE	AUXILARY (BLACK WIRE)	
REAR POCKET LIGHTS	PAIR OF SMALL (MODEL 30)	

GATE

GATE SHEET THICKNESS	1/4 IN. HARDOX AR450F	
GATE OPERATION	AIR CAB CONTROL AND BALL VALVE	
TAILGATE AND RAISE GATE BALL VALVES IN POLYMER BOX		\$0.00
HINGE TYPE	AIR ASSIST HIGH LIFT (IN POCKET)	
COAL DOOR	NONE	
CHUTE	NONE	
DOUBLE HANDLE DOOR	NONE	
GATE BRACING	(4) PANEL	
HALF ROUND ON GATE	YES	
ANGLE ON TOP OF GATE	NONE	
SPREADER CHAINS	YES, W/ COVER	
WINDERS / SAFETY LATCH	WINDERS (1) EACH SIDE (STEEL GATE)	
TARP HOOKS	NONE	

PRIMARY AXLES

MODEL	QUAD	
NO. OF PRIMARY AXLES	3	
SUSPENSION	HEND. INTRAAX AAT-25K W/ HXL-5	
AXLE SPACING	44	
AXLES	AXLE FOR INTRAAX ONLY	
BRAKES	7 IN. XL, W/ 30-30 CHAMBERS	
CAM GUARDS	HEND. INTRAAX	
HUB AND DRUM	CAST W/ STEEL HUB HP 10 STUD TP, LS, 7 IN.	
TIRES	CONTINENTAL HSR2 11R 22.5 16 PLY	
WHEELS	A & S HP 22.5X8.25 - INSIDE STEEL, OUTSIDE POLISHED (XP)	
PRIMARY AXLE TIRE INFLATION SYSTEM	NONE	

LIFT AXLES

NO. OF LIFT AXLES	1	
LIFT AXLE SUSPENSION	HEND. INTRAAX AAL 25K (4) TIRES W/HXL-5	
LIFT KIT	HEND. UBL-002 (INTRAAX AAL)	
LIFT AXLE DISTANCE	46	
LIFT AXLE	AXLE FOR INTRAAX ONLY	
LIFT AXLE BRAKES	7 IN. XL, W/ 30-30 CHAMBERS	
LIFT AXLE CAM GUARDS	HEND. INTRAAX	
LIFT AXLE HUB AND DRUM	CAST W/ STEEL HUB HP 10 STUD TP, LS, 7 IN.	
LIFT AXLE TIRES	CONTINENTAL HSR2 11R 22.5 16 PLY	
LIFT AXLE WHEELS	A & S HP 22.5X8.25 - INSIDE STEEL, OUTSIDE POLISHED (XP)	
LIFT AXLE CONTROLS	ELECTRIC DOWN THRU AUX. & BALL VALVE (W/ REG.)	
BALL VALVE IN POLYMER BOX		\$0.00
FREE WHEEL VALVE	YES	
LIFT AXLE TIRE INFLATION SYSTEM	NONE	

STEERABLE LIFT AXLES

NO. OF STEERABLE AXLES	0	
STEERABLE AXLE SUSPENSION	NONE	
STEERABLE AXLE DISTANCE	N/A	
STEERABLE AXLES	NONE	
STEERABLE AXLE BRAKES	NONE	
STEERABLE LIFT AXLE LUBRICATION	NONE	
STEERABLE AXLE HUB AND DRUMS	NONE	
STEERABLE AXLE TIRES	NONE	
STEERABLE AXLE WHEELS	NONE	

STEERABLE AXLE CONTROLS

NONE

CHASSIS

FRAME RAILS	17 IN. ALUMINUM BEAMS
RUBBER ON FRAME RAILS	3/8 IN. RUBBER
NO. OF INCHES FOR GOOSENECK	NO GOOSENECK, 9.25 I.O. IN. HEIGHT
LID FOR GOOSENECK	NONE
PIN SETTING	18
5TH WHEEL PLATE	3/8
5TH WHEEL PLATE HEIGHT	49 IN. HIGH
KING PIN	.375 KING PIN
NO. OF INCHES FOR REAR OVERHANG	7
TRACTOR DRIVE MODEL	TANDEM DRIVE
GALVANIZED SUSPENSION HANGERS	YES
STIFFENER PLATE	NONE
HOIST & MOUNT STYLE	3 IN. X 6 IN. X 3/8 IN.
SUSPENSION CONTROL	AIR IN CAB & BALL VALVE
ABS FOR TRAILER	(1) 2S1M MERITOR / WABCO
SLACKS	AUTOMATIC
CHROME TOP HATS	NONE
AXLE LUBRICATION	HXL, SYNTHETIC SEMI-FLUID GREASE
HUBDOMETER	NONE
DUST COVERS	NONE
TIRE CARRIER(S)	NONE
DOLLIES - LANDING GEAR - LANDING LEGS	JOST AX-150 - (55,000 LB.) - 10 YEAR ALUMINUM - D.S.
REGISTRATION HOLDER	NONE
AIR GAUGE / SYSTEM	NONE
ENCLOSURE FOR SWITCHES	POLYMER
AIR TANKS	ALUMINUM TANK
HYDRAULIC HOSE FITTING	1 IN. X 108 IN. HOSE W/ FEMALE QUICK CONNECT (PARKER)
FLAPS FRONT OF TIRES	SHORT FLAP IN FRONT OF FRONT AXLE
FLAPS REAR OF TIRES	FULL ACROSS REAR OF TRAILER
TOW / PINTLE HOOKS	NONE
BUMPER	H.D. MICHIGAN BUMPER

TARP

TARP MANUFACTURER	NONE
TARP CONTROL	NONE
TARP COLOR	NONE
BOW HOLDERS	NONE
TARP BRACKET	NONE

PAINT

HANGERS	GALVANIZED
SUSPENSION COLOR	BLACK SOFT COAT
DOLLIES	BLACK (931716)
HOIST COLOR	BLACK (931716)
5TH WHEEL PLATE COLOR	BLACK (931716)
FRAME COLOR	NONE
BODY COLOR	BLACK
TRAILSTAR LOGOS	TRAILSTAR BLACK MACHINE LOGO BLACK (930248)
OPTIONAL SIGNS	NONE

ACCESSORIES

LOAD LEVEL INDICATOR	NONE
----------------------	------

Due to potential material cost increases, delivered unit pricing will be finalized 90 days prior to start of production.

Quote # 77969


Job #

Pricing is In U.S. Currency

Quote Price	\$90,220.00
Addtl \$\$ for Changes	\$200.00
Discount Taken	\$0.00
UNIT PRICE	\$90,420.00
FET	\$0.00
Sales Tax	\$0.00
SUB TOTAL	\$90,420.00
Freight	\$0.00
FOB MAC Tr Total	\$90,420.00
Trade In Allowance	\$0.00
Down Payment	\$0.00
BALANCE DUE	\$90,420.00

(3) BUTIR
(1) RCD

FEB/MARCH 2023


11-1-2022

Thank you for your business

ORDER CANCELLATION POLICY

Orders configured with common published and non-published options will not be subject to a cancellation penalty when the Manufacturer receives the request for cancellation 12 or more weeks prior to the scheduled production date. All cancellation requests received within 12 weeks but no less than 8 weeks of the scheduled production start date must be approved by the Product Manager for the specified product line and will be subject to a \$2500.00 cancellation fee. Cancellation requests within 8 weeks of the scheduled production start date will not be accepted.

*** denotes a weight for reference only. Trailer weight will be provided with the engineering design approval packet.