



Date Printed: 25-Oct-21

3X - Working Copy

3X - Working Copy

End Dumps

Promotional Drawing	21-Oct-21	Approved By	☐	Base Weight:	0	Base Price	\$100,930
---------------------	-----------	-------------	--------------------------	--------------	---	------------	-----------

TRAILER

Overall Frame Length	35 ft. 6 in.	\$350
Overall Box Length	2 in. Aluminum Box	\$1,168
Board Size	2 in. x 6 in. Spruce	
Weight lbs +/- 2%	0, including options	
Cubic Capacity		
Cubic Capacity w/boards		

CHASSIS

Frame Construction	18 in. Extruded Aluminum Beam Construction, Milled Finish	
King Pin Height	49 in.	
King Pin Location	15 in.	
Wear Pad	6 in. Braided rubber on top of frame to act as buffer between box and frame	
Ride Axle Configuration	3 of 25,000 lbs Capacity	
Extra Lift Kit	,: Front Axle	\$1,752
Lift Axle Control Valve	RAR-220 IN	
Steer Axle Configuration	None Required	
Axle Spread	72 in.	
Ride Suspension	3 of Hendrickson Intraax - Webb Slacks, TSE Long Stroke Booster, fixed	
Wheel Monitor	None Required	
Steer Suspension	None Required	
Bearing	Propar Equal Inner and Outer	
Hubs & Drums	Duralight Hubs and Drums	
Wheels	Aluminum 22.5 Alcoa LVL	
Steer Rims	None Required	
Ride Tires	11R22.5 Continental HSR-2	
Steer Tires	None Required	
Hubmeter	None Required	
Spare Tire Carrier	None Required	
ABS	Haldex 2S/1M	
Weight Gauge	Located on front at 45 degree	
Frame Finish	Milled, Non Polished	
Paint Color for Steel Compo	Black	
Board Color	Black	
Mudflaps	3 Flaps Across the Rear of the Trailer	
Mudflaps	Extra Mudflap set with Brackets: IOOOI - Located in front of tridem	\$175
Fenders on Front	None Required	
Fenders Over Axles	None Required	
Calcium Tank	None Required	
Air Tanks	Aluminum	
Landing Gear	Jost 10 year, No Lube w/Painted, Landing Gear and Braces	
Toolbox	None Required	

BOX CONSTRUCTION

Wall Panels	2 in. Hollow Core Double Wall 6061 Aluminum Extrusion. Fully Welded Interior Wall
-------------	---



Date Printed: 25-Oct-21

3X - Working Copy

3X - Working Copy

End Dumps

Promotional Drawing	21-Oct-21	Approved By	☐	Base Weight:	0	Base Price	\$100,930
---------------------	-----------	-------------	--------------------------	--------------	---	------------	-----------

BOX CONSTRUCTION

Wall Height	,: 67 inches	\$1,752
Wall Thickness	Outside Wall 0.094 (3/32)in. and Inside Wall 0.125 (1/8) in.	
Wall Finish	Polished	
Last 5 Rear Wall Panels	Outside Wall 0.094 (3/32)in. and Inside Wall 0.125 (1/8) in.	
Floor Construction	.250 (1/4 in.) 6061 Aluminum Sheets welded together, supported by Reinforced Extruded Aluminum, C-Channel crossmembers on 12 in. centers	
Floor Liner	3/8 in. UHMW Plastic with 24 in. up the sides, 1/2 in. last 10 ft.	\$6,597
Bulkhead Construction	3/16 in. 5083 Aluminum Sheets with Corners Formed into a Radius	
Tailgate	2 in. Hollow Core Double Wall 6061 Aluminum Extrusion. Fully Welded inside extruded frame	
Tailgate Slope	Straight	
Tailgate Type	Overslung (Hinged at top)	
Tailgate Locks (Stainless)	Booster TESTING 2	\$467
Compression Locks	2, Sets: 1 per side and 2 located on bottom	\$421
Rear Tailgate Seal	Rubber Seal	
Grain Chute	None Required	
Sock Adapter	None Required	
Header Type	None Required	
Tarp	None Required	
Tarp Drive	None Required	
Front Tarp Shield	None Required	
Rear Tarp Shield	None Required	
Tarp Color	None Required	
Tarp Supplies	None Required	
Cross Pipes	None Required	
Man Door	None Required	
Hoist Size	CUSTOM 95-4500-280 (Minimum of 49 Gallons required to Fully Extend Cylinders)	
Square Offs	Installed on Top Front Outside Corners of Box	
Catwalk	None Required	
Shovel Holder	Located on Dog House	
Broom Holder	Located on Dog House	
Asphalt Lip	None Provided (If required It is 8 in. with no compression locks and 6 in. with bottom compression locks)	
Steps - Front, Driver Side	None Required	
Steps - Rear, Driver Side	None Required	
Steps - Front Passenger Side	None Required	
Steps - Rear, Passenger Side	None Required	
Jug Holder	None Required	
Fork Lift Package	None Required	

LIGHTING/ELECTRICAL

Electrical System	Grote
Lights	LED CMVSS 108 / FMVSS 108
LED Type	Colored
Rear Lighting	3 of 4 in. per side at rear



Date Printed: 25-Oct-21

3X - Working Copy

3X - Working Copy

End Dumps

Promotional Drawing	21-Oct-21	Approved By	☐	Base Weight:	0	Base Price	\$100,930
---------------------	-----------	-------------	--------------------------	--------------	---	------------	-----------

LIGHTING/ELECTRICAL

Rear Center Plate Lights	2 of 4 in. Backup	\$200
Lights Located in Bottom Rail	3 of 2 1/2 in. Amber evenly spaced per side	
Lights Located in Top Rail	3, , evenly spaced	\$245
Tarp Shield Lights	None Required. They can only be mounted in tarp shield for Slide N Go Tarp Only	
Tailgate Lights	None Required	
Tailgate Post Lights	None Required	
Signal Lights on Sides	Located in the Siderail	
Reverse Lights below the rai	None Required	

Options & NPOs:	10	Weight:		Price:	\$13,126
-----------------	----	---------	--	--------	----------

Approved for:	Northeast Truck & Trailer Sales		
Dealer Branch:	Main Branch		
Sales Person:	Andy Leblanc		
Customer:			
Work Order #		Serial Number:	
Sales Order #		PO Number:	
PO Date:		Delivery Date:	
Order Date:		Payment Terms:	Net 7 Days
Prepared by:	Shelley Holmes		
Authorized Signature:			
QUOTE IS VALID FOR 15 DAYS			

Invoicing Information Per Trailer		
Gross Price (CAD)		\$114,056
	0.0%	\$0
Subtotal		\$114,056
	0.0%	\$0
Subtotal		\$114,056
	0.0%	\$0
Payable in CDN Funds:		\$114,056
FOB Milton, Ontario APPLICABLE TAXES & SHIPPING NOT INCLUDED		

Special Instructions

* Represents Major Component Changes (requires Structural Alterations and cannot be included on finished Trailer Products)