



Date Printed: 20-Mar-23

BTL3X+2X**BTL3X+2X****B-Trains**

Promotional Drawing	24-Mar-23	Approved By	☐	Base Weight:	16,500	Base Price	\$111,886
----------------------------	-----------	--------------------	--------------------------	---------------------	--------	-------------------	-----------

TRAILER

Overall Frame Length	*NPO*: 19 ft.	Included
Overall Box Length	*NPO*: 19 ft.	
Width	*NPO*: 96 in. with 102 in. frame	Included
Board Size	None Required	
Wall Height	*NPO*: 54 in.	Included
Weight lbs +/- 3%	16624, including options	
Cubic Yard Capacity	61	
Style	*NPO*: Steel	Included
Frame Construction	*NPO*: 18 in. x 35# Beam	
Wear Pad	6 in. Braided rubber on top of frame to act as buffer between box and frame	
Ride Axle Configuration	3 of 25,000 lbs Capacity	
Extra Lift Kit	None Required	
Lift Axle Control Valve	None Required, for use with Lift Axle only	
Steer Axle Configuration	None Required	
Axle Spread	*NPO*: 44 in.	Included
Ride Suspension	*NPO*: Single leaf spring ride tridem	Included
Ride Suspension Control	Electric	
Steer Suspension	None Required	
Steer Suspension Control	None Required	
Wheel Monitor	None Required	
Bearing	Propar Equal Inner and Outer	
Hubs & Drums	Duralight Hubs and Drums	
Dust Shields	Included	
Ride Rims	8, 8.25 x 22.5 in. aluminum Alcoa, high polish outside; 8.25 x 22.5 in. steel painted white inside	(\$3,119)
Steer Rims	None Required	
Ride Tires	*NPO*: 11R22.5 Sailun	Included
Steer Tires	None Required	
Hubmeter	None Required	
Spare Tire Carrier	None Required	
ABS	Wabco 2S/1M	
Weight Gauge	Located on front at 45 degree	
Paint Color for Steel Compo	Black	
Board Color	None Required	
Mudflaps	3 flaps across the rear of the trailer, short flaps in front of front axle	\$195
Fenders on Front	None Required	
Fenders Over Axles	None Required	
Calcium Tank	None Required	
Air Tanks	Aluminum	
Toolbox	None Required	
Bumper	*NPO*: HD Michigan style	Included

BOX CONSTRUCTION

Style	*NPO*: Steel	Included
--------------	--------------	----------



Date Printed: 20-Mar-23

BTL3X+2X

BTL3X+2X

B-Trains

Promotional Drawing	24-Mar-23	Approved By	☐	Base Weight:	16,500	Base Price	\$111,886
---------------------	-----------	-------------	--------------------------	--------------	--------	------------	-----------

BOX CONSTRUCTION

Wall Panels	*NPO*: 1/4 in. AR450F Hardox	
Floor Construction	*NPO*: 1/4 in. AR450F Hardox	
Floor Liner	None Required	
Bulkhead Construction	*NPO*: 1/4 in. 65 degree slope nose	
Tailgate	*NPO*: 1/4 in. AR450F Hardox	
Tailgate Slope	Straight	
Tailgate Type	*NPO*: Overslung (Hinged at top) , air-assist high lift	Included
Tailgate Locks (Stainless)	*NPO*: Air Cylinder	
Compression Locks	*NPO*: 1 set at sides of tailgate	
Rear Tailgate Seal	Rubber Seal	
Grain Chute	None Required	
Sock Adapter	None Required	
Header Type	None Required	
Tarp	None Required	
Tarp Drive	None Required	
Front Tarp Shield	None Required	
Rear Tarp Shield	None Required	
Tarp Color	None Required	
Tarp Supplies	None Required	
Cross Pipes	None Required	
Man Door	None Required	
Hoist Size	*NPO*: CUSTOM 8-5-161	Included
Catwalk	None Required	
Shovel Holder	*NPO*: Located curb-side	Included
Broom Holder	*NPO*: None Required	Included
Asphalt Lip	None Provided (If required It is 8 in. with no compression locks and 6 in. with bottom compression locks)	
Steps - Front, Driver Side	*NPO*: Fixed aluminum ladder; located on outside	Included
Steps - Rear, Driver Side	*NPO*: Aluminum ladder	Included
Steps - Front Passenger Side	None Required	
Steps - Rear, Passenger Side	None Required	
Jug Holder	None Required	
Fork Lift Package	None Required	
Hydraulic Hoses	*NPO*: 9 ft. Hose	Included
Document Holder	Standard Round	
Remote Grease Block	*NPO*: Single point at rear with hoist grease	Included
Cab Sheild	*NPO*: 12 in.	Included
Rear Skirt	*NPO*: Aluminum diamond plate, full length	Included
Spreader Chains	*NPO*: included, with cover	Included

DOLLY

No of Dolly Axles	2	
Drawbar	*NPO*: 48 in.	Included
Turntable	SAF Holland	
Lock Pin	Double Lock Pin	



Date Printed: 20-Mar-23

BTL3X+2X**BTL3X+2X****B-Trains**

Promotional Drawing	24-Mar-23	Approved By	☐	Base Weight:	16,500	Base Price	\$111,886
----------------------------	-----------	--------------------	--------------------------	---------------------	--------	-------------------	-----------

DOLLY

Axles	*NPO*: 77.5 in. AXN, oil lubricated	Included
Axle Spacing	44 in.	
Suspension Control	AAT Hendrickson Intraax, Air Ride, 13 1/2 in. Ride Height	
Brake Shoes	7 in. XL, 2/30/30 Chambers	
Hub and Drum	Cast with SteelHub 10 Stud TP, LS, 7 in.	
Tires	*NPO*: 11R22.5 Sailun	Included
Wheels	8.25 x 22.5 in. 10 Hole; Steel inside and Aloca LVL outside	
Fenders	Plastic Quarter Fenders	

LIGHTING/ELECTRICAL

Electrical System	Grote	
Lights	LED CMVSS 108 / FMVSS 108	
LED Type	Colored	
Rear Lighting	*NPO*: 9 x 4 in. at rear, grouped by 3 (ooo ooo ooo)	Included
Rear Center Plate Lights	*NPO*: Pair of 2 1/2 in.	Included
Lights Located in Bottom Rai	3 of 2 1/2 in. Amber evenly spaced per side	
Lights Located in Top Wall	None Required	
Tarp Shield Lights	None Required. They can only be mounted in tarp shield for Slide N Go Tarp Only	
Tailgate Lights	None Required	
Tailgate Post Lights	None Required	
Signal Lights on Sides	Located in the Siderail	
Reverse Lights below the rai	None Required	
Light Shield	*NPO*: 1/4 in. x 4 in.	Included

Options & NPOs:	28	Weight:	124	Price:	(\$2,924)
----------------------------	----	----------------	-----	---------------	-----------

Approved for:	Remorques Lewis Inc.		
Dealer Branch:	Main Branch - La Presentation		
Sales Person:	Pierre-Antony Cote		
Customer:			
Work Order #		Serial Number:	
Sales Order #		PO Number:	
PO Date:		Delivery Date:	
Order Date:		Payment Terms:	Net 10 Days
Prepared by:	Avery Briggs		
Authorized Signature:			
QUOTE IS VALID FOR 15 DAYS			

Invoicing Information Per Trailer		
Gross Price (CAD)		\$108,962
Slot Program Discount	1.0%	-\$1,090
Subtotal		\$107,872
	0.0%	\$0
Subtotal		\$107,872
	0.0%	\$0
Payable in CDN Funds:		\$107,872
FOB Milton, Ontario		
APPLICABLE TAXES & SHIPPING NOT INCLUDED		

Special Instructions

* Represents Major Component Changes (requires Structural Alterations and cannot be included on finished Trailer Products)