



Date Printed: 20-Mar-23

BTL3X**BTL3X****B-Trains**

Promotional Drawing	24-Mar-23	Approved By	☐	Base Weight:	16,500	Base Price	\$111,886
---------------------	-----------	-------------	--------------------------	--------------	--------	------------	-----------

TRAILER

Overall Frame Length	*NPO*: 28 ft.	Included
Overall Box Length	*NPO*: 28 ft.	
Width	102 in	
Board Size	*NPO*: 96 in.	Included
Wall Height	60 in.	
	NPO: 64 in.	Included
Weight lbs +/- 3%	16624, including options	
Cubic Yard Capacity	61	
	NPO: Steel	Included
Frame Construction	18 in. Extruded Aluminum Beam Construction, Milled Finish	
King Pin Height	49 in.	
King Pin Location	*NPO*: 18 in.	Included
Fifth Wheel Plate	5/16 in	
Wear Pad	*NPO*: 3/8 in.	Included
Ride Axle Configuration	3 of 25,000 lbs Capacity	
Extra Lift Kit	*NPO*: UBL-001	Included
Lift Axle Control Valve	*NPO*: RA-220 N	
Steer Axle Configuration	None Required	
Axle Spread	*NPO*: 109 - 44 in.	Included
Ride Suspension	*NPO*: Single leaf spring ride tridem	Included
Ride Suspension Control	Electric	
Steer Suspension	None Required	
Steer Suspension Control	None Required	
Wheel Monitor	None Required	
Bearing	Propar Equal Inner and Outer	
Hubs & Drums	*NPO*: None, Disc brakes	Included
Dust Shields	Included	
Ride Rims	8.25 x 22.5 Aluminum Alcoa, High Polish	
Steer Rims	*NPO*: 22.5 x 12.25 in. super single polished	Included
Ride Tires	*NPO*: 11R22.5 Sailun	Included
Steer Tires	*NPO*: 385/65R 22.5 in. 20 ply Sailun	
Hubmeter	None Required	
Spare Tire Carrier	None Required	
ABS	Wabco 2S/1M	
Weight Gauge	Located on front at 45 degree	
Paint Color for Steel Compo	Black	
Board Color	None Required	
Mudflaps	3 Flaps Across the Rear of the Trailer	
Fenders on Front	None Required	
Fenders Over Axles	None Required	
Calcium Tank	None Required	
Air Tanks	Aluminum	
Landing Gear	Jost 10 year, No Lube w/Painted, Landing Gear and Braces	



Date Printed: 20-Mar-23

BTL3X**BTL3X****B-Trains**

Promotional Drawing	24-Mar-23	Approved By	☐	Base Weight:	16,500	Base Price	\$111,886
---------------------	-----------	-------------	--------------------------	--------------	--------	------------	-----------

Toolbox

None Required

NPO: T-990

Included

BOX CONSTRUCTION

Wall Panels	2 in. Hollow Core Double Wall 6061 Aluminum Extrusion. Fully Welded Interior Wall
Wall Thickness	Outside Wall 0.094 (3/32)in. and Inside Wall 0.125 (1/8) in.
Wall Finish	Polished
Last 5 Rear Wall Panels	Outside Wall 0.094 (3/32)in. and Inside Wall 0.125 (1/8) in.
Floor Construction	.250 (1/4 in.) 6061 Aluminum Sheets welded together, supported by Reinforced Extruded Aluminum, C-Channel crossmembers on 12 in. centers
Floor Liner	None Required
Bulkhead Construction	3/16 in. 5083 Aluminum Sheets with Corners Formed into a Radius
Tailgate	Heavy Duty 2 in. Hollow Core Double Wall 6061 Aluminum Extrusion. Fully Welded inside extruded frame
Tailgate Slope	Straight
Tailgate Type	Overslung (Hinged at top)
Tailgate Locks (Stainless)	Manual
Tailgate Hinges	Stainless
Compression Locks	None Required
Rear Tailgate Seal	Rubber Seal
Grain Chute	None Required
Sock Adapter	None Required
Header Type	None Required
Tarp	None Required
Tarp Drive	None Required
Front Tarp Shield	None Required
Rear Tarp Shield	None Required
Tarp Color	None Required
Tarp Supplies	None Required
Cross Pipes	None Required
Man Door	None Required
Hoist Size	CUSTOM 95-4500-280 (Minimum of 48.9 Gallons required to Fully Extend Cylinders)
Square Offs	Installed on Top Front Outside Corners of Box
Catwalk	None Required
Shovel Holder	Located on Dog House
Broom Holder	Located on Dog House
Asphalt Lip	None Provided (If required It is 8 in. with no compression locks and 6 in. with bottom compression locks)
Steps - Front, Driver Side	None Required
Steps - Rear, Driver Side	None Required
Steps - Front Passenger Side	None Required
Steps - Rear, Passenger Side	None Required
Jug Holder	None Required
Fork Lift Package	None Required
Hydraulic Hoses	None Required



Date Printed: 20-Mar-23

BTL3X**BTL3X****B-Trains**

Promotional Drawing	24-Mar-23	Approved By	☐	Base Weight:	16,500	Base Price	\$111,886
---------------------	-----------	-------------	--------------------------	--------------	--------	------------	-----------

BOX CONSTRUCTION

Document Holder Standard Round

LIGHTING/ELECTRICAL

Electrical System Grote

Lights LED CMVSS 108 / FMVSS 108

LED Type Colored

Rear Lighting 3 of 4 in. per side at rear

Lights Located in Bottom Rai 3 of 2 1/2 in. Amber evenly spaced per side

Lights Located in Top Wall None Required

Tarp Shield Lights None Required. They can only be mounted in tarp shield for Slide N Go Tarp Only

Tailgate Lights None Required

Tailgate Post Lights None Required

Signal Lights on Sides Located in the Siderail

Reverse Lights below the rai None Required

Light Shield 1/4 in. x 2 in.

Options & NPOs:	17	Weight:	124	Price:	\$0
-----------------	----	---------	-----	--------	-----

Approved for:	Remorques Lewis Inc.		
Dealer Branch:	Main Branch - La Presentation		
Sales Person:	Pierre-Antony Cote		
Customer:			
Work Order #		Serial Number:	
Sales Order #		PO Number:	
PO Date:		Delivery Date:	
Order Date:		Payment Terms:	Net 10 Days
Prepared by:	Avery Briggs		
Authorized Signature:			
QUOTE IS VALID FOR 15 DAYS			

Invoicing Information Per Trailer		
Gross Price (CAD)		\$111,886
Slot Program Discount	1.0%	-\$1,119
Subtotal		\$110,767
	0.0%	\$0
Subtotal		\$110,767
	0.0%	\$0
Payable in CDN Funds:		\$110,767
FOB Milton, Ontario APPLICABLE TAXES & SHIPPING NOT INCLUDED		

Special Instructions

* Represents Major Component Changes (requires Structural Alterations and cannot be included on finished Trailer Products)