



Date Printed: 20-Mar-23

BTL3X**BTL3X****B-Trains**

Promotional Drawing	24-Mar-23	Approved By	☐	Base Weight:	16,500	Base Price	\$111,886
---------------------	-----------	-------------	--------------------------	--------------	--------	------------	-----------

TRAILER

Overall Frame Length	*NPO*: 24 ft.	Included
Overall Box Length	*NPO*: 24 ft.	
Width	*NPO*: 96 in. with 102 in. Frame	Included
Board Size	None Required	
Wall Height	*NPO*: 54 in.	Included
Weight lbs +/- 3%	16624, including options	
Cubic Yard Capacity	61	

CHASSIS

Style	*NPO*: Steel	
Frame Construction	*NPO*: 18 in. x 35# Beam	
King Pin Height	49 in.	
King Pin Location	*NPO*: 18 in.	Included
Fifth Wheel Plate	*NPO*: 1/2 in.	Included
Wear Pad	6 in. Braided rubber on top of frame to act as buffer between box and frame	
Ride Axle Configuration	3 of 25,000 lbs Capacity	
Extra Lift Kit	None Required	
Lift Axle Control Valve	None Required, for use with Lift Axle only	
Steer Axle Configuration	None Required	
Axle Spread	*NPO*: 44 in.	Included
Ride Suspension	*NPO*: Single leaf spring ride tridem	Included
Ride Suspension Control	Electric	
Steer Suspension	None Required	
Steer Suspension Control	None Required	
Wheel Monitor	None Required	
Bearing	Propar Equal Inner and Outer	
Hubs & Drums	Duralight Hubs and Drums	
Dust Shields	Included	
Ride Rims	8, 8.25 x 22.5 Aluminum Alcoa, High Polish outside; 8.25 x 22.5 in. Steel Painted White inside	(\$3,119)
Steer Rims	None Required	
Ride Tires	*NPO*: 11R22.5 Sailun	Included
Steer Tires	None Required	
Hubmeter	None Required	
Spare Tire Carrier	None Required	
ABS	Wabco 2S/1M	
Weight Gauge	Located on front at 45 degree	
Paint Color for Steel Compo	Black	
Board Color	None Required	
Mudflaps	3 flaps across the rear of the trailer, short flap in front of front axle	\$195
Fenders on Front	None Required	
Fenders Over Axles	None Required	
Calcium Tank	None Required	
Air Tanks	Aluminum	
Landing Gear	Jost 10 year, No Lube w/Painted, Landing Gear and Braces	



Date Printed: 20-Mar-23

BTL3X**BTL3X****B-Trains**

Promotional Drawing	24-Mar-23	Approved By	☐	Base Weight:	16,500	Base Price	\$111,886
---------------------	-----------	-------------	--------------------------	--------------	--------	------------	-----------

CHASSIS

Toolbox None Required

BOX CONSTRUCTION

Style *NPO*: Steel Included

Wall Panels *NPO*: 1/4 in. AR450F Hardox

Wall Thickness Outside Wall 0.094 (3/32)in. and Inside Wall 0.125 (1/8) in.

Floor Construction *NPO*: 1/4 in. AR450F Hardox

Floor Liner None Required

Bulkhead Construction *NPO*: 1/4 in. 65 deg. Slope nose

Tailgate *NPO*: 1/4 in. AR450F Hardox Included

Tailgate Slope Straight

Tailgate Type *NPO*: Overslung (Hinged at top) , air-assist high lift

Tailgate Locks (Stainless) *NPO*: Air Cylinder

Compression Locks *NPO*: 1 set at sides of tailgate

Rear Tailgate Seal Rubber Seal

Grain Chute None Required

Sock Adapter None Required

Header Type None Required

Tarp None Required

Tarp Drive None Required

Front Tarp Shield None Required

Rear Tarp Shield None Required

Tarp Color None Required

Tarp Supplies None Required

Cross Pipes None Required

Man Door None Required

Hoist Size *NPO*: CUSTOM 8-5-190 Included

Catwalk None Required

Shovel Holder *NPO*: Located curb-side Included

Asphalt Lip None Provided (If required It is 8 in. with no compression locks and 6 in. with bottom compression locks)

Steps - Front, Driver Side *NPO*: Fixed aluminum ladder; located on outside Included

Steps - Rear, Driver Side *NPO*: Aluminum ladder Included

Steps - Front Passenger Side None Required

Steps - Rear, Passenger Side None Required

Jug Holder None Required

Fork Lift Package None Required

Hydraulic Hoses *NPO*: 9 ft. Hose Included

Document Holder Standard Round

Remote Grease Block *NPO*: Single point at rear with hoist grease Included

Cab Sheild *NPO*: 12 in. Included

Rear Skirt *NPO*: Aluminum diamond plate, full length Included

NPO: included, with cover Included

LIGHTING/ELECTRICAL

Electrical System Grote



Date Printed: 20-Mar-23

BTL3X**BTL3X****B-Trains**

Promotional Drawing	24-Mar-23	Approved By	☐	Base Weight:	16,500	Base Price	\$111,886
---------------------	-----------	-------------	--------------------------	--------------	--------	------------	-----------

LIGHTING/ELECTRICAL

Lights	LED CMVSS 108 / FMVSS 108
LED Type	Colored
Rear Lighting	3 of 4 in. per side at rear
Lights Located in Bottom Rai	3 of 2 1/2 in. Amber evenly spaced per side
Lights Located in Top Wall	None Required
Tarp Shield Lights	None Required. They can only be mounted in tarp shield for Slide N Go Tarp Only
Tailgate Lights	None Required
Tailgate Post Lights	None Required
Signal Lights on Sides	Located in the Siderail
Reverse Lights below the rai	None Required
Light Shield	1/4 in. x 2 in.

Options & NPOs:	23	Weight:	124	Price:	(\$2,924)
-----------------	----	---------	-----	--------	-----------

Approved for:	Remorques Lewis Inc.		
Dealer Branch:	Main Branch - La Presentation		
Sales Person:	Pierre-Antony Cote		
Customer:			
Work Order #		Serial Number:	
Sales Order #		PO Number:	
PO Date:		Delivery Date:	
Order Date:		Payment Terms:	Net 10 Days
Prepared by:	Avery Briggs		
Authorized Signature:			
QUOTE IS VALID FOR 15 DAYS			

Invoicing Information Per Trailer		
Gross Price (CAD)		\$108,962
Slot Program Discount	1.0%	-\$1,090
Subtotal		\$107,872
	0.0%	\$0
Subtotal		\$107,872
	0.0%	\$0
Payable in CDN Funds:		\$107,872
FOB Milton, Ontario		
APPLICABLE TAXES & SHIPPING NOT INCLUDED		

Special Instructions

* Represents Major Component Changes (requires Structural Alterations and cannot be included on finished Trailer Products)