



Date Printed: 23-Mar-23

**BTL3X+2X****BTL3X+2X****B-Trains**

|                     |           |             |                          |              |        |            |           |
|---------------------|-----------|-------------|--------------------------|--------------|--------|------------|-----------|
| Promotional Drawing | 27-Mar-23 | Approved By | <input type="checkbox"/> | Base Weight: | 16,500 | Base Price | \$111,886 |
|---------------------|-----------|-------------|--------------------------|--------------|--------|------------|-----------|

**TRAILER**

|                      |                          |          |
|----------------------|--------------------------|----------|
| Overall Frame Length | *NPO*: 19 ft.            | Included |
| Overall Box Length   | *NPO*: 19 ft.            |          |
| Width                | *NPO*: 96 in.            | Included |
| Board Size           | None Required            |          |
| Wall Height          | *NPO*: 64 in.            | Included |
| Weight lbs +/- 3%    | 16637, including options |          |
| Cubic Yard Capacity  | 61                       |          |

**CHASSIS**

|                             |                                                                                                    |          |
|-----------------------------|----------------------------------------------------------------------------------------------------|----------|
| Frame Construction          | 18 in. Extruded Aluminum Beam Construction, Milled Finish                                          |          |
| Wear Pad                    | 6 in. Braided rubber on top of frame to act as buffer between box and frame                        |          |
| Ride Axle Configuration     | 3 of 25,000 lbs Capacity                                                                           |          |
| Extra Lift Kit              | *NPO*: UBL-001                                                                                     | Included |
| Lift Axle Control Valve     | *NPO*: RA-220N                                                                                     | Included |
| Steer Axle Configuration    | None Required                                                                                      |          |
| Axle Spread                 | *NPO*: 44 in.                                                                                      | Included |
| Ride Suspension             | 3 of Hendrickson Intraax - Webb Slacks, TSE Long Stroke Booster, fixed                             |          |
| Ride Suspension Control     | Electric                                                                                           |          |
| Steer Suspension            | None Required                                                                                      |          |
| Steer Suspension Control    | None Required                                                                                      |          |
| Wheel Monitor               | None Required                                                                                      |          |
| Bearing                     | Propar Equal Inner and Outer                                                                       |          |
| Hubs & Drums                | *NPO*: None, disc brakes                                                                           | Included |
| Dust Shields                | Included                                                                                           |          |
| Ride Rims                   | 8, 8.25 x 22.5 in. aluminum Alcoa, high polish outside; 8.25 x 22.5 in. steel painted white inside | Included |
| Lift Rims                   | *NPO*: 22.5 x 12.25 in. super single polished                                                      | Included |
| Ride Tires                  | *NPO*: 11R22.5 Sailun                                                                              | Included |
| Lift Tires                  | *NPO*: 385/65R 22.5 in. 20 ply Sailun                                                              | Included |
| Hubmeter                    | None Required                                                                                      |          |
| Spare Tire Carrier          | None Required                                                                                      |          |
| ABS                         | Wabco 2S/1M                                                                                        |          |
| Weight Gauge                | Located on front at 45 degree                                                                      |          |
| Frame Finish                | Milled, Non Polished                                                                               |          |
| Paint Color for Steel Compo | Black                                                                                              |          |
| Board Color                 | None Required                                                                                      |          |
| Mudflaps                    | 3 flaps across the rear of the trailer, extra set of flaps in front of lead axle                   | Included |
| Fenders on Front            | *NPO*: Yes                                                                                         | Included |
| Fenders Over Axles          | None Required                                                                                      |          |
| Calcium Tank                | None Required                                                                                      |          |
| Air Tanks                   | Aluminum                                                                                           |          |
| Toolbox                     | None Required                                                                                      |          |
| Bumper                      | *NPO*: HD Michigan style                                                                           | Included |
| Suspension Hangers          | *NPO*: Galvanized                                                                                  | Included |

**BOX CONSTRUCTION**



Date Printed: 23-Mar-23

## BTL3X+2X

### BTL3X+2X

#### B-Trains

|                     |           |             |                          |              |        |            |           |
|---------------------|-----------|-------------|--------------------------|--------------|--------|------------|-----------|
| Promotional Drawing | 27-Mar-23 | Approved By | <input type="checkbox"/> | Base Weight: | 16,500 | Base Price | \$111,886 |
|---------------------|-----------|-------------|--------------------------|--------------|--------|------------|-----------|

#### BOX CONSTRUCTION

|                              |                                                                                                                                          |          |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Wall Panels                  | 2 in. Hollow Core Double Wall 6061 Aluminum Extrusion. Fully Welded Interior Wall                                                        |          |
| Wall Thickness               | Outside Wall 0.094 (3/32)in. and Inside Wall 0.125 (1/8) in.                                                                             |          |
| Wall Finish                  | Polished                                                                                                                                 |          |
| Last 5 Rear Wall Panels      | *NPO*: HD                                                                                                                                | Included |
| Floor Construction           | .250 (1/4 in.) 6061 Aluminum Sheets welded together, supported by Reinforced Extruded Aluminum, C-Channel crossmembers on 12 in. centers |          |
| Floor Liner                  | None Required                                                                                                                            |          |
| Bulkhead Construction        | 3/16 in. 5083 Aluminum Sheets with Corners Formed into a Radius                                                                          |          |
| Tailgate                     | Heavy Duty 2 in. Hollow Core Double Wall 6061 Aluminum Extrusion. Fully Welded inside extruded frame                                     |          |
| Tailgate Slope               | *NPO*: 5 degrees                                                                                                                         |          |
| Tailgate Type                | Overslung (Hinged at top)                                                                                                                |          |
| Tailgate Locks (Stainless)   | *NPO*: Air Booster                                                                                                                       | Included |
| Tailgate Hinges              | Stainless                                                                                                                                |          |
| Compression Locks            | *NPO*: 1 set at sides of tailgate                                                                                                        |          |
| Rear Tailgate Seal           | Rubber Seal                                                                                                                              |          |
| Grain Chute                  | None Required                                                                                                                            |          |
| Sock Adapter                 | None Required                                                                                                                            |          |
| Header Type                  | None Required                                                                                                                            |          |
| Tarp                         | None Required                                                                                                                            |          |
| Tarp Drive                   | None Required                                                                                                                            |          |
| Front Tarp Shield            | None Required                                                                                                                            |          |
| Rear Tarp Shield             | None Required                                                                                                                            |          |
| Tarp Color                   | None Required                                                                                                                            |          |
| Tarp Supplies                | None Required                                                                                                                            |          |
| Cross Pipes                  | None Required                                                                                                                            |          |
| Man Door                     | On driver-side bulkhead with grab handle 8-5-190                                                                                         | \$325    |
| Hoist Size                   | *NPO*: CUSTOM 8-5-190                                                                                                                    | Included |
| Square Offs                  | Installed on Top Front Outside Corners of Box                                                                                            |          |
| Catwalk                      | None Required                                                                                                                            |          |
| Shovel Holder                | Located on Dog House                                                                                                                     |          |
| Broom Holder                 | Located on Dog House                                                                                                                     |          |
| Asphalt Lip                  | None Provided (If required It is 8 in. with no compression locks and 6 in. with bottom compression locks)                                |          |
| Steps - Front, Driver Side   | None Required                                                                                                                            |          |
| Steps - Rear, Driver Side    | *NPO*: In / out weld-on                                                                                                                  | Included |
| Steps - Front Passenger Side | None Required                                                                                                                            |          |
| Steps - Rear, Passenger Side | None Required                                                                                                                            |          |
| Jug Holder                   | None Required                                                                                                                            |          |
| Fork Lift Package            | None Required                                                                                                                            |          |
| Hydraulic Hoses              | *NPO*: 9 ft. Hose                                                                                                                        | Included |
| Document Holder              | Standard Round                                                                                                                           |          |
| Remote Grease Block          | *NPO*: Single point at rear with hoist grease                                                                                            | Included |
| Cab Sheild                   | *NPO*: 12 in.                                                                                                                            | Included |



Date Printed: 23-Mar-23

**BTL3X+2X****BTL3X+2X****B-Trains**

|                            |           |                    |                          |                     |        |                   |           |
|----------------------------|-----------|--------------------|--------------------------|---------------------|--------|-------------------|-----------|
| <b>Promotional Drawing</b> | 27-Mar-23 | <b>Approved By</b> | <input type="checkbox"/> | <b>Base Weight:</b> | 16,500 | <b>Base Price</b> | \$111,886 |
|----------------------------|-----------|--------------------|--------------------------|---------------------|--------|-------------------|-----------|

**BOX CONSTRUCTION**

|                 |                                            |          |
|-----------------|--------------------------------------------|----------|
| Rear Skirt      | *NPO*: Aluminum diamond plate, full length | Included |
| Spreader Chains | *NPO*: included, with cover                | Included |

**DOLLY**

|                    |                                                           |          |
|--------------------|-----------------------------------------------------------|----------|
| No of Dolly Axles  | 2                                                         |          |
| Drawbar            | *NPO*: 48 in.                                             | Included |
| Turntable          | SAF Holland                                               |          |
| Lock Pin           | Double Lock Pin                                           |          |
| Axles              | *NPO*: 77.5 in. AXN, oil lubricated                       | Included |
| Axle Spacing       | 44 in.                                                    |          |
| Suspension Control | AAT Hendrickson Intraax, Air Ride, 13 1/2 in. Ride Height |          |
| Brake Shoes        | *NPO*: Disc brakes                                        |          |
| Hub and Drum       | *NPO*: Disc brakes                                        |          |
| Tires              | *NPO*: 11R22.5 Sailun                                     | Included |
| Wheels             | *NPO*: 8.25 x 22.5 in. 10 hole, polished                  |          |
| Fenders            | Plastic Quarter Fenders                                   |          |

**LIGHTING/ELECTRICAL**

|                              |                                                                                 |          |
|------------------------------|---------------------------------------------------------------------------------|----------|
| Electrical System            | Grote                                                                           |          |
| Lights                       | LED CMVSS 108 / FMVSS 108                                                       |          |
| LED Type                     | Colored                                                                         |          |
| Rear Lighting                | *NPO*: 6 x 4 in. + 3 x 2 /2 in. grouped: (000 000 000)                          | Included |
| Rear Center Plate Lights     | None Required                                                                   |          |
| Lights Located in Bottom Rai | 3 of 2 1/2 in. Amber evenly spaced per side                                     |          |
| Lights Located in Top Wall   | None Required                                                                   |          |
| Tarp Shield Lights           | None Required. They can only be mounted in tarp shield for Slide N Go Tarp Only |          |
| Tailgate Lights              | None Required                                                                   |          |
| Tailgate Post Lights         | *NPO*: 1 pair                                                                   | Included |
| Signal Lights on Sides       | Located in the Siderail                                                         |          |
| Reverse Lights below the rai | None Required                                                                   |          |
| Light Shield                 | *NPO*: 1/4 in. x 4 in.                                                          | Included |



Date Printed: 23-Mar-23

**BTL3X+2X****BTL3X+2X****B-Trains**

|                            |           |                    |                          |                     |        |                   |           |
|----------------------------|-----------|--------------------|--------------------------|---------------------|--------|-------------------|-----------|
| <b>Promotional Drawing</b> | 27-Mar-23 | <b>Approved By</b> | <input type="checkbox"/> | <b>Base Weight:</b> | 16,500 | <b>Base Price</b> | \$111,886 |
|----------------------------|-----------|--------------------|--------------------------|---------------------|--------|-------------------|-----------|

|                            |    |                |     |               |       |
|----------------------------|----|----------------|-----|---------------|-------|
| <b>Options &amp; NPOs:</b> | 32 | <b>Weight:</b> | 137 | <b>Price:</b> | \$325 |
|----------------------------|----|----------------|-----|---------------|-------|

|                            |                               |                |             |
|----------------------------|-------------------------------|----------------|-------------|
| Approved for:              | Remorques Lewis Inc.          |                |             |
| Dealer Branch:             | Main Branch - La Presentation |                |             |
| Sales Person:              | Pierre-Antony Cote            |                |             |
| Customer:                  |                               |                |             |
| Work Order #               |                               | Serial Number: |             |
| Sales Order #              |                               | PO Number:     |             |
| PO Date:                   |                               | Delivery Date: |             |
| Order Date:                |                               | Payment Terms: | Net 10 Days |
| Prepared by:               | Avery Briggs                  |                |             |
| Authorized Signature:      |                               |                |             |
| QUOTE IS VALID FOR 15 DAYS |                               |                |             |

| Invoicing Information Per Trailer                   |      |           |
|-----------------------------------------------------|------|-----------|
| Gross Price (CAD)                                   |      | \$112,211 |
| Slot Program Discount                               | 1.0% | -\$1,122  |
| Subtotal                                            |      | \$111,089 |
|                                                     | 0.0% | \$0       |
| Subtotal                                            |      | \$111,089 |
|                                                     | 0.0% | \$0       |
| Payable in CDN Funds:                               |      | \$111,089 |
| <b>FOB Milton, Ontario</b>                          |      |           |
| <b>APPLICABLE TAXES &amp; SHIPPING NOT INCLUDED</b> |      |           |

**Special Instructions**

\* Represents Major Component Changes (requires Structural Alterations and cannot be included on finished Trailer Products)