



Date Printed: 23-Mar-23

BTL3X**BTL3X****B-Trains**

Promotional Drawing	29-Mar-23	Approved By	☐	Base Weight:	16,500	Base Price	\$111,886
---------------------	-----------	-------------	--------------------------	--------------	--------	------------	-----------

TRAILER

Overall Frame Length	*NPO*: 28.5 ft.	Included
Overall Box Length	*NPO*: 28.5 ft.	
Width	102 in	
Board Size	None Required	
Wall Height	*NPO*: 72 in.	Included
Weight lbs +/- 3%	16637, including options	
Cubic Yard Capacity	61	

CHASSIS

Frame Construction	18 in. Extruded Aluminum Beam Construction, Milled Finish	
King Pin Height	49 in.	
King Pin Location	*NPO*: 18 in.	Included
Fifth Wheel Plate	*NPO*: 3/8 in.	Included
Wear Pad	6 in. Braided rubber on top of frame to act as buffer between box and frame	
Ride Axle Configuration	3 of 25,000 lbs Capacity	
Extra Lift Kit	*NPO*: UBL-002 on lead	Included
Lift Axle Control Valve	*NPO*: RA-220N	Included
Steer Axle Configuration	None Required	
Axle Spread	*NPO*: 109 - 44 in.	Included
Ride Suspension	3 of Hendrickson Intraax - Webb Slacks, TSE Long Stroke Booster, fixed	
Ride Suspension Control	Electric	
Steer Suspension	None Required	
Steer Suspension Control	None Required	
Wheel Monitor	None Required	
Bearing	Propar Equal Inner and Outer	
Hubs & Drums	Duralight Hubs and Drums	
Dust Shields	Included	
Ride Rims	8, 8.25 x 22.5 in. aluminum polish	(\$3,119)
Steer Rims	None Required	
Ride Tires	*NPO*: 11R22.5 Sailun	Included
Steer Tires	None Required	
Hubmeter	None Required	
Spare Tire Carrier	None Required	
ABS	Wabco 2S/1M	
Weight Gauge	Located on front at 45 degree	
Frame Finish	Milled, Non Polished	
Paint Color for Steel Compo	Black	
Board Color	None Required	
Mudflaps	3 flaps across the rear of the trailer, 30 in. aluminum panels with short flap at front and rear of lift and at front of tandex	\$195
Fenders on Front	*NPO*: Yes	Included
Fenders Over Axles	None Required	
Calcium Tank	None Required	
Air Tanks	Aluminum	
Landing Gear	*NPO*: Aluminum	Included



Date Printed: 23-Mar-23

BTL3X

BTL3X

B-Trains

Promotional Drawing	29-Mar-23	Approved By	☐	Base Weight:	16,500	Base Price	\$111,886
---------------------	-----------	-------------	--------------------------	--------------	--------	------------	-----------

CHASSIS

Toolbox	None Required	
Pintle Hook	T-990	
Suspension Hangers	*NPO*: Galvanized	Included

BOX CONSTRUCTION

Wall Panels	2 in. Hollow Core Double Wall 6061 Aluminum Extrusion. Fully Welded Interior Wall	
Wall Thickness	Outside Wall 0.094 (3/32)in. and Inside Wall 0.125 (1/8) in.	
Wall Finish	Polished	
Last 5 Rear Wall Panels	*NPO*: HD	Included
Floor Construction	.250 (1/4 in.) 6061 Aluminum Sheets welded together, supported by Reinforced Extruded Aluminum, C-Channel crossmembers on 12 in. centers	
Floor Liner	None Required	
Bulkhead Construction	3/16 in. 5083 Aluminum Sheets with Corners Formed into a Radius	
Tailgate	Heavy Duty 2 in. Hollow Core Double Wall 6061 Aluminum Extrusion. Fully Welded inside extruded frame	
Tailgate Slope	*NPO*: 5 degrees	
Tailgate Type	Overslung (Hinged at top)	
Tailgate Locks (Stainless)	*NPO*: Air booster	Included
Tailgate Hinges	Stainless	
Compression Locks	*NPO*: 1 set at sides of tailgate and 2 at bottom	
Rear Tailgate Seal	Rubber Seal	
Grain Chute	*NPO*: One large chute	Included
Sock Adapter	*NPO*: Yes	
Header Type	None Required	
Tarp	None Required	
Tarp Drive	None Required	
Front Tarp Shield	None Required	
Rear Tarp Shield	None Required	
Tarp Color	None Required	
Tarp Supplies	None Required	
Cross Pipes	None Required	
Man Door	On driver-side bulkhead with step and grab handle	\$325
Hoist Size	*NPO*: CUSTOM 8-5-235	Included
Square Offs	Installed on Top Front Outside Corners of Box	
Catwalk	None Required	
Shovel Holder	*NPO*: Located curb-side	Included
Broom Holder	*NPO*: None Required	Included
Asphalt Lip	None Provided (If required It is 8 in. with no compression locks and 6 in. with bottom compression locks)	
Steps - Front, Driver Side	*NPO*: In / out weld-on	Included
Steps - Rear, Driver Side	*NPO*: Out weld on	Included
Steps - Front Passenger Side	None Required	
Steps - Rear, Passenger Side	None Required	
Jug Holder	None Required	
Fork Lift Package	None Required	



Date Printed: 23-Mar-23

BTL3X

BTL3X

B-Trains

Promotional Drawing	29-Mar-23	Approved By	☐	Base Weight:	16,500	Base Price	\$111,886
---------------------	-----------	-------------	--------------------------	--------------	--------	------------	-----------

BOX CONSTRUCTION

Hydraulic Hoses	*NPO*: 9 ft. Hose	Included
Document Holder	Standard Round	
Remote Grease Block	*NPO*: Single point at rear with hoist grease	Included
Spreader Chains	*NPO*: included, with cover	Included

LIGHTING/ELECTRICAL

Electrical System	Grote	
Lights	LED CMVSS 108 / FMVSS 108	
LED Type	*NPO*: Clear	Included
Rear Lighting	*NPO*: 6 x 4 in. + 3 x 2 / 2 in. grouped: (000 000 000), with 1 pair of back-up lights	Included
Lights Located in Bottom Rai	3 of 2 1/2 in. Amber evenly spaced per side	
Lights Located in Top Wall	*NPO*: 9 x 2 1/2 in. amber evenly spaced per side (000 000 000)	Included
Tarp Shield Lights	None Required. They can only be mounted in tarp shield for Slide N Go Tarp Only	
Tailgate Lights	None Required	
Tailgate Post Lights	*NPO*: 3, pair	Included
Signal Lights on Sides	*NPO*: Located in the Siderail , 2 pairs	Included
Reverse Lights below the rai	None Required	
Light Shield	*NPO*: 1/4 x 4 in.	Included

Options & NPOs:	32	Weight:	137	Price:	(\$2,599)
-----------------	----	---------	-----	--------	-----------

Approved for:	Remorques Lewis Inc.		
Dealer Branch:	Main Branch - La Presentation		
Sales Person:	Pierre-Antony Cote		
Customer:			
Work Order #		Serial Number:	
Sales Order #		PO Number:	
PO Date:		Delivery Date:	
Order Date:		Payment Terms:	Net 10 Days
Prepared by:	Avery Briggs		
Authorized Signature:			
QUOTE IS VALID FOR 15 DAYS			

Invoicing Information Per Trailer		
Gross Price (CAD)		\$109,287
Slot Program Discount	1.0%	-\$1,093
Subtotal		\$108,194
	0.0%	\$0
Subtotal		\$108,194
	0.0%	\$0
Payable in CDN Funds:		\$108,194
FOB Milton, Ontario APPLICABLE TAXES & SHIPPING NOT INCLUDED		

Special Instructions

* Represents Major Component Changes (requires Structural Alterations and cannot be included on finished Trailer Products)