



Date Printed: 22-Mar-23

BTL3X**BTL3X****B-Trains**

Promotional Drawing	29-Mar-23	Approved By	☐	Base Weight:	16,500	Base Price	\$111,886
----------------------------	-----------	--------------------	--------------------------	---------------------	--------	-------------------	-----------

TRAILER

Overall Frame Length	35 ft.
Overall Box Length	34 ft.
Width	102 in
Board Size	None Required
Wall Height	60 in.
Weight lbs +/- 3%	16637, including options
Cubic Yard Capacity	61

CHASSIS

Frame Construction	18 in. Extruded Aluminum Beam Construction, Milled Finish
King Pin Height	49 in.
King Pin Location	15 in.
Fifth Wheel Plate	5/16 in
Wear Pad	6 in. Braided rubber on top of frame to act as buffer between box and frame
Ride Axle Configuration	3 of 25,000 lbs Capacity
Extra Lift Kit	None Required
Lift Axle Control Valve	None Required, for use with Lift Axle only
Steer Axle Configuration	None Required
Axle Spread	72 in.
Ride Suspension	3 of Hendrickson Intraax - Webb Slacks, TSE Long Stroke Booster, fixed
Ride Suspension Control	Electric
Steer Suspension	None Required
Steer Suspension Control	None Required
Wheel Monitor	None Required
Bearing	Propar Equal Inner and Outer
Hubs & Drums	Duralight Hubs and Drums
Dust Shields	Included
Ride Rims	8.25 x 22.5 Aluminum Alcoa, High Polish
Steer Rims	None Required
Ride Tires	11R22.5 Continental HSR-2
Steer Tires	None Required
Hubmeter	None Required
Spare Tire Carrier	None Required
ABS	Wabco 2S/1M
Weight Gauge	Located on front at 45 degree
Frame Finish	Milled, Non Polished
Paint Color for Steel Compo	Black
Board Color	None Required
Mudflaps	3 Flaps Across the Rear of the Trailer
Fenders on Front	None Required
Fenders Over Axles	None Required
Calcium Tank	None Required
Air Tanks	Aluminum
Landing Gear	Jost 10 year, No Lube w/Painted, Landing Gear and Braces
Toolbox	None Required



Date Printed: 22-Mar-23

BTL3X**BTL3X****B-Trains**

Promotional Drawing	29-Mar-23	Approved By	☐	Base Weight:	16,500	Base Price	\$111,886
---------------------	-----------	-------------	--------------------------	--------------	--------	------------	-----------

CHASSIS

Pintle Hook T-990

BOX CONSTRUCTION

Wall Panels 2 in. Hollow Core Double Wall 6061 Aluminum Extrusion. Fully Welded Interior Wall

Wall Thickness Outside Wall 0.094 (3/32)in. and Inside Wall 0.125 (1/8) in.

Wall Finish Polished

Last 5 Rear Wall Panels Outside Wall 0.094 (3/32)in. and Inside Wall 0.125 (1/8) in.

Floor Construction .250 (1/4 in.) 6061 Aluminum Sheets welded together, supported by Reinforced Extruded Aluminum, C-Channel crossmembers on 12 in. centers

Floor Liner None Required

Bulkhead Construction 3/16 in. 5083 Aluminum Sheets with Corners Formed into a Radius

Tailgate Heavy Duty 2 in. Hollow Core Double Wall 6061 Aluminum Extrusion. Fully Welded inside extruded frame

Tailgate Slope Straight

Tailgate Type Overslung (Hinged at top)

Tailgate Locks (Stainless) Manual

Tailgate Hinges Stainless

Compression Locks None Required

Rear Tailgate Seal Rubber Seal

Grain Chute None Required

Sock Adapter None Required

Header Type None Required

Tarp None Required

Tarp Drive None Required

Front Tarp Shield None Required

Rear Tarp Shield None Required

Tarp Color None Required

Tarp Supplies None Required

Cross Pipes None Required

Man Door None Required

Hoist Size CUSTOM 95-4500-280 (Minimum of 48.9 Gallons required to Fully Extend Cylinders)

Square Offs Installed on Top Front Outside Corners of Box

Catwalk None Required

Shovel Holder Located on Dog House

Broom Holder Located on Dog House

Asphalt Lip None Provided (If required It is 8 in. with no compression locks and 6 in. with bottom compression locks)

Steps - Front, Driver Side None Required

Steps - Rear, Driver Side None Required

Steps - Front Passenger Side None Required

Steps - Rear, Passenger Side None Required

Jug Holder None Required

Fork Lift Package None Required

Hydraulic Hoses None Required

Document Holder Standard Round

LIGHTING/ELECTRICAL



Date Printed: 22-Mar-23

BTL3X**BTL3X****B-Trains**

Promotional Drawing	29-Mar-23	Approved By	☐	Base Weight:	16,500	Base Price	\$111,886
----------------------------	-----------	--------------------	--------------------------	---------------------	--------	-------------------	-----------

LIGHTING/ELECTRICAL

Electrical System	Grote
Lights	LED CMVSS 108 / FMVSS 108
LED Type	Colored
Rear Lighting	3 of 4 in. per side at rear
Rear Center Plate Lights	None Required
Lights Located in Bottom Rai	3 of 2 1/2 in. Amber evenly spaced per side
Lights Located in Top Wall	None Required
Tarp Shield Lights	None Required. They can only be mounted in tarp shield for Slide N Go Tarp Only
Tailgate Lights	None Required
Tailgate Post Lights	None Required
Signal Lights on Sides	Located in the Siderail
Reverse Lights below the rai	None Required
Light Shield	1/4 in. x 2 in.

Options & NPOs:	32	Weight:	137	Price:	\$0
----------------------------	----	----------------	-----	---------------	-----

Approved for:	Remorques Lewis Inc.		
Dealer Branch:	Main Branch - La Presentation		
Sales Person:	Pierre-Antony Cote		
Customer:			
Work Order #		Serial Number:	
Sales Order #		PO Number:	
PO Date:		Delivery Date:	
Order Date:		Payment Terms:	Net 10 Days
Prepared by:	Avery Briggs		
Authorized Signature:			
QUOTE IS VALID FOR 15 DAYS			

Invoicing Information Per Trailer		
Gross Price (CAD)		\$111,886
Slot Program Discount	1.0%	-\$1,119
Subtotal		\$110,767
	0.0%	\$0
Subtotal		\$110,767
	0.0%	\$0
Payable in CDN Funds:		\$110,767
FOB Milton, Ontario APPLICABLE TAXES & SHIPPING NOT INCLUDED		

Special Instructions

* Represents Major Component Changes (requires Structural Alterations and cannot be included on finished Trailer Products)