



29 Hawkins Road
Centreville, NB
E7K 1A4
Canada

Phone 506.276.4567
Fax 506.276.4380
Toll Free 888.896.5777

CARRIER: MILLTOWN TRUCKING

DATE: ✓

BOL NUMBER:

4,004

STACKING ORDER	WO#	MODEL	SERIAL NUMBER		QTY.	TOTAL WEIGHT
1	10014738	48ET3X	2B9B6EW38NA001308	(Calgary)	1	17,436
2	10014655	25ANR	2B9B2TR35NA001228	(Calgary)	1	11,918
3	10014722	25ANR	2B9B2TR3XNA001306	(Calgary)	1	11,574
4	10014731	25ANR	2B9B2TR31NA001310	(Winnipeg)	1	11,900
SHIP LOOSE:						
MANUALS:						
1 ENVELOPE PER TRAILER					4	

BWS VERIFIED PRIOR TO RELEASE TO DRIVER BY:

Signature: *Ashlee Brown*

Print: *Ashlee Brown*

1ST DROP	2ND DROP	3RD DROP
Fort Garry Industries Ltd. 2525 Inkster Boulevard Winnipeg, MB R2R 2Y4 Contact: Andy Willms Phone: (204) 632-8261	Fort Garry Industries 5350 72 Ave SE Calgary, AB T2C 4X5 Contact: Steve Anderson Phone: (403) 236-9712	
SPECIAL INSTRUCTIONS:	WO 14731 MUST GO ON TOP OF LOAD TO BE DROPPED AT DIFFERENT LOCATION	

IMPORTANT !: It is not BWS policy to secure any load or offer assistance in securing any load. Any advice that may be given is only suggested as beneficial and should not be considered binding. Once a driver has accepted the loaded arrangement as safe, satisfactory ready to be secured for transport, the total responsibility for its safe delivery (of the BWS units specified above) to the receiving destination(s), shall be that of the driver and the associated transportation / logistics company contracted.

Any and / or all damage to the above identified BWS new equipment, resulting in any way from improper load securement techniques; poorly adjusted maintained or loose: chains, chain binders, load straps, winches, or any other securement device(s) used; or careless transport handling of the BWS product(s) shall be the total responsibility liability of the involved driver and the represented transportation/logistics company contracted. All loads upon leaving BWS Manufacturing Ltd. shall be frequently checked / inspected for securement integrity: first after 50 miles, and then at maximum intervals of 250 miles thereafter.

DRIVERS SIGNATURE: _____	PLEASE PRINT: _____
DATE OF PICKUP: <i>6/21/2021</i>	CELL #: _____
RECEIVERS SIGNATURE: <i>[Signature]</i>	PLEASE PRINT: _____
DATE RECEIVED: _____	

WITHOUT PROPER SIGNED DOCUMENTATION NO PAYMENT WILL BE MADE TO THE CARRIER



29 Hawkins Road
Centreville, MB
E7K 1A4
Canada

Phone 506.276.4567
Fax 506.276.4380
Toll Free 888.896.5777

CARRIER: MILLTOWN TRUCKING

DATE:

BOL NUMBER: 4,004

STACKING ORDER	WO#	MODEL	SERIAL NUMBER		QTY.	TOTAL WEIGHT
1	10014738	48ET3X	2B9B6EW38NA001308	(Calgary)	1	17,436
2	10014655	25ANR	2B9B2TR35NA001228	(Calgary)	1	11,918
3	10014722	25ANR	2B9B2TR3XNA001306	(Calgary)	1	11,574
4	10014731	25ANR	2B9B2TR31NA001310	(Winnipeg)	1	11,900
SHIP LOOSE:						
MANUALS: 1 ENVELOPE PER TRAILER 4						

BWS VERIFIED PRIOR TO RELEASE TO DRIVER BY:

Signature: *Mark Rideout*

Print: *Mark Rideout*

1ST DROP	2ND DROP	3RD DROP
Fort Garry Industries Ltd. 2525 Inkster Boulevard Winnipeg, MB R2R 2Y4 Contact: Andy Willms Phone: (204) 632-8261	Fort Garry Industries 5350 72 Ave SE Calgary, AB T2C 4X5 Contact: Steve Anderson Phone: (403) 236-9712	
SPECIAL INSTRUCTIONS: WO 14731 MUST GO ON TOP OF LOAD TO BE DROPPED AT DIFFERENT LOCATION		

IMPORTANT !: It is not BWS policy to secure any load or offer assistance in securing any load. Any advice that may be given is only suggested as beneficial and should not be considered binding. Once a driver has accepted the loaded arrangement as safe, satisfactory ready to be secured for transport, the total responsibility for its safe delivery (of the BWS units specified above) to the receiving destination(s), shall be that of the driver and the associated transportation / logistics company contracted.

Any and / or all damage to the above identified BWS new equipment, resulting in any way from improper load securement techniques; poorly adjusted maintained or loose: chains, chain binders, load straps, winches, or any other securement device(s) used; or careless transport handling of the BWS product(s) shall be the total responsibility liability of the involved driver and the represented transportation/logistics company contracted. All loads upon leaving BWS Manufacturing Ltd. shall be frequently checked / inspected for securement integrity: first after 50 miles, and then at maximum intervals of 250 miles thereafter.

DRIVERS SIGNATURE: _____	PLEASE PRINT: _____
DATE OF PICKUP: _____	CELL #: _____
RECEIVERS SIGNATURE: _____	PLEASE PRINT: _____
DATE RECEIVED: _____	

WITHOUT PROPER SIGNED DOCUMENTATION NO PAYMENT WILL BE MADE TO THE CARRIER



29 Hawkins Road
Centreville, NB
E7K 1A4
Canada

Phone 506.276.4567
Fax 506.276.4380
Toll Free 888.896.5777

Date Printed: 18-May-21

25ANR

25 Ton Tridem Air Tilt/No Ramp

Tags

Promotional Drawing 31-Dec-20 Approved By ☐

Base Weight: 11,400 Base Price \$28,281

Options & NPOs: 5 Weight: 518 Price: \$1,517

Approved for:	Fort Garry Industries Ltd.		
Dealer Branch:	Regina Branch		
Sales Person:	Brian Locke		
Customer:			
Work Order #	10014655	Serial Number:	2B9B2TR35NA001228
Sales Order #	512926	PO Number:	03-831173
PO Date:	15-Dec-20	Delivery Date:	24-May-21
Order Date:	14-Jan-21	Payment Terms:	Net 10 Days
Prepared by:	Shelley Holmes		
Authorized Signature:			

QUOTE IS VALID FOR 15 DAYS

Invoicing Information Per Trailer		
Gross Price (CAD)		\$29,798
Slot Program	1.0%	-\$298
	Subtotal	\$29,500
	0.0%	\$0
	Subtotal	\$29,500
	0.0%	\$0
Payable in CDN Funds:		\$29,500

FOB Centreville, New Brunswick
APPLICABLE TAXES & SHIPPING NOT INCLUDED

Special Instructions

* Represents Major Component Changes (requires Structural Alterations and cannot be included on finished Trailer Products)



NEW VEHICLE INFORMATION STATEMENT DESCRIPTION DU VÉHICULE NEUF

40-1622 (4/00)

Vehicle Identification Number Numéros d'identification du véhicule				Make / Marque	Model / Modèle	Model Year Modèle Année	Body Type Type de carrosserie
2B9B2TR35NA001228				BWS	25ANR	2022	25 TON ANR TAG
							TRAILER
Colour Couleur	No. of Cyl. Number du cyl.	Motive Power Force motrice	Shipping Wt. (kg) Masse à l'envoi	Wheelbase (mm) Empattement	G.V.W.R. (kg) M.T.C.I.	Plate Number / Plaque	
Black			5,434		27,669		
Name and Location of Manufacturer or Importer / Nom et lieu du fabricant ou importateur							
BWS Manufacturing Ltd. 29 Hawkins Road Centreville, NB. E7K 1A4							

I, the undersigned authorized representative of the company, firm or corporation named below, hereby certify that the new vehicle herein described is assigned on this date for registration to:

Je soussigné, représentant autorisé de la compagnie, firme ou corporation désignée ci-dessous déclare par la présente que le nouveau véhicule décrit ici est cédé à cette date, afin d'être immatriculé à:

Name of Purchaser(s) - (Surname, First) / Nom(s) de l'acheteur (nom de famille, prénom)

Initial / initiale

[illegible]

Address (Street No. or lot, Conc. and Township) / Adresse (rue n ou lot, concession et canton)

Apt. No. / App n

Telephone / Téléphone

[illegible]

Post Office (City, Town or Village and R.R. No.) / Bureau de poste (ville ou village et R.R. No)

Postal Code / Code postal

Odometer Reading

[illegible]

Kilomètres à l'odomètre

Name of Dealer
Nom de commerçant

Fort Garry Industries Ltd.

Dealer's Number
Numéro de Commerçant

Authorized Signature / Signature autorisé

D/J	M/M	Y/A



29 Hawkins Road
Centreville, NB
E7K 1A4
Canada

Phone 506.276.4567
Fax 506.276.4380
Toll Free 888.896.5777

Date Printed: 18-May-21

25ANR

25 Ton Tridem Air Tilt/No Ramp

Tags

Promotional Drawing	31-Dec-20	Approved By	☐	Base Weight:	11,400	Base Price	\$28,281
---------------------	-----------	-------------	--------------------------	--------------	--------	------------	----------

TRAILER

Overall Length	37 ft. 6 in.	
Overall Width	*NPO*: * 108 in. (over width permits may be required)	\$1,380
Weight lbs +/- 2%	11918, including options	
A-Frame	6 ft. 11 in. Hi-Tensile Cold Formed Wide Flange Beam	
Hitch	3 in. pintle eye, adjustable 5 position 17 in. to 28 in.	

DECK

Deck Length	24 ft.
Loaded Deck Height	34 in.
Main Frame	Hi-Tensile Wide Flange 14 in. @ 22
Cross Members	Hi-Tensile 6 in. Channel @ 8.2
Side Rail	Hi-Tensile 8 in. Channel @ 11.5 open on inside
Air Tilt Deck	2 Air Bags
Floor	1 3/4 in. Hardwood
Landing Gear	Dual 2 Speed
Rear	Wedge Style bumper with air assisted tilt deck for ground loading

SUSPENSION/AXLES

Axles	*NPO*: 25,000 lbs Capacity 77.5 in. Track 0.59 in. wall	Included
Spread	49 in.	
Suspension	Hutch 9700 spring ride	
Brakes	Quick Change 12 1/4 in. x 7 in.	
Brake Chamber	#3030, All Axles	
Air Brake System	2S/1M	
Bearings	Oil Bath	
Slack Adjusters	Automatic	
Hubs & Drums	8 Stud Unimount C / W Cast Drums	
Tires	235/75R17.5 16 ply	
Wheels	6.75 x 17.5 Steel Disc - Painted White	

BEAVERTAIL

Length	6 ft. @ 8 degree slope, Self Cleaning Outside , Planked in inside
--------	---

GENERAL SPECIFICATIONS

Electrical System	Modular, Vapor Proof GROTE Ultra Blue	
Lights	LED CMVSS 108 / FMVSS 108	
Front Connector	SAE J560 7 Pin	
Finishing	Preparation by Steel Shot Blast, Commercial / Industrial Topcoat, Oven Baked	
Color	Black	
Mudflaps	*NPO*: Mudflaps Brackets only (no mud flap included)	Included
Toolbox	Full A Frame mounted with solid bottom and cover	
Load Securement	6 pair of D-rings	
Fenders	*NPO*: Heavy Duty Fenders (17.5) NO Grouser bars	\$137

GVWR Rating is based on standard configuration and a 15% Tongue weight distribution

Shelley Holmes

From: Sarah Lord
Sent: January 14, 2021 3:41 PM
To: Engineering Group; Work Orders; Shelley Holmes
Subject: WO and SO Assigned to Quote# 25397 for Fort Garry Industries Ltd.

Please find notice of WO# 10014655 and SO# 512926 assigned to Quote!



29 Hawkins Road
Centreville, NB
E7K 1A4
Canada

Phone 506.276.4567
Fax 506.276.4380
Toll Free 888.896.5777

Date Printed: 16-Dec-20

25ANR

25 Ton Tridem Air Tilt/No Ramp

Tags

Promotional Drawing 31-Dec-20 Approved By ☐ Base Weight: 11,400 Base Price \$28,281

TRAILER

Overall Length	37 ft. 6 in.	
Overall Width	*NPO*: * 108 in. (over width permits may be required)	\$1,380
Weight lbs +/- 2%	11918, including options	
A-Frame	6 ft. 11 in. Hi-Tensile Cold Formed Wide Flange Beam	
Hitch	3 in. pintle eye, adjustable 5 position 17 in. to 28 in.	

DECK

Deck Length	24 ft.
Loaded Deck Height	34 in.
Main Frame	Hi-Tensile Wide Flange 14 in. @ 22
Cross Members	Hi-Tensile 6 in. Channel @ 8.2
Side Rail	Hi-Tensile 8 in. Channel @ 11.5 open on inside
Air Tilt Deck	2 Air Bags
Floor	1 3/4 in. Hardwood
Landing Gear	Dual 2 Speed
Rear	Wedge Style bumper with air assisted tilt deck for ground loading

SUSPENSION/AXLES

Axles	25,000 lbs Capacity 77.5 in. Track 3/4 in. wall
Spread	49 in.
Suspension	Hutch 9700 spring ride
Brakes	Quick Change 12 1/4 in. x 7 in.
Brake Chamber	#3030, All Axles
Air Brake System	2S/1M
Bearings	Oil Bath
Slack Adjusters	Automatic
Hubs & Drums	8 Stud Unimount C / W Cast Drums
Tires	235/75R17.5 16 ply
Wheels	6.75 x 17.5 Steel Disc - Painted White

BEAVER TAIL

Length	6 ft. @ 8 degree slope, Self Cleaning Outside , Planked in inside
--------	---

GENERAL SPECIFICATIONS

Electrical System	Modular, Vapor Proof GROTE Ultra Blue	
Lights	LED CMVSS 108 / FMVSS 108	
Front Connector	SAE J560 7 Pin	
Finishing	Preparation by Steel Shot Blast, Commercial / Industrial Topcoat, Oven Baked	
Color	Black	
Mudflaps	*NPO*: Mudflaps Brackets only (no mud flap included)	Included
Toolbox	Full A Frame mounted with solid bottom and cover	
Load Securement	6 pair of D-rings	
Fenders	*NPO*: Heavy Duty Fenders (17.5) NO Grouser bars	\$137

GVWR Rating is based on standard configuration and a 15% Tongue weight distribution



29 Hawkins Road
Centreville, NB
E7K 1A4
Canada

Phone 506.276.4567
Fax 506.276.4380
Toll Free 888.896.5777

Date Printed: 16-Dec-20

25ANR

25 Ton Tridem Air Tilt/No Ramp

Tags

Promotional Drawing 31-Dec-20 Approved By ☐

Base Weight: 11,400 Base Price \$28,281

Options & NPOs: 4 Weight: 518 Price: \$1,517

Approved for: Fort Garry Industries Ltd.
Dealer Branch: Regina Branch
Sales Person: Brian Locke
Customer:
Work Order # Serial Number: 2B9B2TR35NA001228
Sales Order # PO Number: 03-831173
PO Date: 15-Dec-20 Delivery Date: 17-May-21
Order Date: Payment Terms: Net 10 Days
Prepared by: Shelley Holmes
Authorized Signature:

Invoicing Information Per Trailer		
Gross Price (CAD)		\$29,798
Slot Program	1.0%	-\$298
Subtotal		\$29,500
	0.0%	\$0
Subtotal		\$29,500
	0.0%	\$0
Payable in CDN Funds:		\$29,500

FOB Centreville, New Brunswick
APPLICABLE TAXES & SHIPPING NOT INCLUDED

QUOTE IS VALID FOR 15 DAYS

Special Instructions

* Represents Major Component Changes (requires Structural Alterations and cannot be included on finished Trailer Products)



29 Hawkins Road
Centreville, NB
E7K 1A4
Canada

Phone 506.276.4567
Fax 506.276.4380
Toll Free 888.896.5777

Date Printed: 15-Dec-20

25ANR

25 Ton Tridem Air Tilt/No Ramp

Tags

Promotional Drawing 31-Dec-20 Approved By ☐ Base Weight 11,400 Base Price \$28,281

TRAILER

Overall Length 37 ft. 6 in.
Overall Width *NPO*: * 108 in. (over width permits may be required) \$1,380
Weight lbs +/- 2% 11918, including options
A-Frame 6 ft. 11 in. Hi-Tensile Cold Formed Wide Flange Beam
Hitch 3 in. pintle eye, adjustable 5 position 17 in. to 28 in.

DECK

Deck Length 24 ft.
Loaded Deck Height 34 in.
Main Frame Hi-Tensile Wide Flange 14 in. @ 22
Cross Members Hi-Tensile 6 in. Channel @ 8.2
Side Rail Hi-Tensile 8 in. Channel @ 11.5 open on inside
Air Tilt Deck 2 Air Bags
Floor 1 3/4 in. Hardwood
Landing Gear Dual 2 Speed
Rear Wedge Style bumper with air assisted tilt deck for ground loading

SUSPENSION/AXLES

Axles 25,000 lbs Capacity 77.5 in. Track 3/4 in. wall
Spread 49 in.
Suspension Hutch 9700 spring ride
Brakes Quick Change 12 1/4 in. x 7 in.
Brake Chamber #3030, All Axles
Air Brake System 2S/1M
Bearings Oil Bath
Slack Adjusters Automatic
Hubs & Drums 8 Stud Unimount C / W Cast Drums
Tires 235/75R17.5 16 ply
Wheels 6.75 x 17.5 Steel Disc - Painted White

BEAVER TAIL

Length 6 ft. @ 8 degree slope, Self Cleaning Outside, Planked in inside

GENERAL SPECIFICATIONS

Electrical System Modular, Vapor Proof GROTE Ultra Blue
Lights LED CMVSS 108 / FMVSS 108
Front Connector SAE J560 7 Pin
Finishing Preparation by Steel Shot Blast, Commercial / Industrial Topcoat, Oven Baked
Color Black
Mudflaps *NPO*: Mudflaps Brackets only (no mud flap included) Included
Toolbox Full A Frame mounted with solid bottom and cover
Load Securement 6 pair of D-rings
Fenders *NPO*: Heavy Duty Fenders (17.5) NO Grouser bars \$137

GVWR Rating is based on standard configuration and a 15% Tongue weight distribution



29 Hawkins Road
Centreville, NB
E7K 1A4
Canada

Phone 506.276.4567
Fax 506.276.4380
Toll Free 888.896.5777

Date Printed: 15-Dec-20

25ANR

25 Ton Tridem Air Tilt/No Ramp

Tags

Promotional Drawing 31-Dec-20 Approved By ☐

Base Weight 11,400 Base Price \$28,281

Options & NPOs 4 Weight 518 Price \$1,517

Approved for:	Fort Garry Industries Ltd.		
Branch:	Regina Branch		
Sales Person:	Brian Locke		
Customer:			
Work Order #		Serial Number:	
Sales Order #		PO Number:	
PO Date:		Delivery Date:	
Order Date:		Payment Terms:	Net 10 Days
Prepared by:	Shelley Holmes		
Authorized Signature:			
QUOTE IS VALID FOR 15 DAYS			

Invoicing Information Per Trailer		
Gross Price (CAD)		\$29,798
Slot Program	1.0%	-\$298
Subtotal		\$29,500
	0.0%	\$0
Subtotal		\$29,500
	0.0%	\$0
Payable in CDN Funds:		\$29,500
FOB Centreville, New Brunswick APPLICABLE TAXES & SHIPPING NOT INCLUDED		

Instructions

Represents Major Component Changes (requires Structural Alterations and cannot be included on finished Trailer Products)



29 Hawkins Road
Centreville, NB
E7K 1A4
Canada

Phone 506.276.4567
Fax 506.276.4380
Toll Free 888.896.5777

Date Printed: 15-Dec-20

25ANR

25 Ton Tridem Air Tilt/No Ramp

Tags

Functional Drawing 31-Dec-20 Approved By ☐ Base Weight: 11,400 Base Price \$28,281

Overall Length	37 ft. 6 in.	
Overall Width	*NPO*: * 108 in. (over width permits may be required)	\$1,380
Weight lbs +/- 2%	11918, including options	
A-Frame	6 ft. 11 in. Hi-Tensile Cold Formed Wide Flange Beam	
Hitch	3 in. pintle eye, adjustable 5 position 17 in. to 28 in.	
Deck Length	24 ft.	
Loaded Deck Height	34 in.	
Main Frame	Hi-Tensile Wide Flange 14 in. @ 22	
Cross Members	Hi-Tensile 6 in. Channel @ 8.2	
Side Rail	Hi-Tensile 8 in. Channel @ 11.5 open on inside	
Air Til: Deck	2 Air Bags	
Floor	1 3/4 in. Hardwood	
Landing Gear	Dual 2 Speed	
Rear	Wedge Style bumper with air assisted tilt deck for ground loading	
CAPACITY/AXLES		
Axles	25,000 lbs Capacity 77.5 in. Track 3/4 in. wall	
Spread	49 in.	
Suspension	Hutch 9700 spring ride	
Brakes	Quick Change 12 1/4 in. x 7 in.	
Brake Chamber	#3030, All Axles	
Air Brake System	2S/1M	
Bearings	Oil Bath	
Slack Adjusters	Automatic	
Hubs & Drums	8 Stud Unimount C / W Cast Drums	
Tires	235/75R17.5 16 ply	
Wheels	6.75 x 17.5 Steel Disc - Painted White	
REAR TAIL		
Length	6 ft. @ 8 degree slope, Self Cleaning Outside , Planked in inside	
GENERAL SPECIFICATIONS		
Electrical System	Modular, Vapor Proof GROTE Ultra Blue	
Lights	LED CMVSS 108 / FMVSS 108	
Front Connector	SAE J560 7 Pin	
Finishing	Preparation by Steel Shot Blast, Commercial / Industrial Topcoat, Oven Baked	
Color	Black	
Mudflaps	*NPO*: Mudflaps Brackets only (no mud flap included)	Included
Toolbox	Full A Frame mounted with solid bottom and cover	
Load Securement	6 pair of D-rings	
Fenders	*NPO*: Heavy Duty Fenders (17.5) NO Grouser bars	\$137

GVWR Rating is based on standard configuration and a 15% Tongue weight distribution



29 Hawkins Road
Centreville, NB
E7K 1A4
Canada

Phone 506.276.4567
Fax 506.276.4380
Toll Free 888.896.5777

Date Printed: 15-Dec-20

25ANR

25 Ton Tridem Air Tilt/No Ramp

Tags

Promotional Drawing 31-Dec-20 Approved By ☐

Base Weight: 11,400 Base Price \$28,281

Options & NPOs: 4 Weight: 518 Price: \$1,517

Approved for: Fort Garry Industries Ltd.

Dealer Branch: Saskatoon Branch

Sales Person: Graig Cardell

Customer:

Work Order #

Serial Number:

Sales Order #

PO Number:

PO Date:

Delivery Date:

Order Date:

Payment Terms: Net 10 Days

Prepared by: Shelley Holmes

Authorized Signature:

QUOTE IS VALID FOR 15 DAYS

Invoicing Information Per Trailer

Gross Price (CAD)		\$29,798
Slot Program	1.0%	-\$298
	Subtotal	\$29,500
	0.0%	\$0
	Subtotal	\$29,500
	0.0%	\$0
Payable in CDN Funds:		\$29,500

FOB Centreville, New Brunswick
APPLICABLE TAXES & SHIPPING NOT INCLUDED

Special Instructions

* Represents Major Component Changes (requires Structural Alterations and cannot be included on finished Trailer Products)



29 Hawkins Road
Centreville, NB
E7K 1A4
Canada

Phone 506.276.4567
Fax 506.276.4380
Toll Free 888.896.5777

Date Printed: 15-Dec-20

List Of Options & NPOs for Quote# 25397

25ANR


Tags

Description	Price	Quantity
Item: Trailer		
TR 000 NO OPTIONS FOR THIS WORK ORDER	0	\$0 1 \$0
Sub-Total		\$0

Options	Price	Quantity
Item: Width excluding load securement devices (over width permits may be required)	120	\$1,380 1 \$1,380
Item: Duty Fenders (17.5) NO Grouser bars	398	\$137 1 \$137
Item: Mudflaps ready but no mudflaps required, customer will install their own	0	\$0 1 \$0
Sub-Total		\$1,517
Subtotal:		\$1,517

Represents Major Component Changes (requires Structural Alterations and cannot be included on finished Trailer Products)

14655

		MANUFACTURED BY / FABRIQUÉ PAR: CENTREVILLE NEW/NOUVEAU BRUNSWICK CANADA	
TYPE OF VEHICLE / TYPE DE VÉHICULE:		TRA / REM	
MODEL / MODÈLE:		25ANR	
GVWR / PNBV:		27,669 KG 61,000 LB	
TARE:		5,434 KG 11,980 LB	
DOM / DDF:		5 / 8 M/M 2021 Y/A	
VIN / NV:		2B9B2TR35NA001228 ✓	
			

GAWR / PNE		RIM / JANTE		TIRE / PNEU			COLD INFLATED PRESSURE / PRESS. DE GONFLÉ À FROID	
POSITION	KG	LB	DIMENSION	S/S	D/J	KPA	PSI / LPC	
FR/AV	9,716	21,420	17.5 X 6.75	235/75R17.5	X	862	125	
INT 1:	9,716	21,420	17.5 X 6.75	235/75R17.5	X	862	125	
INT 2:								
RR/AR	9,716	21,420	17.5 X 6.75	235/75R17.5	X	862	125	

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FMVSS AND CANADIAN CMVSS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

CE VÉHICULE SE CONFORME A TOUS LES ÉTATS-UNIS APPLICABLES FMVSS ET CMVSS CANADIEN EN EFFET LA DATE DE LA FABRICATION MONTREE CI-DESSUS.