



Date Printed: 17-Mar-23

**BTL3X****BTL3X****B-Trains**

|                     |           |             |                          |              |        |            |           |
|---------------------|-----------|-------------|--------------------------|--------------|--------|------------|-----------|
| Promotional Drawing | 24-Mar-23 | Approved By | <input type="checkbox"/> | Base Weight: | 16,500 | Base Price | \$111,886 |
|---------------------|-----------|-------------|--------------------------|--------------|--------|------------|-----------|

**TRAILER**

|                      |                          |
|----------------------|--------------------------|
| Overall Frame Length | 35 ft.                   |
| Overall Box Length   | 34 ft.                   |
| Width                | 102 in                   |
| Board Size           | None Required            |
| Wall Height          | 60 in.                   |
| Weight lbs +/- 3%    | 16500, including options |
| Cubic Yard Capacity  | 61                       |

**CHASSIS**

|                             |                                                                             |
|-----------------------------|-----------------------------------------------------------------------------|
| Frame Construction          | 18 in. Extruded Aluminum Beam Construction, Milled Finish                   |
| King Pin Height             | 49 in.                                                                      |
| King Pin Location           | 15 in.                                                                      |
| Fifth Wheel Plate           | 5/16 in                                                                     |
| Wear Pad                    | 6 in. Braided rubber on top of frame to act as buffer between box and frame |
| Ride Axle Configuration     | 3 of 25,000 lbs Capacity                                                    |
| Extra Lift Kit              | None Required                                                               |
| Lift Axle Control Valve     | None Required, for use with Lift Axle only                                  |
| Steer Axle Configuration    | None Required                                                               |
| Axle Spread                 | 72 in.                                                                      |
| Ride Suspension             | 3 of Hendrickson Intraax - Webb Slacks, TSE Long Stroke Booster, fixed      |
| Ride Suspension Control     | Electric                                                                    |
| Steer Suspension            | None Required                                                               |
| Steer Suspension Control    | None Required                                                               |
| Wheel Monitor               | None Required                                                               |
| Bearing                     | Proper Equal Inner and Outer                                                |
| Hubs & Drums                | Duralight Hubs and Drums                                                    |
| Dust Shields                | Included                                                                    |
| Ride Rims                   | 8.25 x 22.5 Aluminum Alcoa, High Polish                                     |
| Steer Rims                  | None Required                                                               |
| Ride Tires                  | 11R22.5 Continental HSR-2                                                   |
| Steer Tires                 | None Required                                                               |
| Hubmeter                    | None Required                                                               |
| Spare Tire Carrier          | None Required                                                               |
| ABS                         | Wabco 2S/1M                                                                 |
| Weight Gauge                | Located on front at 45 degree                                               |
| Frame Finish                | Milled, Non Polished                                                        |
| Paint Color for Steel Compo | Black                                                                       |
| Board Color                 | None Required                                                               |
| Mudflaps                    | 3 Flaps Across the Rear of the Trailer                                      |
| Fenders on Front            | None Required                                                               |
| Fenders Over Axles          | None Required                                                               |
| Calcium Tank                | None Required                                                               |
| Air Tanks                   | Aluminum                                                                    |
| Landing Gear                | Jost 10 year, No Lube w/Painted, Landing Gear and Braces                    |
| Toolbox                     | None Required                                                               |



Date Printed: 17-Mar-23

**BTL3X****BTL3X****B-Trains**

|                            |           |                    |                          |                     |        |                   |           |
|----------------------------|-----------|--------------------|--------------------------|---------------------|--------|-------------------|-----------|
| <b>Promotional Drawing</b> | 24-Mar-23 | <b>Approved By</b> | <input type="checkbox"/> | <b>Base Weight:</b> | 16,500 | <b>Base Price</b> | \$111,886 |
|----------------------------|-----------|--------------------|--------------------------|---------------------|--------|-------------------|-----------|

**CHASSIS**

|                                      |          |
|--------------------------------------|----------|
| *NPO*: T-990                         | Included |
| *NPO*: HD Michigan-style push bumper | Included |

**BOX CONSTRUCTION**

|                                     |                                                                                                                                          |
|-------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Wall Panels</b>                  | 2 in. Hollow Core Double Wall 6061 Aluminum Extrusion. Fully Welded Interior Wall                                                        |
| <b>Wall Thickness</b>               | Outside Wall 0.094 (3/32)in. and Inside Wall 0.125 (1/8) in.                                                                             |
| <b>Wall Finish</b>                  | Polished                                                                                                                                 |
| <b>Last 5 Rear Wall Panels</b>      | Outside Wall 0.094 (3/32)in. and Inside Wall 0.125 (1/8) in.                                                                             |
| <b>Floor Construction</b>           | .250 (1/4 in.) 6061 Aluminum Sheets welded together, supported by Reinforced Extruded Aluminum, C-Channel crossmembers on 12 in. centers |
| <b>Floor Liner</b>                  | None Required                                                                                                                            |
| <b>Bulkhead Construction</b>        | 3/16 in. 5083 Aluminum Sheets with Corners Formed into a Radius                                                                          |
| <b>Tailgate</b>                     | Heavy Duty 2 in. Hollow Core Double Wall 6061 Aluminum Extrusion. Fully Welded inside extruded frame                                     |
| <b>Tailgate Slope</b>               | Straight                                                                                                                                 |
| <b>Tailgate Type</b>                | Overslung (Hinged at top)                                                                                                                |
| <b>Tailgate Locks (Stainless)</b>   | Manual                                                                                                                                   |
| <b>Tailgate Hinges</b>              | Stainless                                                                                                                                |
| <b>Compression Locks</b>            | None Required                                                                                                                            |
| <b>Rear Tailgate Seal</b>           | Rubber Seal                                                                                                                              |
| <b>Grain Chute</b>                  | None Required                                                                                                                            |
| <b>Sock Adapter</b>                 | None Required                                                                                                                            |
| <b>Header Type</b>                  | None Required                                                                                                                            |
| <b>Tarp</b>                         | None Required                                                                                                                            |
| <b>Tarp Drive</b>                   | None Required                                                                                                                            |
| <b>Front Tarp Shield</b>            | None Required                                                                                                                            |
| <b>Rear Tarp Shield</b>             | None Required                                                                                                                            |
| <b>Tarp Color</b>                   | None Required                                                                                                                            |
| <b>Tarp Supplies</b>                | None Required                                                                                                                            |
| <b>Cross Pipes</b>                  | None Required                                                                                                                            |
| <b>Man Door</b>                     | None Required                                                                                                                            |
| <b>Hoist Size</b>                   | CUSTOM 95-4500-280 (Minimum of 48.9 Gallons required to Fully Extend Cylinders)                                                          |
| <b>Square Offs</b>                  | Installed on Top Front Outside Corners of Box                                                                                            |
| <b>Catwalk</b>                      | None Required                                                                                                                            |
| <b>Shovel Holder</b>                | Located on Dog House                                                                                                                     |
| <b>Broom Holder</b>                 | Located on Dog House                                                                                                                     |
| <b>Asphalt Lip</b>                  | None Provided (If required It is 8 in. with no compression locks and 6 in. with bottom compression locks)                                |
| <b>Steps - Front, Driver Side</b>   | None Required                                                                                                                            |
| <b>Steps - Rear, Driver Side</b>    | None Required                                                                                                                            |
| <b>Steps - Front Passenger Side</b> | None Required                                                                                                                            |
| <b>Steps - Rear, Passenger Side</b> | None Required                                                                                                                            |
| <b>Jug Holder</b>                   | None Required                                                                                                                            |
| <b>Fork Lift Package</b>            | None Required                                                                                                                            |
| <b>Hydraulic Hoses</b>              | None Required                                                                                                                            |



Date Printed: 17-Mar-23

**BTL3X****BTL3X****B-Trains**

|                     |           |             |                          |              |        |            |           |
|---------------------|-----------|-------------|--------------------------|--------------|--------|------------|-----------|
| Promotional Drawing | 24-Mar-23 | Approved By | <input type="checkbox"/> | Base Weight: | 16,500 | Base Price | \$111,886 |
|---------------------|-----------|-------------|--------------------------|--------------|--------|------------|-----------|

**BOX CONSTRUCTION**

Document Holder Standard Round

**LIGHTING/ELECTRICAL**

Electrical System Grote

Lights LED CMVSS 108 / FMVSS 108

LED Type Colored

Rear Lighting 3 of 4 in. per side at rear

Lights Located in Bottom Rai 3 of 2 1/2 in. Amber evenly spaced per side

Lights Located in Top Wall None Required

Tarp Shield Lights None Required. They can only be mounted in tarp shield for Slide N Go Tarp Only

Tailgate Lights None Required

Tailgate Post Lights None Required

Signal Lights on Sides Located in the Siderail

Reverse Lights below the rai None Required

Light Shield 1/4 in. x 2 in.

|                 |   |         |   |        |     |
|-----------------|---|---------|---|--------|-----|
| Options & NPOs: | 4 | Weight: | 0 | Price: | \$0 |
|-----------------|---|---------|---|--------|-----|

|                            |                               |                |             |
|----------------------------|-------------------------------|----------------|-------------|
| Approved for:              | Remorques Lewis Inc.          |                |             |
| Dealer Branch:             | Main Branch - La Presentation |                |             |
| Sales Person:              | Pierre-Antony Cote            |                |             |
| Customer:                  |                               |                |             |
| Work Order #               |                               | Serial Number: |             |
| Sales Order #              |                               | PO Number:     |             |
| PO Date:                   |                               | Delivery Date: |             |
| Order Date:                |                               | Payment Terms: | Net 10 Days |
| Prepared by:               | Avery Briggs                  |                |             |
| Authorized Signature:      |                               |                |             |
| QUOTE IS VALID FOR 15 DAYS |                               |                |             |

| Invoicing Information Per Trailer                               |      |           |
|-----------------------------------------------------------------|------|-----------|
| Gross Price (CAD)                                               |      | \$111,886 |
| Slot Program Discount                                           | 1.0% | -\$1,119  |
| Subtotal                                                        |      | \$110,767 |
|                                                                 | 0.0% | \$0       |
| Subtotal                                                        |      | \$110,767 |
|                                                                 | 0.0% | \$0       |
| Payable in CDN Funds:                                           |      | \$110,767 |
| FOB Milton, Ontario<br>APPLICABLE TAXES & SHIPPING NOT INCLUDED |      |           |

**Special Instructions**

\* Represents Major Component Changes (requires Structural Alterations and cannot be included on finished Trailer Products)