



Date Printed: 17-Mar-23

End Dump 4X**End Dump 4X****End Dumps**

Promotional Drawing	21-Mar-23	Approved By	☐	Base Weight:	21,000	Base Price	\$133,490
----------------------------	-----------	--------------------	--------------------------	---------------------	--------	-------------------	-----------

TRAILER

Overall Frame Length	45 ft. 6 in.	
Overall Box Length	44 ft. 6 in.	
Width	96 in with 102 in Frame	
Board Size	None Required	
Wall Height	60 in	\$316
Weight lbs +/- 3%	21208, including options	
Cubic Yard Capacity	81.08	

CHASSIS

Frame Construction	*NPO*: 18 in. Extruded Aluminum Beam Construction, Milled Finish with Bumper - HD Michigan	Included
King Pin Height	49 in.	
King Pin Location	18 in.	
Fifth Wheel Plate	5/16 in	
Wear Pad	6 in. Braided rubber on top of frame to act as buffer between box and frame	
Ride Axle Configuration	3 of 25,000 lbs Capacity	
Extra Lift Kit	None Required	
Lift Axle Control Valve	RA220-IN	
Steer Axle Configuration	Ingersol with IMT (Dexter) Steer	
Axle Spread	72 in. - 72 in. - 100 in	
Ride Suspension	*NPO*: 4 of Hendrickson Intraax - Webb Slacks, TSE Long Stroke Booster, fixed	Included
Ride Suspension Control	Electric	
Wheel Monitor	None Required	
Bearing	Propar Equal Inner and Outer	
Hubs & Drums	Duralight Hubs and Drums	
Brakes	16 1/2 x 7 Drum	
Dust Shields	Included	
Ride Rims	8.25 x 22.5 Aluminum Alcoa, High Polish	
Ride Rims	8, 22.5 - Steel - Painted White: outside, steel inside	(\$3,119)
Ride Tires	11R22.5 Continental HSR-2	
Suspension Hanger	Galvanized	\$390
Hubmeter	None Required	
Spare Tire Carrier	None Required	
ABS	Wabco 2S/1M	
Weight Gauge	Located on front at 45 degree	
Frame Finish	Milled, Non Polished	
Paint Color for Steel Compo	Black	
Board Color	None Required	
Mudflaps	3 Flaps Across the Rear of the Trailer	
Mudflaps	Extra set w/ brackets: Short flaps in front of front axle	\$195
Fenders on Front	None Required	
Fenders Over Axles	Aluminum Smooth Plate, Polished	(\$1,200)
Calcium Tank	Aluminum, mounted on Driver Side c/w Hose and Ball Valve	Included
Air Tanks	Aluminum	
Landing Gear	Aluminum Jost 10 year, no lube w/paintee gear and braces	\$325



Date Printed: 17-Mar-23

End Dump 4X

End Dump 4X

End Dumps

Promotional Drawing	21-Mar-23	Approved By	☐	Base Weight:	21,000	Base Price	\$133,490
---------------------	-----------	-------------	--------------------------	--------------	--------	------------	-----------

CHASSIS

Toolbox None Required

BOX CONSTRUCTION

Wall Panels 2 in. Hollow Core Double Wall 6061 Aluminum Extrusion. Fully Welded Interior Wall

Wall Thickness *NPO*: 1/4 in.

Floor Construction .250 (1/4 in.) 6061 Aluminum Sheets welded together, supported by Reinforced Extruded Aluminum, C-Channel crossmembers on 12 in. centers

Floor Liner None Required

Bulkhead Construction *NPO*: 1/4 in., 65 Deg slope nose Included

Tailgate *NPO*: 1/4 in. Hardox 450 Included

Tailgate Slope Straight

Tailgate Type Overslung (Hinged at top)

Tailgate Locks (Stainless) Air Cylinder \$974

Compression Locks Set(s): 1 per side of tailgate \$234

Rear Tailgate Seal Rubber Seal

Grain Chute None Required

Sock Adapter None Required

Header Type None Required

Tarp None Required

Tarp Drive None Required

Front Tarp Shield None Required

Rear Tarp Shield None Required

Tarp Color None Required

Tarp Supplies None Required

Cross Pipes None Required

Man Door None Required

Hoist Size CUSTOM 95-4500-340 (Minimum of 59.4 Gallons required to Fully Extend Cylinders)

Square Offs None Required (\$121)

Catwalk None Required

Shovel Holder *NPO*: Loacted, curb side Included

Asphalt Lip None Provided (If required It is 8 in. with no compression locks and 6 in. with bottom compression locks)

Steps - Front, Driver Side *NPO*: Fixed steel ladder; located on outside Included

Steps - Rear, Driver Side *NPO*: Steel ladder oustide Included

Steps - Front Passenger Side None Required

Steps - Rear, Passenger Side None Required

Jug Holder None Required

Fork Lift Package None Required

Hydraulic Hose 9 ft. With Winged Hose Ends Included

Document Holder Standard Round

Cab Sheild *NPO*: 12" Included

Rear Skirt *NPO*: Alum diamond plate full lengt Included

Spreader Chains *NPO*: Included Included

LIGHTING/ELECTRICAL

Electrical System Grote



Date Printed: 17-Mar-23

End Dump 4X**End Dump 4X****End Dumps**

Promotional Drawing	21-Mar-23	Approved By	☐	Base Weight:	21,000	Base Price	\$133,490
----------------------------	-----------	--------------------	--------------------------	---------------------	--------	-------------------	-----------

LIGHTING/ELECTRICAL

Lights	LED CMVSS 108 / FMVSS 108	
LED Type	Colored	
Rear Lighting	3 of 4 in. per side at rear	
Rear Center Plate Lights	5, 9 of 4" at rear, grouped by 3 (ooo ooo ooo)	\$557
Lights Located in Bottom Rai	3 of 2 1/2 in. Amber evenly spaced per side	
Lights Located in Top Wall	None Required	
Tarp Shield Lights	None Required. They can only be mounted in tarp shield for Slide N Go Tarp Only	
Tailgate Lights	None Required	
Tailgate Post Lights	None Required	
Signal Lights on Sides	Located in the Siderail	
Reverse Lights below the rai	None Required	
Light Shield	1/4 in. x 4 in.	\$273

Options & NPOs:	27	Weight:	208	Price:	(\$1,177)
----------------------------	----	----------------	-----	---------------	-----------

Approved for:	Remorques Lewis Inc.		
Dealer Branch:	Main Branch - La Presentation		
Sales Person:	Pierre-Antony Cote		
Customer:	Double Run		
Work Order #		Serial Number:	
Sales Order #		PO Number:	
PO Date:		Delivery Date:	
Order Date:		Payment Terms:	Net 10 Days
Prepared by:	Avery Briggs		
Authorized Signature:			
QUOTE IS VALID FOR 15 DAYS			

Invoicing Information Per Trailer		
Gross Price (CAD)		\$132,313
Slot Program Discount	1.0%	-\$1,323
Subtotal		\$130,990
	0.0%	\$0
Subtotal		\$130,990
	0.0%	\$0
Payable in CDN Funds:		\$130,990
FOB Milton, Ontario		
APPLICABLE TAXES & SHIPPING NOT INCLUDED		

Special Instructions

* Represents Major Component Changes (requires Structural Alterations and cannot be included on finished Trailer Products)