



Date Printed: 17-Mar-23

**End Dump 4X****End Dump 4X****End Dumps**

|                            |           |                    |                          |                     |        |                   |           |
|----------------------------|-----------|--------------------|--------------------------|---------------------|--------|-------------------|-----------|
| <b>Promotional Drawing</b> | 21-Mar-23 | <b>Approved By</b> | <input type="checkbox"/> | <b>Base Weight:</b> | 21,000 | <b>Base Price</b> | \$133,490 |
|----------------------------|-----------|--------------------|--------------------------|---------------------|--------|-------------------|-----------|

**TRAILER**

|                             |                          |           |
|-----------------------------|--------------------------|-----------|
| <b>Overall Frame Length</b> | *NPO*: 28 ft             | Included  |
| <b>Overall Box Length</b>   | *NPO*: 28 ft.            | (\$8,416) |
| <b>Width</b>                | 96 in with 102 in Frame  |           |
| <b>Board Size</b>           | None Required            |           |
| <b>Wall Height</b>          | 60 in                    | \$316     |
| <b>Weight lbs +/- 3%</b>    | 21198, including options |           |
| <b>Cubic Yard Capacity</b>  | 81.08                    |           |

**CHASSIS**

|                                    |                                                                                                |           |
|------------------------------------|------------------------------------------------------------------------------------------------|-----------|
| <b>Frame Construction</b>          | 18 in. Extruded Aluminum Beam Construction, Milled Finish                                      |           |
| <b>King Pin Height</b>             | 49 in.                                                                                         |           |
| <b>King Pin Location</b>           | 18 in.                                                                                         |           |
| <b>Fifth Wheel Plate</b>           | *NPO*: 3/8 in                                                                                  | Included  |
| <b>Wear Pad</b>                    | 6 in. Braided rubber on top of frame to act as buffer between box and frame                    |           |
| <b>Ride Axle Configuration</b>     | *NPO*: 4 of 25,000 lbs Capacity                                                                | Included  |
| <b>Extra Lift Kit</b>              | *NPO*: UBL-002 on Lead                                                                         | Included  |
| <b>Lift Axle Control Valve</b>     | RA220-IN                                                                                       |           |
| <b>Steer Axle Configuration</b>    | *NPO*: None Required                                                                           |           |
| <b>Axle Spread</b>                 | 72 in. - 72 in. - 100 in                                                                       |           |
| <b>Ride Suspension</b>             | *NPO*: 4 of Hendrickson Intraax - Webb Slacks, TSE Long Stroke Booster, fixed                  | Included  |
| <b>Ride Suspension Control</b>     | Electric                                                                                       |           |
| <b>Wheel Monitor</b>               | None Required                                                                                  |           |
| <b>Bearing</b>                     | Propar Equal Inner and Outer                                                                   |           |
| <b>Hubs &amp; Drums</b>            | Duralight Hubs and Drums                                                                       |           |
| <b>Brakes</b>                      | 16 1/2 x 7 Drum                                                                                |           |
| <b>Dust Shields</b>                | Included                                                                                       |           |
| <b>Ride Rims</b>                   | 8, 8.25 x 22.5 Aluminum Alcoa, high Polish outside; 8.25 x 22.5 - Steel - Painted White inside | (\$3,119) |
| <b>Ride Tires</b>                  | 11R22.5 Continental HSR-2                                                                      |           |
| <b>Suspension Hanger</b>           | Galvanized                                                                                     | \$390     |
| <b>Hubmeter</b>                    | None Required                                                                                  |           |
| <b>Spare Tire Carrier</b>          | None Required                                                                                  |           |
| <b>ABS</b>                         | Wabco 2S/1M                                                                                    |           |
| <b>Weight Gauge</b>                | Located on front at 45 degree                                                                  |           |
| <b>Frame Finish</b>                | Milled, Non Polished                                                                           |           |
| <b>Paint Color for Steel Compo</b> | Black                                                                                          |           |
| <b>Board Color</b>                 | None Required                                                                                  |           |
| <b>Mudflaps</b>                    | 3 Flaps Across the Rear of the Trailer                                                         |           |
| <b>Mudflaps</b>                    | Extra set w/ brackets: Short flaps in front of front axle                                      | \$195     |
| <b>Fenders on Front</b>            | None Required                                                                                  |           |
| <b>Fenders Over Axles</b>          | *NPO*: None Required                                                                           | (\$1,200) |
| <b>Calcium Tank</b>                | *NPO*: None Required                                                                           | Included  |
| <b>Air Tanks</b>                   | Aluminum                                                                                       |           |
| <b>Landing Gear</b>                | Aluminum Jost 10 year, no lube w/paintee gear and braces                                       | \$325     |
| <b>Toolbox</b>                     | None Required                                                                                  |           |



Date Printed: 17-Mar-23

## End Dump 4X

### End Dump 4X

### End Dumps

|                     |           |             |                          |              |        |            |           |
|---------------------|-----------|-------------|--------------------------|--------------|--------|------------|-----------|
| Promotional Drawing | 21-Mar-23 | Approved By | <input type="checkbox"/> | Base Weight: | 21,000 | Base Price | \$133,490 |
|---------------------|-----------|-------------|--------------------------|--------------|--------|------------|-----------|

|                              |                                                                                                           |          |
|------------------------------|-----------------------------------------------------------------------------------------------------------|----------|
| CHASSIS                      |                                                                                                           |          |
| Bumper                       | *NPO*: HD Michigan style                                                                                  | Included |
| BOC CONSTRUCTION             |                                                                                                           |          |
| Style                        | *NPO*: Steel                                                                                              |          |
| Wall Panels                  | *NPO*: 1/4 in. AR450F Hardox                                                                              |          |
| Floor Construction           | *NPO*: 1/4 in AR450F Hardox single sheet                                                                  | Included |
| Floor Liner                  | None Required                                                                                             |          |
| Bulkhead Construction        | *NPO*: 1/4 in., 65 Deg slope nose                                                                         | Included |
| Tailgate                     | *NPO*: 1/4 in. Hardox 450                                                                                 | Included |
| Tailgate Slope               | Straight                                                                                                  |          |
| Tailgate Type                | *NPO*: Overslung (Hinged at top) Air-assist hi-lift                                                       | Included |
| Tailgate Locks (Stainless)   | Air Cylinder                                                                                              | \$974    |
| Compression Locks            | Set(s): 1 per side of tailgate                                                                            | \$234    |
| Rear Tailgate Seal           | Rubber Seal                                                                                               |          |
| Grain Chute                  | None Required                                                                                             |          |
| Sock Adapter                 | None Required                                                                                             |          |
| Header Type                  | None Required                                                                                             |          |
| Tarp                         | None Required                                                                                             |          |
| Tarp Drive                   | None Required                                                                                             |          |
| Front Tarp Shield            | None Required                                                                                             |          |
| Rear Tarp Shield             | None Required                                                                                             |          |
| Tarp Color                   | None Required                                                                                             |          |
| Tarp Supplies                | None Required                                                                                             |          |
| Cross Pipes                  | None Required                                                                                             |          |
| Man Door                     | None Required                                                                                             |          |
| Hoist Size                   | *NPO*: Custom 8-5-235                                                                                     |          |
| Square Offs                  | None Required                                                                                             | (\$121)  |
| Catwalk                      | None Required                                                                                             |          |
| Shovel Holder                | *NPO*: Located on curb-side                                                                               | Included |
| Asphalt Lip                  | None Provided (If required It is 8 in. with no compression locks and 6 in. with bottom compression locks) |          |
| Steps - Front, Driver Side   | *NPO*: Fixed steel ladder; located on outside                                                             | Included |
| Steps - Rear, Driver Side    | *NPO*: Steel ladder                                                                                       | Included |
| Steps - Front Passenger Side | None Required                                                                                             |          |
| Steps - Rear, Passenger Side | None Required                                                                                             |          |
| Jug Holder                   | None Required                                                                                             |          |
| Fork Lift Package            | None Required                                                                                             |          |
| Hydraulic Hose               | 9 ft. With Winged Hose Ends                                                                               | Included |
| Document Holder              | Standard Round                                                                                            |          |
| Remote Grease Block          | *NPO*: Single point at rear with hoist grease                                                             | Included |
| Cab Shield                   | *NPO*: 12 in.                                                                                             | Included |
| Rear Skirt                   | *NPO*: Alum diamond plate full lengt                                                                      | Included |
| Spreader Chains              | *NPO*: Included, with cover                                                                               | Included |
| LIGHTING/ELECTRICAL          |                                                                                                           |          |
| Electrical System            | Grote                                                                                                     |          |



Date Printed: 17-Mar-23

## End Dump 4X

### End Dump 4X

### End Dumps

|                     |           |             |                          |              |        |            |           |
|---------------------|-----------|-------------|--------------------------|--------------|--------|------------|-----------|
| Promotional Drawing | 21-Mar-23 | Approved By | <input type="checkbox"/> | Base Weight: | 21,000 | Base Price | \$133,490 |
|---------------------|-----------|-------------|--------------------------|--------------|--------|------------|-----------|

#### LIGHTING/ELECTRICAL

|                              |                                                                                 |
|------------------------------|---------------------------------------------------------------------------------|
| Lights                       | LED CMVSS 108 / FMVSS 108                                                       |
| LED Type                     | Colored                                                                         |
| Rear Lighting                | *NPO*: 9 of 4 in. at rear, grouped by 3 (ooo ooo ooo) Included                  |
| Rear Center Plate Lights     | *NPO*: Pair of 2 1/2 in.                                                        |
| Lights Located in Bottom Rai | *NPO*: 5 of 2 1/2 in. Aber evenly spaced per side                               |
| Lights Located in Top Wall   | None Required                                                                   |
| Tarp Shield Lights           | None Required. They can only be mounted in tarp shield for Slide N Go Tarp Only |
| Tailgate Lights              | None Required                                                                   |
| Tailgate Post Lights         | None Required                                                                   |
| Signal Lights on Sides       | Located in the Siderail                                                         |
| Reverse Lights below the rai | None Required                                                                   |
| Light Shield                 | 1/4 in. x 4 in. \$273                                                           |

|                 |    |         |     |        |            |
|-----------------|----|---------|-----|--------|------------|
| Options & NPOs: | 37 | Weight: | 198 | Price: | (\$10,150) |
|-----------------|----|---------|-----|--------|------------|

|                            |                               |                |             |
|----------------------------|-------------------------------|----------------|-------------|
| Approved for:              | Remorques Lewis Inc.          |                |             |
| Dealer Branch:             | Main Branch - La Presentation |                |             |
| Sales Person:              | Pierre-Antony Cote            |                |             |
| Customer:                  | Double Run                    |                |             |
| Work Order #               |                               | Serial Number: |             |
| Sales Order #              |                               | PO Number:     |             |
| PO Date:                   |                               | Delivery Date: |             |
| Order Date:                |                               | Payment Terms: | Net 10 Days |
| Prepared by:               | Avery Briggs                  |                |             |
| Authorized Signature:      |                               |                |             |
|                            |                               |                |             |
| QUOTE IS VALID FOR 15 DAYS |                               |                |             |

| Invoicing Information Per Trailer                                                 |      |           |
|-----------------------------------------------------------------------------------|------|-----------|
| Gross Price (CAD)                                                                 |      | \$123,340 |
| Slot Program Discount                                                             | 1.0% | -\$1,233  |
| Subtotal                                                                          |      | \$122,107 |
|                                                                                   | 0.0% | \$0       |
| Subtotal                                                                          |      | \$122,107 |
|                                                                                   | 0.0% | \$0       |
| Payable in CDN Funds:                                                             |      | \$122,107 |
| <b>FOB Milton, Ontario</b><br><b>APPLICABLE TAXES &amp; SHIPPING NOT INCLUDED</b> |      |           |

#### Special Instructions

\* Represents Major Component Changes (requires Structural Alterations and cannot be included on finished Trailer Products)