CODEFORCES
Sponsored by Telegram

AmPieSamPie | Logout

HOME TOP CATALOG CONTESTS GYM PROBLEMSET GROUPS RATING EDU API CALENDAR HELP

PROBLEMS SUBMIT CODE MY SUBMISSIONS STATUS STANDINGS CUSTOM INVOCATION

B. Count the Inversion Revisited

time limit per test: 1 second
memory limit per test: 256 megabytes

Forbidden Keywords for the Quiz: open, file, creat(, fstream, thread, process, system(, exec(

You are given an array A of N integers. Find the number of pairs of indexes (i, j) such that $i < j$ and $A[i] > A[j]^2$.

Input

The first line contains an integer N $(1 \leq N \leq 10^5)$ — denoting the length of the list.

In the next line, there will be N integers $a_1, a_2, a_3 \ldots a_n$ $(-10^6 \leq a_i \leq 10^6)$ separated by spaces.

Output

Output a single integer - number of such pairs.

Examples

input	Copy
6 10 2 5 1 -2 25	

output	Copy
6	

input	Copy
5 5 4 3 -2 -1	

output	Copy
4	

CSE221 Assignment 03 Fall 2026

Contest is running

6 days

Contestant

→ **Submit?**

Language: Java 21 64bit

Choose file: Choose File No file chosen

Success!

CLOUDFLARE
Privacy • Help

Submit

Codeforces (c) Copyright 2010-2026 Mike Mirzayanov
The only programming contests Web 2.0 platform
Server time: Nov/02/2026 08:33:31 UTC+6 (k2).
Desktop version, switch to mobile version.
Privacy Policy | Terms and Conditions

Supported by