

Modules

Date and Time in Python

Python provides a module named `datetime` to deal with dates and times.

It allows you to set `date`, `time` or both `date` and `time` using the `date()`, `time()` and `datetime()` functions respectively, after importing the `datetime` module.

```
import datetime
feb_16_2019 = datetime.date(year=2019,
month=2, day=16)
feb_16_2019 = datetime.date(2019, 2, 16)
print(feb_16_2019) #2019-02-16
```

```
time_13_48min_5sec
= datetime.time(hour=13, minute=48,
second=5)
time_13_48min_5sec = datetime.time(13,
48, 5)
print(time_13_48min_5sec) #13:48:05
```

```
timestamp= datetime.datetime(year=2019,
month=2, day=16, hour=13, minute=48,
second=5)
timestamp = datetime.datetime(2019, 2,
16, 13, 48, 5)
print (timestamp) #2019-01-02 13:48:05
```

Aliasing with 'as' keyword

In Python, the `as` keyword can be used to give an alternative name as an alias for a Python module or function.

```
# Aliasing matplotlib.pyplot as plt
from matplotlib import pyplot as plt
plt.plot(x, y)
```

```
# Aliasing calendar as c
import calendar as c
print(c.month_name[1])
```

The Python **import** statement can be used to import Python modules from other files.

Modules can be imported in three different ways:

`import module` , `from module import functions` ,or `from module import *` .

`from module import *` is discouraged, as it can lead to a cluttered local namespace and can make the namespace unclear.

Three different ways to import modules:

First way

```
import module
module.function()
```

Second way

```
from module import function
function()
```

Third way

```
from module import *
function()
```

random.randint() and random.choice()

In Python, the `random` module offers methods to simulate non-deterministic behavior in selecting a random number from a range and choosing a random item from a list.

The `randint()` method provides a uniform random selection from a range of integers. The

`choice()` method provides a uniform selection of a random element from a sequence.

Returns a random integer N in a given range, such that $start \leq N \leq end$

`random.randint(start, end)`

```
r1 = random.randint(0, 10)
```

```
print(r1) # Random integer where  $0 \leq r1 \leq 10$ 
```

Prints a random element from a sequence

```
seq = ["a", "b", "c", "d", "e"]
```

```
r2 = random.choice(seq)
```

```
print(r2) # Random element in the sequence
```

Module importing

In Python, you can import and use the content of another file using `import filename` , provided that it is in the same folder as the current file you are writing.

file1 content

```
# def f1_function():
```

```
#     return "Hello World"
```

file2

```
import file1
```

Now we can use `f1_function`, because we imported `file1`

```
f1_function()
```