



ERODE SENGUNTHAR ENGINEERING COLLEGE AUTONOMOUS

PERUNDURAI, ERODE - 638 057



BONAFIDE CERTIFICATE

Register No.

Certified that this is the Bonafide Record of Work Done

Name of the Student : _____

Branch : _____

Name of the Lab : _____

Semester / Year : _____

Faculty Incharge

Head of the Department

*Submitted for the End Semester Practical Examination
held on*

Internal Examiner

External Examiner

INDEX

EX No.	DATE	EXPERIMENT NAME	PAGE No.	MARK	REMARKS
1		Create a website for your College / Organization.the website should consists of minimum 5 pages			
2		Use Inline, Embedded and Embedded Style sheet to Design the website			
3		Create a web page to display HTML Form (Registration, Feedback, Credit Card Details Entry etc.) and validate the necessary HTML Form Elements			
4		Create a Web page to demonstrate The following events Mouse events Button click events,Text Events			
5		Design a web page with Top Navigation Menu with necessary Menu Items			
6		Develop the alumni portal for your college using PHP & MYSQL based web application			
7		Create a XML Document to store Students details of Your Department. Create a user Interface to search and display student details in HTML Table			
8		Develop a AJAX based application to fetch data from Database			
Content Beyond Syllabus					
9		Develop Angular JS based web application to display data from MySQL database			

Exno: 01

Date:

Create a website for your College / Organization. The website should consist of minimum 5 pages with necessary information

Aim

To create a multi-page website for Erode Sengunther Engineering College, providing information about the college, its achievements, events, and contact details.

Algorithm

1. Set Up HTML Structure: Create separate HTML files for each section (Home, About, Achievements, Location, Contact).
2. Design Navigation: Implement a consistent navigation menu in each page for easy access to different sections.
3. Add Content: Populate each page with relevant information, including headers, paragraphs, and images.
4. Style Pages: Use CSS to style the layout, ensuring a cohesive look across all pages.
5. Create Hero Section: Include an engaging hero section on the homepage to attract visitors.
6. Implement Gallery: Add a gallery on the About page to showcase college images.
7. Display Achievements: List the college's achievements and awards on the Achievements page with proper headings.
8. Embed Map: Include a Google Map iframe on the Location page for easy navigation.
9. Contact Form: Implement a contact form on the Contact page to allow visitors to send inquiries.
10. Ensure Responsiveness: Test the website on different devices to ensure a responsive design for all screen sizes

Index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>College - Home</title>
  <link rel="stylesheet" href="style.css">
  <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/font-awesome/6.0.0-beta3/css/all.min.css">
</head>
```

```
<body>
  <header>
    <h1>Erode Sengunther Engineering College</h1>
    <h2>Autonomous</h2>
    <nav>
      <ul>
        <li><a href="index.html">Home</a></li>
        <li><a href="about.html">About</a></li>
        <li><a href="achievements.html">Achievements</a></li>
        <li><a href="location.html">Location</a></li>
        <li><a href="contact.html">Contact</a></li>
      </ul>
    </nav>
  </header>
  <main>
    <section class="hero">
      <h2>Welcome to Erode Sengunthar Engineering College</h2>
      <p>Empowering students with quality education and innovative learning.</p>
    </section>
    <section class="content">
      <h3>Our Courses</h3>
      <ul>
        <li>Bachelor of Engineering in Computer Science</li>
        <li>Bachelor of Engineering in Electrical and Electronics</li>
        <li>Bachelor of Engineering in Mechanical Engineering</li>
        <li>Bachelor of Engineering in Civil Engineering</li>
        <li>Master of Business Administration (MBA)</li>
        <li>Master of Computer Applications (MCA)</li>
      </ul>
      <h3>Why Choose Us?</h3>
      <p>We offer a range of undergraduate and postgraduate courses designed to equip students with the skills and knowledge needed for success in their careers. Our experienced faculty, state-of-the-art facilities, and industry connections ensure a comprehensive learning experience.</p>
      <h3>Get Started</h3>
      <p>Interested in joining us? Visit our <a href="contact.html">admissions page</a> for more information on how to apply.</p>
    </section>
  </main>
  <footer>
    <p>&copy; 2024 Erode Sengunther Engineering College. All rights reserved.</p>
    <div class="social-media">
      <a href="https://www.instagram.com" target="_blank" style="color:
blanchedalmond;"><i class="fab fa-instagram"></i></a>
```

```
        <a href="https://www.youtube.com" target="_blank" style="color: aliceblue;"><i
class="fab fa-youtube"></i></a>
    </div>
</footer>
</body>
</html>
```

About.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>College Event - About</title>
    <link rel="stylesheet" href="style.css">
    <link rel="stylesheet" href="style1.css">
</head>
<body>
    <header>
        <h1>Explore Our College</h1>
        <nav>
            <ul>
                <li><a href="index.html">Home</a></li>
                <li><a href="about.html">About</a></li>
                <li><a href="schedule.html">Achievements</a></li>
                <li><a href="speakers.html">Location</a></li>
                <li><a href="contact.html">Contact</a></li>
            </ul>
        </nav>
    </header>
    <main>
        <section>
            <h2 class="new">Overview</h2>
        </section>
        <div class="gallery-container">
            
            
            
            
        </div>
    </main>
    <footer>
```

```
        <p>&copy; 2024 Erode Sengunther Engineering College. All rights reserved.</p>
    </footer>
</body>
</html>
```

Schedule.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>College Event - Schedule</title>
    <link rel="stylesheet" href="style.css">
    <link rel="stylesheet" href="style2.css">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0-
beta3/css/all.min.css">
</head>
<body>
    <header>
        <h1>Achievements</h1>
        <nav>
            <ul>
                <li><a href="index.html">Home</a></li>
                <li><a href="about.html">About</a></li>
                <li><a href="schedule.html">Achievements</a></li>
                <li><a href="speakers.html">Location</a></li>
                <li><a href="contact.html">Contact</a></li>
            </ul>
        </nav>
    </header>
    <main>
        <section>
            <h2 class="h2">Achievements</h2>
            <div class="footer">
                <div class="container">
                    <div class="achievements">
                        <h2>College Achievements</h2>
                        <ul class="ul">
                            <li>Accredited with 'A+' grade by NAAC</li>
                            <li>Ranked among the top 50 engineering colleges in the state</li>
                            <li>Won the "Best Innovative College" award</li>
                        </ul>
                    </div>
                </div>
            </div>
        </section>
    </main>
</body>
</html>
```



```
<title>College Event - Speakers</title>

<link rel="stylesheet" href="style.css">

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0-beta3/css/all.min.css">

</head>

<body>

  <header>

    <h1>Location</h1>

    <nav>

      <ul>

        <li><a href="index.html">Home</a></li>

        <li><a href="about.html">About</a></li>

        <li><a href="schedule.html">Achievements</a></li>

        <li><a href="speakers.html">Location</a></li>

        <li><a href="contact.html">Contact</a></li>

      </ul>

    </nav>

  </header>

  <main>

    <section>

      <p class="pass"><iframe
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d3912.2965510126837!
2d77.54792207452371!3d11.313021649068034!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!
3m3!1m2!1s0x3ba9132f4f89e445%3A0x81f682bd38f8a702!2sErode%20Sengunthar%20En
gineering%20College!5e0!3m2!1sen!2sin!4v1726152897733!5m2!1sen!2sin" width="600"
height="450" style="border:0;" allowfullscreen="" loading="lazy" referrerpolicy="no-
referrer-when-downgrade"></iframe></p>

    </section>

  </main>

  <footer>

    <p>&copy; 2024 Erode Sengunther Engineering College. All rights reserved.</p>

    <div class="social-media">
```



```
<a href="https://www.instagram.com" target="_blank" style="color:
blanchedalmond;"><i class="fab fa-instagram"></i></a>

<a href="https://www.youtube.com" target="_blank" style="color: aliceblue;"><i
class="fab fa-youtube"></i></a>

</div>

</footer>

</body>

</html>
```

Contact.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>College Event - Contact</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <header>
    <h1>Contact Us</h1>
    <nav>
      <ul>
        <li><a href="index.html">Home</a></li>
        <li><a href="about.html">About</a></li>
        <li><a href="schedule.html">Achievements</a></li>
        <li><a href="speakers.html">Location</a></li>
        <li><a href="contact.html">Contact</a></li>
      </ul>
    </nav>
  </header>
  <main>
    <section>
      <h2>Contact Information</h2>
      <p>Email: esec@cse.com</p>
      <p>Phone:8072935894</p>

      <h2 class="h">Send Us a Message</h2>
```

```

    <form action="#" method="post">
      <label for="name">Name:</label>
      <input type="text" id="name" name="name" required>
      <br>
      <label for="email">Email:</label>
      <input type="email" id="email" name="email" required>
      <br>
      <label for="message">Phone:</label>
      <textarea id="message" name="message" required></textarea>
      <br>
      <button type="submit" style="background-color: rgb(235, 235,
87);">Send</button>
    </form>
  </section>
</main>
<footer>
  <p>&copy; 2024 Erode Sengunther Engineering College. All rights reserved.</p>
  <div class="social-media">
    <a href="https://www.instagram.com" target="_blank" style="color:
blanchedalmond;"><i class="fab fa-instagram"></i></a>
    <a href="https://www.youtube.com" target="_blank" style="color: aliceblue;"><i
class="fab fa-youtube"></i></a>
  </div>
</footer>
</body>
</html>

```

Style.css

```

body {
  font-family: 'Roboto', sans-serif;
  margin: 0;
  padding: 0;
  line-height: 1.6;
}

header {
  background: linear-gradient(135deg, #0056b3, #007bff);
  color: white;
  padding: 1rem;
  text-align: center;
  box-shadow: 0 4px 8px rgba(0, 0, 0, 0.1);
}

nav ul {

```

```
    list-style: none;
    padding: 0;
    text-align: center;
}

nav li {
    display: inline;
    margin: 0 1rem;
}

nav a {
    color: white;
    text-decoration: none;
    font-weight: bold;
    transition: color 0.3s;
}

nav a:hover {
    color: #ffd700;
}

.hero {
    background: url('college.jpg') no-repeat center center;
    background-size: cover;
    color: white;
    padding: 5rem 1rem;
    text-align: center;
    position: relative;
    overflow: hidden;
}

.hero::after {
    content: "";
    position: absolute;
    top: 0;
    left: 0;
    width: 100%;
    height: 100%;
    background: rgba(0, 0, 0, 0.5);
}

.hero h2 {
    font-size: 3rem;
    z-index: 1;
    position: relative;
}

.hero p {
```

```
    font-size: 1.2rem;
    z-index: 1;
    position: relative;
}

.content {
    padding: 2rem;
    background: #f8f9fa;
}

.content h3 {
    color: #cd42af;
    border-bottom: 2px solid #0056b3;
    padding-bottom: 0.5rem;
}

ul {
    list-style: none;
    padding: 0;
}

ul li {
    background: #e9ecef;
    margin: 0.5rem 0;
    padding: 0.5rem;
    border-left: 5px solid #0056b3;
}

footer {
    background: #333;
    color: white;
    padding: 1rem;
    text-align: center;
}

.social-media a {
    margin: 0 0.5rem;
    color: white;
    transition: color 0.3s;
}

.social-media a:hover {
    color: #ffd700;
}
```

Style1.css

```
body {
    margin: 0;
    background-color: #f8f9fa;
    font-family: 'Arial', sans-serif;
}
.gallery-container {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(240px, 1fr));
    grid-gap: 30px;
    padding: 40px;
}
.gallery-container img {
    width: 100%;
    height: auto;
    object-fit: cover;
    border-radius: 15px;
    transition: transform 0.3s, box-shadow 0.3s;
    box-shadow: 0 6px 15px rgba(0, 0, 0, 0.2);
}
.gallery-container img:hover {
    transform: scale(1.1);
    box-shadow: 0 12px 25px rgba(216, 132, 132, 0.3);
}
header {
    background: linear-gradient(90deg, #608ba8, #43618b);
    color: #fff;
    padding: 2em 0;
    text-align: center;
    box-shadow: 0 4px 15px rgba(0, 0, 0, 0.2);
}
header h1 {
    margin: 0;
    font-size: 2.8em;
}
nav ul {
    list-style: none;
    padding: 0;
    display: flex;
    justify-content: center;
    margin: 0;
}
nav ul li {
```

```
        margin: 0 25px;
    }
    nav ul li a {
        color: #fff;
        text-decoration: none;
        font-weight: bold;
        transition: color 0.3s, transform 0.3s;
    }
    nav ul li a:hover {
        color: #ff6f61;
        transform: scale(1.1);
    }
    footer {
        background: #4f96d8;
        color: #fff;
        text-align: center;
        padding: 2em 0;
        position: relative;
        bottom: 0;
        width: 100%;
        box-shadow: 0 -4px 15px rgba(0, 0, 0, 0.2);
    }
    footer .social-media {
        margin-top: 10px;
    }
    footer .social-media a {
        color: #fff;
        margin: 0 10px;
        font-size: 1.5em;
        transition: color 0.3s;
    }
    footer .social-media a:hover {
        color: #ff6f61;
    }
}
```

Style2.css

```
.footer {
    padding: 30px;
    color: black;
    background-color: aliceblue;
    border-radius: 30px;
    font-size: 15px;
}
```

```
.footer .container {  
  display: flex;  
  justify-content: space-between;  
}
```

```
.footer .achievements,  
.footer .sports,  
.footer .placements {  
  width: 20%;  
}
```

```
.footer h2 {  
  margin-bottom: 20px;  
  font-size: 24px;  
  text-transform: uppercase;  
  border-bottom: 2px solid white;  
  padding-bottom: 10px;  
}
```

```
.footer .ul {  
  list-style-type: none;  
  padding-left: 0;  
  text-transform: uppercase;  
}
```

```
.footer .ul li {  
  margin-bottom: 10px;  
}
```

Output

Erode Sengunther Engineering College

Autonomous

[Home](#)[About](#)[Achievements](#)[Location](#)[Contact](#)

Welcome to Erode Sengunthar Engineering College

Empowering students with quality education and innovative learning.

Our Courses

Bachelor of Engineering in Computer Science

Bachelor of Engineering in Electrical and Electronics

Bachelor of Engineering in Mechanical Engineering

Bachelor of Engineering in Civil Engineering

Master of Business Administration (MBA)

Explore Our College

[Home](#)[About](#)[Achievements](#)[Location](#)[Contact](#)

Overview









© 2024 Erode Sengunther Engineering College. All rights reserved.

Achievements

[Home](#)[About](#)[Achievements](#)[Location](#)[Contact](#)

Achievements

COLLEGE ACHIEVEMENTS

ACCREDITED WITH 'A+' GRADE BY NAAC

RANKED AMONG THE TOP 50 ENGINEERING COLLEGES IN THE STATE

WON THE "BEST INNOVATIVE COLLEGE" AWARD

SPORTS ACHIEVEMENTS

INTER-COLLEGE FOOTBALL CHAMPIONSHIP WINNERS 2023

GOLD MEDAL IN NATIONAL LEVEL ATHLETICS 2022

STATE-LEVEL CRICKET TOURNAMENT RUNNERS-UP 2023

PLACEMENT ACHIEVEMENTS



95% PLACEMENT RATE FOR THE 2023 BATCH

HIGHEST PACKAGE OF ₹20 LPA OFFERED IN 2023

TOP RECRUITERS INCLUDE GOOGLE, MICROSOFT, AND TCS

© 2024 Erode Sengunther Engineering College. All rights reserved.





OBSERVATION	20	
RECORD	15	
VIVA	10	
TOTAL	45	

Result

Developed a multi-page website for the college, featuring essential information about courses, faculty, events, and contact details. The design is user-friendly and visually appealing and is executed successfully.

Exno: 02

Use Inline, Embedded and External style sheet to design the website

Date:

Aim

To create a multi-frame web application that provides information about tourism in Erode District, including places to visit, hotels, and general information about the district.

Algorithm

1. Create Main Frame: Design a main frame using `start.html` that splits the window into a top section and a main content area.
2. Add Navigation: Implement a sidebar (`side.html`) with links to different pages (About Erode, Places to Visit, Hotels) that load in the center frame.
3. Design Content Pages: Develop individual HTML pages (`aboutErode.html`, `places.html`, `hotel.html`) containing detailed information and images relevant to each topic.
4. Style Pages: Apply CSS for consistent styling across all pages, enhancing readability and aesthetics.
5. Implement Header: Use `top.html` to display a header with the title "Erode District Tourism" at the top of the frame.
6. Create Place Descriptions: In `places.html`, provide descriptions and images for notable tourist attractions in Erode.
7. List Hotels: In `hotel.html`, include detailed listings of hotels with addresses and contact information.
8. Home Page Content: Use `center.html` for a welcoming home page, highlighting the tourism portal.
9. Ensure Navigation Functionality: Set the target for links in `side.html` to load content into the center frame.
10. Test for Compatibility: Check that all pages and links function properly within the frame structure in various browsers

center.html

```
<!DOCTYPE html>
<html lang="en">
<head>
```

```
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Home Page - Erode District Tourism Information</title>
<link rel="stylesheet" href="mystyle.css">
</head>
<body>
  <h1>WELCOME TO ERODE DISTRICT</h1>
  <h2>TOURISM PORTAL</h2>

  <table>
    <thead>
      <tr>
        <th>Tourist Place</th>
        <th>Bus Route</th>
      </tr>
    </thead>
    <tbody>
      <tr>
        <td>Bhavani Sangameshwarar Temple</td>
        <td>Bus No. 1, 2, 3</td>
      </tr>
      <tr>
        <td>Kodiveri Dam</td>
        <td>Bus No. 5, 6</td>
      </tr>
      <tr>
        <td>Vellode Bird Sanctuary</td>
        <td>Bus No. 7, 8</td>
      </tr>
      <tr>
        <td>Periya Mariamman Temple</td>
        <td>Bus No. 4, 10</td>
      </tr>
      <tr>
        <td>Thindal Murugan Temple</td>
        <td>Bus No. 9, 11</td>
      </tr>
    </tbody>
  </table>
</body>
</html>
```

aboutErode.html

```
<!DOCTYPE html>
<html>
<head>
<title>About Erode</title>
</head>
<body>
<h3 style="color:red; font-family:Arial; text-align:center">About Erode District
</font></h3>
<p style=" color:dark gray; font-family:verdana; text-align:justify; font-size:15px">
Erode District lies on the extreme north of Tamil Nadu. It is bounded mostly by Karnataka
State and also River Palar covers pretty long distance. To the East lies Namakkal and Karur
Districts. Dindigal District is its immediate neighbour to the South and on the West, it has
Coimbatore and Nilgiri Districts, as its boundaries. Thus Erode District is essentially a land-
locked area having no sea-cost of its own. Erode District situated at between 10 36” and 11
58” North Latitude and between 76 49” and 77 58” East Longitude.
The region comprised in the district can be portrayed as a long undulating plain gently
sloping towards the river Cauvery in the south-east. The three major tributaries of river
Cauvery viz. Bhavani, Noyyal and Amaravathy drain the long stretch of mountains in the
north. A part of the eastern boundary of the district is formed by river Cauvery, entering the
district from Salem and flowing in a southerly direction.
</p>
</body>
</html>
```

hotels.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<link rel="stylesheet" type="text/css" href="mystyle.css">
<title>Hotels @ Erode</title>
</head>
<body>
<div class="container">
<header>
<h1>Hotels ERODE Paradise</h1>
</header>

<div class="hotel">
```

```
<h2>Taj Coramandal</h2>
<p>HOTEL TAJ CORAMANDAL<br>
  Opp. Telephone Bhavan,<br>
  1-A, S.K. Road, Erode - 638 001,<br>
  Tamil Nadu, INDIA.
</p>
<p>Phone: +91 4272333, 4272444, 4272555<br>
  Fax: 0424 - 472556<br>
  Email: <a href="mailto:hotelpalace@gmail.com">hotelpalace@gmail.com</a>
</p>
</div>

<div class="hotel">
  <h2>Hotel Paris Club</h2>
  <p>PARIS CLUB (P) LTD.,<br>
    SF 314, 315, Perundurai Road,<br>
    Erode - 638 011
  </p>
  <p>Phone: 2267440, 2260612<br>
    Fax: 2268323
  </p>
</div>

<div class="hotel">
  <h2>Hotel Le Jardin</h2>
  <p>HOTEL LE JARDIN,<br>
    123, Garden Street,<br>
    Erode - 638 012,<br>
    Tamil Nadu, INDIA.
  </p>
  <p>Phone: +91 4271234, 4275678<br>
    Email: <a href="mailto:info@le-jardin.com">info@le-jardin.com</a>
  </p>
</div>
</div>
</body>
</html>
```

top.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Erode District Tourism</title>
  <link rel="stylesheet" href="mystyle.css">
```

```
</head>
<body>
  <header>
    <h1>Erode District Tourism</h1>
    <nav>
      <ul>
        <li><a href="places.html">About Places</a></li>
        <li><a href="center.html">centre</a></li>
        <li><a href="#activities">Activities</a></li>
        <li><a href="hotels.html">Contact Us</a></li>
      </ul>
    </nav>
  </header>

  <section id="attractions">
    <h2>Popular Attractions</h2>
    <p>Erode District is known for its rich cultural heritage and beautiful landscapes. Here are some must-visit places:</p>
    <ul>
      <li><strong>Bhavani Sangameshwarar Temple</strong>: A historic temple located at the confluence of the rivers Bhavani and Kaveri.</li>
      <li><strong>Kodiveri Dam</strong>: A scenic dam that offers breathtaking views and a peaceful environment.</li>
      <li><strong>Vellode Bird Sanctuary</strong>: A haven for bird watchers, home to various migratory and local bird species.</li>
      <li><strong>Periya Mariamman Temple</strong>: A famous temple known for its vibrant festivals and rituals.</li>
    </ul>
  </section>

  <section id="cuisine">
    <h2>Local Cuisine</h2>
    <p>Erode is famous for its unique culinary offerings. Don't miss out on trying:</p>
    <ul>
      <li><strong>Salem Brinjal Curry</strong>: A flavorful dish made with locally grown brinjals.</li>
      <li><strong>Vada Curry</strong>: A spicy and delicious curry served with rice or roti.</li>
      <li><strong>Traditional Sweets</strong>: Indulge in Erode's famous sweets like 'Erode Halwa' and 'Kadalai Maavu Ladoo'.</li>
    </ul>
  </section>
```

```
<section id="activities">
  <h2>Activities to Enjoy</h2>
  <p>Explore the vibrant culture and natural beauty of Erode through various
activities:</p>
  <ul>
    <li><strong>Trekking</strong>: Discover the scenic hills and nature trails.</li>
    <li><strong>Fishing</strong>: Enjoy fishing in the rivers and lakes.</li>
    <li><strong>Cultural Festivals</strong>: Experience the local festivals that showcase
the rich traditions of Erode.</li>
  </ul>
</section>
</body>
</html>
```

places.html

```
<!DOCTYPE html>
<html>
<head>
<title>Places to Visit</title>
<style type="text/css">
p.head1
{
font-size:large ;
font-family : Serif;
color:blue ;
text-align : center
}

div.p1
{
border-width:3px;
border-style:solid;
border-color:#ff9900;
color:"blue";

}

div.p2
{
border-width:3px;
border-style:solid;
border-color:#ff9900;
color:"gray";

}
```

```
div.p3
{
border-width:3px;
border-style:solid;
border-color:#ff9900;
color:"green";

}
```

```
div.p4
{
border-width:3px;
border-style:solid;
border-color:#ff9900;
color:"dark gray";

}
```

```
h3
{
text-align : center;
color : gray;
}
```

```
</style>
</head>
<body>
<p class= "head1"><u>Places to Visit</u></p>
```

```
<h3>Sangameswarar Temple </h3>
<center></center>
<div class="p1">
Sangameswarar Temple, Bhavani is about 12 kms. from Erode. Three rivers by name
Cauvery, Bhavani and invisible Amudha are merging at this pilgrimage place
</div>
```

```
<h3>Lord Murugan Hill Temple</h3>
<center></center>
<div class="p2">
```

```
i). Sivanmalai - is about 50 kms. from
Erode and very near to Kangayam
ii). Chennimalai - is about 30 kms. from
```

```
Erode and 12 kms from Perundurai
iii). Thindalmalai - is 5 kms from Erode
iv). Vattamalai - is about 5 kms from Kangayam
</div>
```



```

<h3>Bannari Amman Temple </h3>
<center></center>
<div class="p3">
Bannari Amman Temple is 75 kms away from Erode and 10 kms distance from
Sathyamangalam. It is the famous temple in Erode District and situated at the bottom
of the Western Ghats and on the way to Mysore.
</div>

<h3>Bhavani Sagar Dam </h3>
<center></center>
<div class="p4">
1.Bhavanisagar Dam is about 16 kms.from Sathyamangalam across the river Bhavani.
</div>
<h3>Kodiveri Water Falls </h3>
<center></center>
<div class="p4">

2.Kodiveri Dam is about 10 kms from Gobichettipalayam and 55 kms from Erode.
</div>
</body>
</html>

```

mystyle.css

```

body {
  font-family: 'Arial', sans-serif;
  background-color: #f5f5f5;
  margin: 0;
  padding: 0;
  display: flex;
  justify-content: center;
  align-items: center;
  min-height: 100vh;
}

.container {
  width: 90%;
  max-width: 800px;
  background: #ffffff;
  border-radius: 10px;
  box-shadow: 0 8px 16px rgba(0, 0, 0, 0.1);
  overflow: hidden;
}

```

```
header {  
  background-color: #ff5722;  
  color: white;  
  padding: 2rem 0;  
  text-align: center;  
  border-bottom: 4px solid #e64a19;  
}
```

```
header h1 {  
  margin: 0;  
  font-size: 2.5rem;  
}
```

```
.hotel {  
  padding: 2rem;  
  border-bottom: 1px solid #ddd;  
}
```

```
.hotel:last-child {  
  border-bottom: none;  
}
```

```
.hotel h2 {  
  color: #ff5722;  
  margin-top: 0;  
}
```

```
.hotel p {  
  margin: 0.5rem 0;  
  line-height: 1.6;  
}
```

```
.hotel a {  
  color: #ff5722;  
  text-decoration: none;  
}
```

```
.hotel a:hover {  
  text-decoration: underline;  
}
```

Output

Hotels ERODE Paradise

Taj Coramandal

HOTEL TAJ CORAMANDAL
Opp. Telephone Bhavan,
1-A, S.K. Road, Erode - 638 001,
Tamil Nadu, INDIA.
Phone: +91 4272333, 4272444, 4272555
Fax: 0424 - 472556
Email: hotelpalace@gmail.com

Hotel Paris Club

PARIS CLUB (P) LTD.,
SF 314, 315, Perundurai Road,
Erode - 638 011
Phone: 2267440, 2260612
Fax: 2268323

Hotel Le Jardin

HOTEL LE JARDIN,
123, Garden Street,
Erode - 638 012,
Tamil Nadu, INDIA.
Phone: +91 4271234, 4275678
Email: info@lejardin.com

Bhavani Sagar Dam



1.Bhavanisagar Dam is about 16 kms.from Sathyamangalam across the river Bhavani.

Kodiveri Water Falls



2.Kodiveri Dam is about 10 kms from Gobichettipalayam and 55 kms from Erode.

Places to Visit

Sangameswarar Temple



Sangameswarar Temple, Bhavani is about 12 kms. from Erode. Three rivers by name Cauvery, Bhavani and invisible Amudha are merging at this pilgrimage place

Lord Murugan Hill Temple



i). Sivamalai - is about 50 kms. from Erode and very near to Kangayam ii). Chennimalai - is about 30 kms. from Erode and 12 kms from Perundurai iii). Thudalmalai - is 5 kms from Erode iv). Vattamalai - is about 5 kms from Kangayam

Bannari Anman Temple



Bannari Anman Temple is 75 kms away from Erode and 10 kms distance from Sathyamangalam. It is the famous temple in Erode District and situated at the bottom of the Western Ghats and on the way to Mysore.

Erode District Tourism

- [About Places](#)
- [Centre](#)
- [Activities](#)
- [Contact Us](#)

Popular Attractions

Erode District is known for its rich cultural heritage and beautiful landscapes. Here are some must-visit places:

- **Bhavani Sangameshwarar Temple:** A historic temple located at the confluence of the rivers Bhavani and Kaveri.
- **Kodiveri Dam:** A scenic dam that offers breathtaking views and a peaceful environment.
- **Vellode Bird Sanctuary:** A haven for bird watchers, home to various migratory and local bird species.
- **Periya Mariamman Temple:** A famous temple known for its vibrant festivals and rituals.

Local Cuisine

Erode is famous for its unique culinary offerings. Don't miss out on trying:

- **Salem Brinjal Curry:** A flavorful dish made with locally grown brinjals.
- **Vada Curry:** A spicy and delicious curry served with rice or roti.
- **Traditional Sweets:** Indulge in Erode's famous sweets like 'Erode Halwa' and 'Kadalai Maavu Ladoo'.

Activities to Enjoy

Explore the vibrant culture and natural beauty of Erode through various activities:

- **Trekking:** Discover the scenic hills and nature trails.
- **Fishing:** Enjoy fishing in the rivers and lakes.
- **Cultural Festivals:** Experience the local festivals that showcase the rich traditions of Erode.

OBSERVATION	20	
RECORD	15	
VIVA	10	
TOTAL	45	

Result

Implemented inline, embedded, and external CSS stylesheets to enhance the visual presentation of the website. Created a cohesive and attractive layout across all pages and is executed successfully.

Exno: 03	Create a web page to display HTML Form (Registration, Feedback, Credit Card Details Entry etc.) and validate the necessary HTML Form Elements
Date:	

Aim

To create a web application with forms for user registration, feedback submission, and credit card entry, featuring client-side validation to ensure proper data input.

Algorithm

1. Setup HTML Structure: Create an HTML file with sections for Registration, Feedback, and Credit Card entry forms.
2. Form Elements: Include input fields for username, email, password, name, feedback, card details, and submission buttons.
3. Apply CSS Styles: Use internal styles for layout, colors, and input field designs to enhance the visual appearance.
4. Implement Validation: Create a JavaScript file to validate inputs for the registration and credit card forms.
5. Username Check: Ensure the username is at least 3 characters long and display an error message if not.
6. Email Validation: Use a regex to check if the email format is valid; display an error if invalid.
7. Password Requirement: Validate that the password is a minimum of 6 characters; show an error if it fails.
8. Credit Card Validation: Ensure the card number is 16 digits and the CVV is 3 digits, displaying errors for invalid inputs.
9. Clear Errors: Implement a function to reset error messages before validation checks to provide clear feedback.
10. Form Submission: Allow forms to submit only if all validations pass, ensuring data integrity before sending.

Index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Form Validation Example</title>
  <style>
```

```
body {
  font-family: 'Helvetica Neue', sans-serif;
  background-color: #f4f4f4;
  color: #333;
  margin: 0;
  padding: 40px;
  display: flex;
  justify-content: center;
  align-items: center;
  min-height: 100vh;
}

.container {
  background: #fff;
  padding: 30px;
  border-radius: 15px;
  box-shadow: 0 8px 20px rgba(0, 0, 0, 0.1);
  max-width: 500px;
  width: 100%;
}

h2 {
  color: #0d6efd;
  text-align: center;
  margin-bottom: 20px;
  font-weight: bold;
}

form {
  background: #f8f9fa;
  padding: 20px;
  border-radius: 10px;
  margin-bottom: 30px;
  box-shadow: 0 4px 10px rgba(0, 0, 0, 0.1);
}

label {
  display: block;
  margin-bottom: 10px;
  font-weight: 600;
}

input[type="text"],
input[type="email"],
input[type="password"],
input[type="month"],
textarea {
```

```

        width: 100%;
        padding: 10px;
        margin-bottom: 15px;
        border: 2px solid #ced4da;
        border-radius: 5px;
        font-size: 14px;
        transition: border-color 0.3s ease;
    }

    input[type="text"]:focus,
    input[type="email"]:focus,
    input[type="password"]:focus,
    input[type="month"]:focus,
    textarea:focus {
        border-color: #39fd0d;
        outline: none;
    }

    input[type="submit"] {
        background-color: #0d6efd;
        color: white;
        padding: 12px;
        border: none;
        border-radius: 5px;
        cursor: pointer;
        font-size: 16px;
        transition: background-color 0.3s ease;
        font-weight: bold;
    }

    input[type="submit"]:hover {
        background-color: #d70bbc;
    }

    .error {
        color: #dc3545;
        font-size: 14px;
        margin-top: -10px;
        margin-bottom: 10px;
    }
</style>
</head>
<body>
    <div class="container">
        <h2>Registration Form</h2>
        <form id="registrationForm" onsubmit="return validateRegistration()">
            <label for="username">Username:</label>

```

```
<input type="text" id="username" name="username" required minlength="3"
aria-describedby="usernameError">
<span class="error" id="usernameError"></span>
```

```
<label for="email">Email:</label>
<input type="email" id="email" name="email" required aria-
describedby="emailError">
<span class="error" id="emailError"></span>
```

```
<label for="password">Password:</label>
<input type="password" id="password" name="password" required
minlength="6" aria-describedby="passwordError">
<span class="error" id="passwordError"></span>
```

```
<input type="submit" value="Register">
</form>
```

```
<h2>Feedback Form</h2>
<form id="feedbackForm" onsubmit="return validateFeedback()">
<label for="name">Name:</label>
<input type="text" id="name" name="name" required>

<label for="feedback">Feedback:</label>
<textarea id="feedback" name="feedback" required
minlength="10"></textarea>
```

```
<input type="submit" value="Submit Feedback">
</form>
```

```
<h2>Credit Card Entry</h2>
<form id="creditCardForm" onsubmit="return validateCreditCard()">
<label for="ccName">Name on Card:</label>
<input type="text" id="ccName" name="ccName" required>

<label for="ccNumber">Card Number:</label>
<input type="text" id="ccNumber" name="ccNumber" required
pattern="\d{16}" placeholder="16 digits" aria-describedby="ccNumberError">
<span class="error" id="ccNumberError"></span>
```

```
<label for="expiryDate">Expiry Date:</label>
<input type="month" id="expiryDate" name="expiryDate" required>

<label for="cvv">CVV:</label>
<input type="text" id="cvv" name="cvv" required pattern="\d{3}"
placeholder="3 digits" aria-describedby="cvvError">
<span class="error" id="cvvError"></span>
```



```
        <input type="submit" value="Submit Payment">
    </form>
</div>
<script src="script.js"></script>
</body>
</html>
```

Script.js

```
function validateRegistration() {
    const username = document.getElementById("username");
    const email = document.getElementById("email");
    const password = document.getElementById("password");
    let isValid = true;
    clearErrors();

    if (username.value.length < 3) {
        document.getElementById("usernameError").innerText = "Username must be at least 3 characters.";
        isValid = false;
    }
    if (!validateEmail(email.value)) {
        document.getElementById("emailError").innerText = "Please enter a valid email address.";
        isValid = false;
    }
    if (password.value.length < 6) {
        document.getElementById("passwordError").innerText = "Password must be at least 6 characters.";
        isValid = false;
    }
    return isValid;
}

function validateFeedback() {
    const name = document.getElementById("name");
    const feedback = document.getElementById("feedback");
    let isValid = true;
    clearErrors();

    if (name.value.trim() === "") {
        document.getElementById("nameError").innerText = "Name is required.";
        isValid = false;
    }
    if (feedback.value.trim().length < 10) {
        document.getElementById("feedbackError").innerText = "Feedback must be at least 10 characters.";
        isValid = false;
    }
}
```

```

    }
    return isValid;
}

function validateCreditCard() {
    const ccName = document.getElementById("ccName");
    const ccNumber = document.getElementById("ccNumber");
    const expiryDate = document.getElementById("expiryDate");
    const cvv = document.getElementById("cvv");
    let isValid = true;
    clearErrors();

    if (ccName.value.trim() === "") {
        document.getElementById("ccNameError").innerText = "Name on card is required.";
        isValid = false;
    }
    if (!/^\d{16}$/.test(ccNumber.value)) {
        document.getElementById("ccNumberError").innerText = "Card number must be 16 digits.";
        isValid = false;
    }
    if (new Date(expiryDate.value) < new Date()) {
        document.getElementById("expiryDateError").innerText = "Expiry date cannot be in the past.";
        isValid = false;
    }
    if (!/^\d{3}$/.test(cvv.value)) {
        document.getElementById("cvvError").innerText = "CVV must be 3 digits.";
        isValid = false;
    }
    return isValid;
}

function validateEmail(email) {
    const re = /^[^\s@]+@[^\s@]+\.[^\s@]+$/;
    return re.test(email);
}

function clearErrors() {
    const errorElements = document.querySelectorAll('.error');
    errorElements.forEach(element => element.innerText = "");
}

```

Output

Registration Form

Username:

Email:

Password:

Register

Feedback Form

Name:

Feedback:

Submit Feedback

OBSERVATION	20	
RECORD	15	
VIVA	10	
TOTAL	45	

Result

Created web pages with various HTML forms, including Registration and Feedback, with validation for necessary elements. Utilized JavaScript and HTML5 attributes to ensure data integrity and is executed successfully.

Exno:04

Create a Web page to demonstrate the following events

Mouse Events, Button Click Event, Text Events

Date:

Aim

To create a multi-form web application that allows users to register, provide feedback, and enter credit card information, with client-side validation to ensure correct data input.

Algorithm

- 1.Create HTML Structure: Design an HTML page with elements that will respond to mouse events (e.g., a div for mouse interactions)
- 2.Add CSS for Visual Feedback: Style the elements to provide clear visual cues for interactions (e.g., hover effects).
- 3.Initialize JavaScript: Write a script tag in the HTML to handle mouse event functionalities.
- 4.Select Elements: Use JavaScript to select the elements that will listen for mouse events.
- 5.Define Mouse Event Handlers: Write functions for different mouse events (e.g., mouseover, mouseout, mousedown, mouseup).
- 6.Attach Event Listeners: Use JavaScript to attach the defined event handlers to the selected elements.
- 7.Update the Display: Ensure each event handler updates the page content or style based on user interactions (e.g., changing text or colors).
- 8.Test Functionality: Test the mouse events in various browsers to ensure consistent behavior and responsiveness.

Mouse events

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Image Gallery Example</title>
  <style>
    #imageContainer {
      display: flex;
      flex-wrap: wrap;
      justify-content: center;
```

```

    }
    #imageshow {
        margin: 10px;
        width: 200px;
        height: auto;
        border: 1px solid #ccc;
        border-radius: 5px;
        box-shadow: 0 2px 10px rgba(0, 0, 0, 0.1);
    }
</style>
<script>
    let currentIndex = 0;
    const images = [
        "img2.jpeg",
        "img3.jpeg",
        "img4.png",
    ];

    function showIt() {
        if (currentIndex < images.length) {
            const img = document.createElement("img");
            img.src = images[currentIndex];
            img.id = "imageshow";
            img.alt = `Image ${currentIndex + 1}`;
            document.getElementById('imageContainer').appendChild(img);
            currentIndex++;
        }
    }

    function hideIt() {
        currentIndex = 0;
        const container = document.getElementById('imageContainer');
        container.innerHTML = "";
    }
</script>
</head>
<body>
    <center>
        <h1>Image Gallery</h1>
        <p>Click on the button to display images</p>
        <button onclick="showIt()">Show Images</button>
        <button onclick="hideIt()">Hide Images</button>
        <div id="imageContainer"></div>
    </center>
</body>
</html>

```

Output



Text events

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Text Input to Table Example</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      background-color: #f4f4f4;
      margin: 20px;
      text-align: center;
    }
    #myInput {
      padding: 10px;
      font-size: 16px;
      width: 300px;
    }
    #demo {
      margin-top: 20px;
      font-size: 18px;
    }
    table {
      margin-top: 20px;
      width: 100%;
      border-collapse: collapse;
    }
```

```

    th, td {
        border: 1px solid #007bff;
        padding: 10px;
        text-align: left;
    }
    th {
        background-color: #007bff;
        color: white;
    }
</style>
</head>
<body>
    <p>Write something in the text field:</p>
    <input type="text" id="myInput" oninput="myFunction()">
    <button onclick="addToTable()">Submit</button>
    <p id="demo"></p>
    <table id="data-table">
        <thead>
            <tr>
                <th>Entered Data</th>
            </tr>
        </thead>
        <tbody>
        </tbody>
    </table>

    <script>
        function myFunction() {
            var x = document.getElementById("myInput").value;
            document.getElementById("demo").innerHTML = x ? "You wrote: " + x : "Please type something...";
            document.getElementById("demo").style.color = x ? "#000000" : "#FF0000";
        }

        function addToTable() {
            var inputValue = document.getElementById("myInput").value;
            if (inputValue.trim() === "") {
                alert("Please enter some data before submitting.");
                return;
            }


```

```

        var table = document.getElementById("data-
table").getElementsByTagName('tbody')[0];
        var newRow = table.insertRow();
        var newCell = newRow.insertCell(0);
        newCell.textContent = inputValue;
        document.getElementById("myInput").value = "";
        document.getElementById("demo").innerHTML = "Please type something...";
        document.getElementById("demo").style.color = "#000000";
    }
</script>
</body>
</html>

```

Output



The screenshot shows a web form with a text input field and a "Submit" button. Below the form is a table with a blue header row labeled "Entered Data". The table contains three rows of data: "Output1", "Output2", and "Output3".

Button events

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>ESEC BUILDINGS</title>
  <style>
    body {
      font-family: 'Arial', sans-serif;
      background-color: #000;
      color: #fff;
      margin: 0;
      padding: 20px;
      display: flex;
      flex-direction: column;
      align-items: center;
      justify-content: center;
      min-height: 100vh;
    }
    h2 {

```



```

        color: #ff8c00;
        margin-bottom: 20px;
    }
    select {
        padding: 10px;
        font-size: 16px;
        margin-bottom: 20px;
        border: 1px solid #ff8c00;
        border-radius: 5px;
        background-color: #333;
        color: #fff;
    }
    button {
        padding: 10px 20px;
        font-size: 16px;
        background-color: #ff8c00;
        color: #000;
        border: none;
        border-radius: 20px;
        cursor: pointer;
        margin: 5px;
        transition: background-color 0.3s;

    }
    button:hover {
        background-color: #e07b00;
    }
    .image-container {
        display: flex;
        justify-content: center;
        margin-top: 20px;
        border-radius: 20px;
    }
    img {
        display: none; /* Initially hidden */
        max-width: 100%;
        height: auto;
        border: 2px solid #ff8c00;
        border-radius: 10px;
        box-shadow: 0 4px 8px rgba(0, 0, 0, 0.5);
    }
</style>
<script>
    let currentIndex = 0;
    const images = {
        infy: ["bus.jpeg", "img4.png", "cse.jpeg"],
        tcs: ["img4.png", "img3.jpeg", "class.jpeg"],
    }


```

```

        cali: ["img2.png", "cse.jpeg", "bus.jpeg"]
    };
    function showImage() {
        const selectedValue = document.getElementById("id1").value;
        currentIndex = 0;
        const imgElement = document.getElementById('imageshow');
        imgElement.src = images[selectedValue][currentIndex];
        imgElement.style.display = 'block';
    }
    function showNextImage() {
        const selectedValue = document.getElementById("id1").value;
        const imgElement = document.getElementById('imageshow');
        const imageArray = images[selectedValue];
        if (currentIndex < imageArray.length - 1) {
            currentIndex++;
            imgElement.src = imageArray[currentIndex];
        } else {
            alert("No more images to show.");
        }
    }
    function hideImage() {
        document.getElementById('imageshow').style.display = 'none';
        currentIndex = 0;
    }
</script>
</head>
<body>
    <h2>WELCOME TO ESEC</h2>
    <select id="id1">
        <option value="infy">IMAGE 1</option>
        <option value="tcs">IMAGE 2</option>
        <option value="cali">IMAGE 3</option>
    </select>
    <div>
        <button type="button" onclick="showImage()">Show Image</button>
        <button type="button" onclick="showNextImage()">Show Next Image</button>
        <button type="button" onclick="hideImage()">Hide Image</button>
    </div>
    <div class="image-container">
        <img src="" id="imageshow" alt="Selected Image">
    </div>
</body>
</html>

```

Output



OBSERVATION	20	
RECORD	15	
VIVA	10	
TOTAL	45	

Result

Designed a web page to showcase mouse events, button click events, and text input events. Implemented JavaScript to handle these events, providing interactive feedback to users and is executed successfully.

Exno: 05

Design a web page with Top Navigation Menu with necessary Menu Items

Date:

Aim

To create a responsive navigation bar for Erode Sengunthar Engineering College that adapts to different screen sizes and provides easy access to key sections of the website.

Algorithm

1. Initialize HTML Document: Set up the basic HTML structure and viewport for responsiveness.
2. Define Styles: Use CSS to style the navigation bar and links, including hover effects and active link indication.
3. Create Navigation Bar: Add links for Home, About Us, Department, Placement, and Contact Us.
4. Implement Responsive Design: - Hide all links except the first one on screens smaller than 600px. - Display a menu icon for toggling visibility of hidden links.
5. Add JavaScript Function: Create a function to toggle the navigation bar's class to "responsive" when the icon is clicked.
6. Display Welcome Message: Include a heading and an image centered below the navigation bar.
7. Load Icons: Ensure Font Awesome is linked for the menu icon (optional).
8. Test Layout: Verify the navigation behaves correctly on different screen sizes.
9. Adjust Styles if Necessary: Fine-tune CSS for visual consistency and usability.
10. Deploy Web Page: Make the HTML file accessible through a web server or local environment.

Program

Nav.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Erode Sengunthar Engineering College</title>
  <style>
    body {
      margin: 0;
      font-family: Arial, Helvetica, sans-serif;
      display: flex;
      flex-direction: column;
```

```
    align-items: center;
    justify-content: center;
    height: 100vh;
    background-color: #000;
    color: #fff;
}
.topnav {
    overflow: hidden;
    background-color: #ff8c00;
    width: 100%;
    position: fixed;
    top: 0;
    z-index: 1000;
}
.topnav a {
    float: left;
    display: block;
    color: #fff;
    text-align: center;
    padding: 14px 16px;
    text-decoration: none;
    font-size: 17px;
}
.topnav a:hover {
    background-color: #e07b00;
    color: #000;
}
.topnav a.active {
    background-color: #ff8c00;
    color: #000;
}
.topnav .hamburger {
    float: right;
    display: flex;
    flex-direction: column;
    justify-content: space-around;
    width: 30px;
    height: 30px;
    cursor: pointer;
    padding: 14px 16px;
}
.line {
    height: 3px;
    width: 100%;
    background-color: #fff;
    transition: all 0.3s ease;
}
```

```

.content {
    text-align: center;
    margin-top: 80px;
}
img {
    max-width: 100%;
    height: auto;
    border: 3px solid #ff8c00;
    border-radius: 10px;
    box-shadow: 0 4px 8px rgba(0, 0, 0, 0.5);
}
@media screen and (max-width: 600px) {
    .topnav a:not(:first-child) { display: none; }
    .topnav.responsive a {
        float: none;
        display: block;
        text-align: left;
    }
}
</style>
</head>
<body>
<div class="topnav" id="myTopnav">
    <a href="#home" class="active">Home</a>
    <a href="#aboutus">About Us</a>
    <a href="#dept">Department</a>
    <a href="#placement">Placement</a>
    <a href="#contactus">Contact Us</a>
    <div class="hamburger" onclick="toggleMenu()">
        <div class="line"></div>
        <div class="line"></div>
        <div class="line"></div>
    </div>
</div>

<div class="content">
    <h2>Welcome to Erode Sengunthar Engineering College</h2>
    
</div>
<script>
function toggleMenu() {
    var topnav = document.getElementById("myTopnav");
    var links = topnav.getElementsByTagName("a");
    for (var i = 1; i < links.length; i++) {
        if (links[i].style.display === "block") {
            links[i].style.display = "none";
        }
    }
}


```

```

        } else {
            links[i].style.display = "block";
        }
    }
}
</script>
</body>
</html>

```

Output



OBSERVATION	20	
RECORD	15	
VIVA	10	
TOTAL	45	

Result:

Developed a web page featuring a top navigation menu with links to essential sections like Home, About, and Contact. Ensured the menu is responsive and easy to navigate and is executed successfully.

Exno: 06

Develop the alumni portal for your college using PHP & MYSQL based web application

Date:

Aim

To develop the alumni portal for your college using PHP & MYSQL based web application with session handling.

Algorithm

1. User Registration: Alumni sign up using an email ID, batch year, and other details. Validate the information and create a unique user profile.
2. User Login: Verify credentials (email/ID and password) to grant access. Redirect users to the dashboard upon successful login.
3. Profile Management: Allow alumni to create or update profiles with details like education, job, skills, etc. Save profile updates in the database.
4. Search and Filter Alumni: Provide filters such as batch year, department, location, or company. Return a list of matching alumni profiles.
5. Networking: Enable connection requests, messaging, or group discussions among alumni. Track interactions and maintain a record of connections.
6. Job/Internship Postings: Alumni and companies can post job openings or internships. Allow students or other alumni to apply via the portal.
7. Event Management: Display upcoming alumni events, meetups, or webinars. Provide registration options and reminders.
8. Discussion Forums: Enable topic-based forums for knowledge sharing or general discussions. Allow users to post questions, answers, or resources.
9. Analytics and Reports: Track alumni engagement, active users, and trends (e.g., popular jobs or events). Generate insights for administrators.
10. Admin Controls: Allow administrators to manage user profiles, content moderation, and platform settings. Ensure security and handle escalations or issues.

Contact.php

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```



```

<title>Contact Us - Alumni Portal</title>
</head>
<body>
<header><h1>Contact Us</h1></header>

<main>
  <!-- Contact form -->
  <form action="#" method="">
    <!-- Add action URL as needed -->
    <label for='name'>Name:</label><br/>
    <input type='text' id='name' name='name' required/><br/>

    <label for='message'>Message:</label><br/>
    <textarea id='message' name='message' required></textarea><br/>

    <input type='submit' value='Send'/>
  </form>
</main>

<footer>&copy; 2024 Alumni Portal. All Rights Reserved.</footer>

</body>
</html>

```

Db.php

```

<?php
$servername = "localhost";
$username = "root";
$password = "";
$dbname = "alumni_db";

$conn = new mysqli($servername, $username, $password, $dbname);

if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}
?>

```

Events.php

```

<?php
include 'db.php';
$result = $conn->query("SELECT * FROM events ORDER BY event_date ASC");
?>

<!DOCTYPE html>

```

```

<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Upcoming Events - Alumni Portal</title>
  <link rel="stylesheet" href="styles.css">
</head>
<body>

<header>
  <h1>Upcoming Events</h1>
  <nav>
    <ul>
      <li><a href="index.php">Home</a></li>
      <li><a href="login.php">Login</a></li>
      <li><a href="register.php">Register</a></li>
      <li><a href="contact.php">Contact Us</a></li>
    </ul>
  </nav>
</header>
<main>
  <section>
    <h2>Don't Miss Out on These Exciting Alumni Events!</h2>
    <?php if ($result->num_rows > 0): ?>
      <ul class="event-list">
        <?php while($row = $result->fetch_assoc()): ?>
          <li class="event-item">
            <h3><?php echo htmlspecialchars($row['title']); ?></h3>
            <p><strong>Date:</strong> <?php echo
htmlspecialchars($row['event_date']); ?></p>
            <p><strong>Location:</strong> <?php echo
htmlspecialchars($row['location']); ?></p>
            <p><?php echo nl2br(htmlspecialchars($row['description'])); ?></p>
          </li>
        <?php endwhile; ?>
      </ul>
    <?php else: ?>
      <p>No upcoming events at the moment. Check back soon!</p>
    <?php endif; ?>
  </section>
</main>

<footer>
  <p>&copy; 2024 Alumni Portal. All Rights Reserved.</p>
</footer>
</body>
</html>

```

Index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Alumni Portal</title>
  <link rel="stylesheet" href="styles.css">
</head>
<body>

  <header>
    <h1>Welcome to the Alumni Portal</h1>
    <nav>
      <ul>
        <li><a href="index.php">Home</a></li>
        <li><a href="login.php">Login</a></li>
        <li><a href="register.php">Register</a></li>
        <li><a href="events.php">Events</a></li>
        <li><a href="contact.php">Contact Us</a></li>
      </ul>
    </nav>
  </header>

  <main>
    <section>
      <h2>Connect, Engage, and Grow with Your Alumni Network</h2>
      <p>Stay connected with your peers, share professional milestones, and discover exciting networking opportunities through our platform.</p>
      <p>Join us today and start building lasting relationships with fellow alumni.</p>
    </section>
  </main>

  <footer>
    <p>&copy; 2024 Alumni Portal. All Rights Reserved.</p>
  </footer>

</body>
</html>
```

Login.php

```
<?php
session_start();
if ($_SERVER["REQUEST_METHOD"] == "POST") {
  include 'db.php';

  $email = $_POST['email'];
  $password = $_POST['password'];
```

```

$stmt = $conn->prepare("SELECT * FROM alumni WHERE email = ?");
$stmt->bind_param("s", $email);
$stmt->execute();
$result = $stmt->get_result();

if ($result->num_rows > 0) {
    $row = $result->fetch_assoc();
    if (password_verify($password, $row['password'])) {
        $_SESSION['user'] = $row['name'];
        header("Location: index.php");
    } else {
        echo "Invalid password.";
    }
} else {
    echo "No user found.";
}
}
?>

```

Register.php

```

<?php
include 'db.php';

if ($_SERVER["REQUEST_METHOD"] == "POST") {
    $name = $_POST['name'];
    $email = $_POST['email'];
    $password = password_hash($_POST['password'], PASSWORD_DEFAULT);

    $stmt = $conn->prepare("INSERT INTO alumni (name, email, password) VALUES
    (?, ?, ?)");
    $stmt->bind_param("sss", $name, $email, $password);

    if ($stmt->execute()) {
        header("Location: login.php");
    } else {
        echo "Error: " . $stmt->error;
    }
}
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Register - Alumni Portal</title>
    <link rel="stylesheet" href="login.css">

```

```
</head>
<body>

<header><h1>Create Your Account</h1></header>

<main>
  <form action="" method="POST">
    <label for="name">Name:</label><br>
    <input type="text" id="name" name="name" required><br>

    <label for="email">Email:</label><br>
    <input type="email" id="email" name="email" required><br>

    <label for="password">Password:</label><br>
    <input type="password" id="password" name="password" required><br>

    <input type="submit" value="Register">
  </form>

  <p>Already have an account? <a href="login.php">Login here</a>.</p>
</main>

<footer>&copy; 2024 Alumni Portal. All Rights Reserved.</footer>

</body>
</html>
```

Login.css

```
body {
  font-family: Arial, sans-serif;
  background-color: #f4f4f4;
  margin: 0;
  padding: 0;
  color: #333;
}

header {
  background-color: #004080;
  color: white;
  text-align: center;
  padding: 20px 0;
}

header h1 {
  margin: 0;
  font-size: 2.5em;
}
```

```
/* Main Section */
main {
  display: flex;
  justify-content: center;
  align-items: center;
  min-height: 100vh;
  background-color: #e9f0fb;
}

.login-container {
  background-color: white;
  padding: 30px;
  border-radius: 8px;
  box-shadow: 0 4px 8px rgba(0, 0, 0, 0.1);
  max-width: 400px;
  width: 100%;
  text-align: center;
}

.login-form {
  display: flex;
  flex-direction: column;
}

.input-group {
  margin-bottom: 20px;
}

.input-group label {
  font-weight: bold;
  color: #004080;
  text-align: left;
  display: block;
  margin-bottom: 5px;
}

.input-group input[type="email"],
.input-group input[type="password"] {
  width: 100%;
  padding: 12px;
  border: 1px solid #ccc;
  border-radius: 4px;
  font-size: 1em;
  margin-top: 5px;
}

.submit-btn {
  background-color: #004080;
  color: white;
  border: none;
  padding: 12px;
```

```
    font-size: 1em;
    cursor: pointer;
    border-radius: 4px;
    transition: background-color 0.3s ease;
}
.submit-btn:hover {
    background-color: #003366;
}
.error {
    color: #d9534f;
    font-size: 0.9em;
    margin-top: 10px;
}
p {
    font-size: 1em;
    margin-top: 15px;
}
a {
    color: #004080;
    text-decoration: none;
    font-weight: bold;
}
a:hover {
    text-decoration: underline;
}
footer {
    background-color: #004080;
    color: white;
    text-align: center;
    padding: 10px 0;
    position: fixed;
    width: 100%;
    bottom: 0;
}
```

Styles.css

```
body {
    font-family: Arial, sans-serif;
    margin: 0;
    padding: 0;
    background-color: #f4f4f4;
    color: #333;
}
```

```
header {
    background-color: #004080;
    color: white;
    padding: 20px 0;
```

```
        text-align: center;
    }

    header h1 {
        margin: 0;
    }

    nav ul {
        list-style-type: none;
        padding: 0;
    }

    nav ul li {
        display: inline;
        margin-right: 20px;
    }

    nav ul li a {
        color: white;
        text-decoration: none;
        font-weight: bold;
    }

    footer {
        background-color: #004080;
        color: white;
        text-align: center;
        padding: 10px 0;
        margin-top: 40px;
    }

    /* Main Content */
    main {
        padding: 20px;
        background-color: white;
        max-width: 1200px;
        margin: 20px auto;
        border-radius: 8px;
        box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
    }

    section h2 {
        color: #004080;
    }

    /* Event Page Styling */
    .event-list {
```



```
list-style-type: none;
padding: 0;
}

.event-item {
background-color: #e9f0fb;
border: 1px solid #c1d3e0;
margin-bottom: 15px;
padding: 20px;
border-radius: 8px;
}

.event-item h3 {
margin-top: 0;
}

.event-item p {
margin: 5px 0;
}

/* Form Styling */
form {
max-width: 600px;
margin: 0 auto;
padding: 20px;
background-color: #fff;
border: 1px solid #ccc;
border-radius: 8px;
}

form label {
display: block;
margin-bottom: 8px;
font-weight: bold;
}

form input[type="text"],
form input[type="email"],
form input[type="password"],
form textarea {
width: 100%;
padding: 10px;
margin-bottom: 15px;
border: 1px solid #ccc;
border-radius: 4px;
}
```

```

form input[type="submit"] {
  background-color: #004080;
  color: white;
  border: none;
  padding: 10px 20px;
  font-size: 16px;
  cursor: pointer;
  border-radius: 4px;
}

form input[type="submit"]:hover {
  background-color: #003366;
}

```

Output

The screenshot displays a web application for an Alumni Portal. It features a dark blue header with the title "Welcome to the Alumni Portal" and a navigation menu with links for Home, Login, Register, Events, and Contact Us. Below the header, a light gray section contains a white box with the heading "Connect, Engage, and Grow with Your Alumni Network" and a brief description of the platform's purpose. A dark blue footer bar shows the copyright notice "© 2024 Alumni Portal. All Rights Reserved." The main content area is a light blue gradient, featuring a "Login to Your Account" section. This section includes a form with fields for Email and Password, a "Login" button, and a link to "Register here" for users who do not have an account. The footer of this section also displays the copyright notice "© 2024 Alumni Portal. All Rights Reserved."

Upcoming Events

[Home](#) [Login](#) [Register](#) [Contact Us](#)

Don't Miss Out on These Exciting Alumni Events!

No upcoming events at the moment. Check back soon!

© 2024 Alumni Portal. All Rights Reserved.

Create Your Account

Name:

Email:

Password:

Register

Already have an account? [Login here.](#)

© 2024 Alumni Portal. All Rights Reserved.

OBSERVATION	20	
RECORD	15	
VIVA	10	
TOTAL	45	

Result

Created a PHP and MySQL-based Admission System with session handling for user authentication. Focused on security and user-friendly data management and is executed successfully.

Exno: 07

Date:

**Create a XML Document to store Students details of Your Department.
Create a user Interface to search and display student details in HTML
Table**

Aim

To create a web-based student search application that fetches and displays student details from an XML file based on user input.

Algorithm

1. Load XML Data: Fetch the XML file containing student details using asynchronous JavaScript.
2. Parse XML: Convert the fetched XML data into a usable DOM structure.
3. Input Handling: Set up an input field to capture user search queries.
4. Search Function: On each input change, convert the query to lowercase.
5. Filter Students: Iterate through the student elements in the XML, checking if the ID or name includes the search query.
6. Display Results: For matching students, create a new row in the HTML table.
7. Clear Previous Results: Before displaying new results, clear the existing table rows.
8. Render Table: Append new rows to the table for each matching student.
9. Handle Errors: Implement error handling for fetching and parsing XML data.
10. Optimize Performance: Ensure the search function is efficient for larger datasets.

Students.php

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Registration Form</title>
  <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.6/css/bootstrap.min.css">
  <style>
    body {
      background-color: #f3f0ff;
      font-family: 'Montserrat', sans-serif;
      display: flex;
      justify-content: center;
      align-items: center;
      height: 100vh;
      margin: 0;
      padding: 20px;
```

```
}  
.container {  
  background-color: #fff;  
  border-radius: 10px;  
  box-shadow: 0 10px 20px rgba(0, 0, 0, 0.1);  
  padding: 30px;  
  max-width: 600px;  
  width: 100%;  
}  
h2 {  
  color: #6a0dad;  
  text-align: center;  
  margin-bottom: 20px;  
  font-size: 2rem;  
}  
.form-group label {  
  font-weight: bold;  
  color: #6a0dad;  
  font-size: 1.1rem;  
}  
.form-control {  
  border-radius: 5px;  
  border: 1px solid #6a0dad;  
  padding: 10px;  
  font-size: 1rem;  
}  
.form-control:focus {  
  border-color: #4b0082;  
  box-shadow: none;  
}  
.btn-submit {  
  background-color: #6a0dad;  
  border-color: #6a0dad;  
  color: #fff;  
  padding: 10px;  
  font-size: 1rem;  
  border-radius: 5px;  
  width: 100%;  
}  
.btn-submit:hover {  
  background-color: #4b0082;  
  border-color: #4b0082;  
}  
.error {
```

```

        color: red;
        font-weight: bold;
        text-align: center;
        margin-top: 10px;
        font-size: 1rem;
    }
    .table-container {
        margin-top: 30px;
    }
    .table thead {
        background-color: #6a0dad;
        color: white;
    }
    .table tbody tr:hover {
        background-color: #f1f1f1;
    }
</style>
</head>
<body>
    <div class="container">
        <h2>Registration Form</h2>
        <form id="registrationForm">
            <div class="form-group">
                <label for="name">Enter Your Name</label>
                <input type="text" name="name" id="name" placeholder="Enter Name"
class="form-control"/>
            </div>
            <div class="form-group">
                <label for="email">Enter Your Email</label>
                <input type="email" name="email" id="email" placeholder="Enter Email"
class="form-control"/>
            </div>
            <div class="form-group">
                <label for="phone">Enter Your Phone Number</label>
                <input type="tel" name="phone" id="phone" placeholder="Enter Phone Number"
class="form-control"/>
            </div>
            <div class="form-group">
                <label for="address">Enter Your Address</label>
                <textarea name="address" id="address" placeholder="Enter Address" class="form-
control" required></textarea>
            </div>
            <div class="form-group">
                <button type="submit" id="register" class="btn btn-submit">Submit</button>

```

```

        </div>
        <p class="error" id="err"></p>
    </form>
</div>

<div class="container table-container">
    <h2 class="text-center">Display Data using jQuery AJAX</h2>
    <div class="text-center">
        <button id="showdata" class="btn btn-primary">Show Data</button>
    </div>
    <table class="table table-bordered table-striped">
        <thead>
            <tr>
                <th>Id</th>
                <th>Name</th>
                <th>Email</th>
                <th>Phone</th>
                <th>Address</th>
            </tr>
        </thead>
        <tbody id="result">
        </tbody>
    </table>
</div>

<script src="https://code.jquery.com/jquery-3.7.1.js"></script>
<script>
    $(document).ready(function(){
        $("#registrationForm").on("submit", function(e){
            e.preventDefault();
            var name = $("#name").val();
            var email = $("#email").val();
            var phone = $("#phone").val();
            var address = $("#address").val();
            $.ajax({
                url: 'insert-data.php',
                method: 'post',
                data: {fullname: name, emailid: email, phone_no: phone, address: address},
                success: function(data){
                    $("#err").html(data);
                }
            });
        });
    });

```



```
    $("#showdata").on("click", function(){
        $.ajax({
            url: 'show-data.php',
            method: 'post',
            success: function(result){
                $("#result").html(result);
            }
        });
    });
});
</script>
</body>
</html>
```

Students.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<students>
    <student>
        <id>1</id>
        <name>ARUNKUMAR.S</name>
        <department>Computer Science</department>
        <year>2023</year>
        <email>arunk@exam.com</email>
    </student>
    <student>
        <id>2</id>
        <name>KAMALESH M S</name>
        <department>Information Technology</department>
        <year>2023</year>
        <email>abhin@exam.com</email>
    </student>
    <student>
        <id>3</id>
        <name>HARIHARAN V</name>
        <department>Mechanical Engineering</department>
        <year>2023</year>
        <email>absar@exam.com</email>
    </student>
    <student>
        <id>4</id>
        <name>BALASUNDARAM A</name>
        <department>Cyber Security</department>
```

```
<year>2023</year>
<email>ajaya@exam.com</email>
</student>
<student>
  <id>5</id>
  <name>AJITH P</name>
  <department>Chemical Engineering</department>
  <year>2023</year>
  <email>ajith@exam.com</email>
</student>
<student>
  <id>6</id>
  <name>DINAKAR S</name>
  <department>Computer Science</department>
  <year>2021</year>
  <email>akash@exam.com</email>
</student>
<student>
  <id>7</id>
  <name>AKILAN.C.S</name>
  <department>Computer Science and Design</department>
  <year>2023</year>
  <email>akila@exam.com</email>
</student>
<student>
  <id>8</id>
  <name>KRISHNA MOORTHY S</name>
  <department>Artificial Intelligence</department>
  <year>2023</year>
  <email>akila@exam.com</email>
</student>
<student>
  <id>9</id>
  <name>HARIVARSAN N</name>
  <department>Information Technology</department>
  <year>2023</year>
  <email>akila@exam.com</email>
</student>
</students>
```

Output

PC1: Practice Test 19PC1: Digits - VIDEO - TAMILlocalhost / 127.0.0.1 | phpMyAdminStudent List with Search

localhost/ex07/students.php?search=akilan

🔍 ☆ 📄 🏠

Student List

ID	Name	Department	Year	Email
7	AKILAN.C.S	Computer Science	2023	akila@exam.com

🔍 ☆ 📄 🏠

localhost/ex07/students.php

Student List

ID	Name	Department	Year	Email
1	ARUNKUMAR.S	Computer Science	2023	arunk@exam.com
2	ABHINAV.S	Computer Science	2023	abhin@exam.com
3	ABSAR AHAMED J	Computer Science	2023	absar@exam.com
4	AJAYKANNAN.R	Computer Science	2023	ajaya@exam.com
5	AJITH.P	Computer Science	2023	ajith@exam.com
6	AKASHKUMAR.S	Computer Science	2023	akash@exam.com
7	AKILAN.C.S	Computer Science	2023	akila@exam.com

OBSERVATION	20	
RECORD	15	
VIVA	10	
TOTAL	45	

Result

Created an XML document to store student details, including attributes like name and ID. Developed a user interface to search and display these details in an organized HTML table and is executed successfully.

Exno: 08

Develop a AJAX based application to fetch data from Database

Date:

Aim

To create a registration form for users to submit their details and display the registered data using AJAX in a web application.

Algorithm

1. Database Setup: Create a MySQL table to store user registration data.
2. Connection: Establish a connection to the MySQL database using PHP.
3. HTML Form: Design a registration form using HTML and Bootstrap for user input.
4. AJAX Submission: Capture form data with jQuery and send it to `insert-data.php` using AJAX on button click.
5. Data Insertion: In `insert-data.php`, insert the received data into the database.
6. Feedback: Return a success or error message back to the front-end.
7. Show Data Button: Implement a button to fetch and display registered data via AJAX from `show-data.php`.
8. Data Retrieval: In `show-data.php`, query the database for registered users and return the results as HTML.
9. Display Data: Use jQuery to populate the HTML table with the received data.
10. User Interaction: Ensure users receive immediate feedback and can view all registered entries without page refresh.

College_db.sql

```
SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
SET time_zone = "+00:00";
CREATE TABLE `tbl_registration` (
  `id` int(11) NOT NULL,
  `name` varchar(255) NOT NULL,
  `email` varchar(255) NOT NULL,
  `phone` varchar(10) NOT NULL,
  `address` text NOT NULL,
  `created_at` timestamp NOT NULL DEFAULT CURRENT_TIMESTAMP ON UPDATE
  CURRENT_TIMESTAMP
) ENGINE=InnoDB DEFAULT CHARSET=latin1;

INSERT INTO `tbl_registration` (`id`, `name`, `email`, `phone`, `address`, `created_at`) VALUES
(1, 'Jane', 'Jane@xyz.com', '9876543210', 'USA', '2023-10-05 11:44:29');
ALTER TABLE `tbl_registration`
```

```
ADD PRIMARY KEY (`id`);
ALTER TABLE `tbl_registration`
MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=3;
```

Connection.php

```
<?php
$server = "localhost";
$username = "root";
$password = "";
$database = "college_db";
$connection = mysqli_connect("$server", "$username", "$password");
$select_db = mysqli_select_db($connection, $database);
if(!$select_db)
{
    echo("connection terminated");
}
?>
```

Index.php

```
<html>

<head>

    <title>Registration Form</title>

    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.6/css/bootstrap.min.css" />

</head>

<style>

.box

{

    width:100%;

    max-width:600px;

    background-color:#f9f9f9;

    border:1px solid #ccc;

    border-radius:5px;
```

```
padding:16px;

margin:0 auto;

}

.error

{

color: red;

font-weight: 700;

}

</style>

<body>

  <div class="container">

    <div class="table-responsive">

      <h3 align="center">Registration Form</h3>

      <div class="box">

        <div class="form-group">

          <label for="name">Enter Your Name</label>

          <input type="text" name="name" id="name" placeholder="Enter Name"
class="form-control"/>

        </div>

        <div class="form-group">

          <label for="email">Enter Your Email</label>

          <input type="text" name="email" id="email" placeholder="Enter Email"
class="form-control"/>

        </div>

        <div class="form-group">

          <label for="phone">Enter Your Phone Number</label>

          <input type="text" name="phone" id="phone" placeholder="Enter Phone Number"
```

```
class="form-control"/>
```

```
</div>
```

```
<div class="form-group">
```

```
<label for="phone">Enter Your Address</label>
```

```
<textarea name="address" id="address" placeholder="Enter Address" required  
class="form-control"></textarea>
```

```
</div>
```

```
<div class="form-group">
```

```
<input type="submit" id="register" name="register" value="Submit" class="btn btn-  
success" />
```

```
</div>
```

```
<p class="error" id="err"></p>
```

```
</div>
```

```
</div>
```

```
<br>
```

```
<h2 class="text-center">Display Data using JQuery AJAX</h2>
```

```
<br>
```

```
<button id="showdata" class="btn btn-primary">Show Data</button>
```

```
<table class="table table-bordered">
```

```
<thead>
```

```
<th>Id</th>
```

```
<th>Name</th>
```

```
<th>Email</th>
```

```
<th>Phone</th>
```

```
<th>Address</th>
```

```
</thead>
```

```
<tbody id="result">
```



```
</tbody>

</table>

</div>

</body>

</html>

<script src="https://code.jquery.com/jquery-3.7.1.js"></script>

<script type="text/javascript">

$(document).ready(function(){

    $("#register").on("click", function(e){

        var name = $("#name").val();

        var email = $("#email").val();

        var phone = $("#phone").val();

        var address = $("#address").val();

        $.ajax({

            url: 'insert-data.php',

            method: 'post',

            data: { fullname: name, emailid: email, phone_no: phone, address: address},

            success: function(data){

                $("#err").html(data);

            }

        });

    })

    $("#showdata").on("click", function(e){

        $.ajax({

            url: 'show-data.php',

            method: 'post',
```

```
        success: function(result){  
            $("#result").html(result);  
        }  
    });  
})  
});  
</script>
```

Insert-data.php

```
<?php  
  
include('connection.php');  
  
$name = $_POST['fullname'];  
  
$email = $_POST['emailid'];  
  
$phone = $_POST['phone_no'];  
  
$address = $_POST['address'];  
  
$insert_query = mysqli_query($connection, "insert into tbl_registration set  
name='$name', email='$email', phone='$phone', address='$address'");  
  
if($insert_query>0)  
{  
    echo "Data submitted successfully."  
}  
  
else{  
    echo "Error!";  
}  
?>
```

Show-data.php

```
<?php

include('connection.php');

$fetch_query = mysqli_query($connection, "select * from tbl_registration");

$row = mysqli_num_rows($fetch_query);

if($row>0)

{

    while($res = mysqli_fetch_array($fetch_query))

    {?>

        <tr>

            <td><?php echo $res['id']; ?></td>

            <td><?php echo $res['name']; ?></td>

            <td><?php echo $res['email']; ?></td>

            <td><?php echo $res['phone']; ?></td>

            <td><?php echo $res['address']; ?></td>

        </tr>

    <?php }

}

?>
```

Output

localhost / 127.0.0.1 / college ...Registration FormCollege.pdf

localhost/ajax-show/

Registration Form

Enter Your Name

Enter Name

Enter Your Email

Enter Email

Enter Your Phone Number

Enter Phone Number

Enter Your Address

Enter Address

Submit

Display Data using JQuery AJAX

Show Data

ID	Name	Email	Phone	Address
----	------	-------	-------	---------

Search Google Search Google or type a URL

Registration Form

Enter Your Name

Enter Name

Enter Your Email

Enter Email

Enter Your Phone Number

Enter Phone Number

Enter Your Address

Enter Address

Submit

Display Data using JQuery AJAX

Show Data

ID	Name	Email	Phone	Address
3	logan	xktrfly8t	4507807054	loghspingham
4	logan	xktrfly8t	4507807054	loghspingham
5	hart	apthawenty@gmail.com	4507807054	loghspingham
6	hart	apthawenty@gmail.com	4507807054	loghspingham

OBSERVATION	20	
RECORD	15	
VIVA	10	
TOTAL	45	

Result

Built an AJAX-based application to fetch data from a MySQL database without refreshing the page. Enhanced user experience with dynamic content updates and is executed successfully.

Exno: 09

Date:

Develop Angular JS based web application to display data from MySQL database

Aim

To create a simple AngularJS application that allows users to insert country data into a MySQL database and display the list of countries using PHP

Algorithm

1. Database Setup: Create a MySQL database and a table to store country data.
2. Connect to Database: Use PHP to connect to the MySQL database for data insertion and retrieval.
3. HTML Structure: Design a basic user interface using Bootstrap and AngularJS for input and output.
4. Data Insertion: Capture user input for country code and name, and send this data to `insert.php` via an AngularJS HTTP POST request.
5. Handle Insertion: In `insert.php`, receive the data and insert it into the database; return a success or error message.
6. Data Retrieval: Implement a function in AngularJS to fetch country data from the database using a GET request to `select.php`.
7. Display Data: Populate a table with the retrieved country data in the front-end.
8. User Feedback: Notify the user of successful data insertion and refresh the displayed list of countries.
9. Error Handling: Implement error handling for both insertion and retrieval processes.
10. User Interaction: Allow users to continuously add countries and view the updated list without refreshing the page.

Insert.php

```
<?php  
  
error_reporting(E_ALL);  
  
ini_set('display_errors', 1);
```

```

$connect = mysqli_connect("127.0.0.1", "root", "", "rt"); // Adjust connection settings if
necessary

if (!$connect) {

    die("Connection failed: " . mysqli_connect_error());

}

$data = json_decode(file_get_contents("php://input"));

if ($data && isset($data->id_ajax) && isset($data->name_ajax)) {

    $id_received = mysqli_real_escape_string($connect, $data->id_ajax);

    $name_received = mysqli_real_escape_string($connect, $data->name_ajax);

    $query = "INSERT INTO country (id, name) VALUES ('$id_received', '$name_received')";

    if (mysqli_query($connect, $query)) {

        echo "Data Inserted...";

    } else {

        echo 'Error: ' . mysqli_error($connect);

    }

} else {

    echo "Error: Invalid input data.";

}

mysqli_close($connect);

?>

```

Select.php

```

<?php
//select.php
$connect = mysqli_connect("127.0.0.1:3306", "root", "", "rt");
$output = array();
$query = "SELECT id, name FROM country";

$result = mysqli_query($connect, $query);
if(mysqli_num_rows($result) > 0)

```

```
{
    while($row = mysqli_fetch_array($result))

    {
        $output[] = $row;
    }
    echo json_encode($output);
}
?>
```

Index.html

```
<!DOCTYPE html>
<html>
<head>
    <title>Book Management System</title>
    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css" />

<script
src="https://ajax.googleapis.com/ajax/libs/angularjs/1.8.2/angular.min.js"></script>
<style>
    body {
        background-color: #f0f8ff;
    }
    .container {
        max-width: 600px;
        margin-top: 50px;
        padding: 20px;
        border-radius: 8px;
        box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
        background-color: #ffffff;
    }
    h3 {
        color: #343a40;
    }
    .btn-custom {
        background-color: #007bff;
        color: white;
    }
    .table {
        margin-top: 20px;
    }
}
```



```

</style>
</head>
<body>
  <div class="container">
    <h3 class="text-center">Book Management System</h3>
    <div ng-app="myapp" ng-controller="usercontroller" ng-init="displayData()">
      <div class="form-group">
        <label for="countryCode">Book Code</label>
        <input type="text" id="countryCode" ng-model="id_send" class="form-control"
placeholder="Enter Book Code" />
      </div>
      <div class="form-group">
        <label for="countryName">Country Name</label>
        <input type="text" id="countryName" ng-model="name_send" class="form-control"
placeholder="Enter Book Name" />
      </div>
      <button class="btn btn-custom" ng-click="insertData()">Add Country</button>
      <table class="table table-bordered table-striped">
        <thead>
          <tr>
            <th>Code</th>
            <th>Country</th>
          </tr>
        </thead>
        <tbody>
          <tr ng-repeat="x in codes">
            <td>{{x.id}}</td>
            <td>{{x.name}}</td>
          </tr>
        </tbody>
      </table>
    </div>
  </div>
</body>
</html>

<script>
var app = angular.module('myapp', []);
app.controller('usercontroller', function($scope, $http) {
  $scope.insertData = function() {
    $http.post("insert.php", {
      'id_ajax': $scope.id_send,

```

```

        'name_ajax': $scope.name_send
    }).then(function(response) {
        alert(response.data);
        $scope.name_send = null;
        $scope.id_send = null;
        $scope.displayData();
    });
};

$scope.displayData = function() {
    $http.get("select.php").then(function(response) {
        $scope.codes = response.data;
    });
};
});
</script>

```


Country.sql

```

SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
SET time_zone = "+00:00";
CREATE TABLE IF NOT EXISTS `country` (
  `id` int(10) NOT NULL,
  `name` varchar(200) NOT NULL
) ENGINE=InnoDB AUTO_INCREMENT=214 DEFAULT CHARSET=latin1;
INSERT INTO `country` (`id`, `name`) VALUES
(81, 'china'),
(91, 'india');
ALTER TABLE `country`
  ADD PRIMARY KEY (`id`);
ALTER TABLE `country`
  MODIFY `id` int(10) NOT NULL AUTO_INCREMENT,AUTO_INCREMENT=214;

```

Output



OBSERVATION	20	
RECORD	15	
VIVA	10	
TOTAL	45	

Result :

Developed an AngularJS-based web application to retrieve and display data from a MySQL database. Utilized features like two-way data binding for a responsive user interface and is executed successfully.