VURT Pixel & Tracking Plan

Date: March 19, 2026 **Prepared by:** Dioni Vasquez **For:** Internal Team + Paid Ads Team

---

Critical Technical Context

myvurt.com runs on Enveu (Angular SPA). URL structure: - **Series pages DO have unique URLs** — e.g., `myvurt.com/series/come-back-dad`. Standard page-load pixels work at the series level. The paid ads team can deep link campaigns directly to specific show pages. - **Episode pages do NOT have unique URLs** — individual episodes load within the series page without a URL change. Episode-level tracking (play, watch duration, specific episode clicks) requires **event-based pixels** firing on DOM events. - Static pages (About, FAQ, Contact, Submit) also have unique URLs and can use standard page-load pixels.

Enveu Share Links (Linkly): The built-in share button on series generates Enveu deep links (e.g., `https://vurt.enveu.link/ocjfpfvnwz`). These are short links that route users to the correct content across web, app, and app store. The paid ads team should be aware these exist — they may be usable for campaign landing links, and tracking clicks on the share button itself is a pixel event (see #11).

Phase 1: Foundation Pixels (Start Here)

These are the highest-value touchpoints. Get these live first.

1. Landing / Entry Pixel

What: Fires when a user lands on the site (any page) **Pages:** `myvurt.com/` (homepage), series pages (e.g., `myvurt.com/series/come-back-dad`), `myvurt.com/about-us`, `myvurt.com/contact-us` **Why:** Baseline for all attribution. Tells you which ad/source drove the visit. **Data to capture:** - Referral source (UTM params: `utm_source`, `utm_medium`, `utm_campaign`, `utm_content`) - Device type (mobile/desktop/tablet) - Timestamp - Session ID (for stitching the full journey)

2. Age Gate Completion Pixel

What: Fires when user confirms they're 17+ and enters the site **Page:** Homepage age gate modal **Why:** First real engagement signal. Measures drop-off between landing and actually entering. If 60% of paid traffic bounces at the age gate, that's critical intel. **Data to capture:** - Time from landing to age gate completion - Whether they bounced or proceeded

3. Play Button Pixel (PRIORITY)

What: Fires when a user clicks play on any series/episode **Page:** Player component on series page (episode selection is within the series URL — fires on click event, not page load) **Why:** The money metric. Tells you: "Did the person we paid to bring here actually watch something?" **Data to capture:** - Series title / Series ID - Episode number - Source (which ad/campaign drove them) - Time from landing to first play - Device type

4. View Duration / Watch Time Pixel

What: Fires at intervals during playback (25%, 50%, 75%, 100% completion) **Page:** Player component **Why:** A click isn't a watch. Someone who watches 10 seconds vs. the full episode are completely different signals. This is what tells you which content is actually sticky. **Data to capture:** - Series title / Episode number - Percentage completed (25/50/75/100) - Total seconds watched - Whether they skipped/scrubbed forward - Whether they watched the next episode (binge signal)

5. Registration / Sign-Up Pixel (PRIORITY)

What: Fires when the registration gate appears AND when user completes sign-up **Page:** Registration modal (appears after X number of watches) **Why:** This is your primary conversion event. The full funnel is: Ad → Land → Watch → Register. Two separate pixels needed: - **Gate Shown:** How many users hit the registration prompt - **Registration Complete:** How many actually signed up **Data to capture:** - Number of episodes watched before gate triggered - Time on site before gate triggered - Which series they were watching when gate appeared - Registration method (email, Google, Apple, etc.) - Conversion rate (gate shown → registered)

6. App Download Pixel (PRIORITY)

What: Fires when user clicks iOS App Store or Google Play download links **Pages:** Any page with app download CTAs **Why:** Measures cross-platform conversion. Did your web traffic convert to app installs? **Data to capture:** - Platform clicked (iOS vs. Android) - Source page / referral campaign - Whether user was registered or anonymous **Note:** Pair with App Store attribution (Apple SKAdNetwork / Google Install Referrer) for full install tracking

Phase 2: Behavior & Navigation Pixels

After foundation pixels are live, add these for deeper user intelligence.

7. Categories Page Pixel

What: Fires when user navigates to Categories section **Page:** Categories view **Why:** When you drive paid traffic to a specific show, this tells you what else those users explore. If everyone who watches "Come Back Dad" then browses Drama, that's targeting gold. **Data to capture:** - Which categories browsed - Time spent in categories - Which category they clicked into - Previous content viewed (what show brought them here)

8. Series Browse / Thumbnail Click Pixel

What: Fires when a user clicks on a series thumbnail (before hitting play) **Page:** Homepage carousels, category pages, "What's New" **Why:** Interest signal before commitment. Which thumbnails get clicks vs. which get skipped tells you about creative effectiveness. **Data to capture:** - Series title clicked - Position in carousel/rail (was it slot 1 or slot 15?) - Which rail/section (Top 10, Break The Boredom, What's New) - Whether they ultimately played it or bounced back

9. "My List" Add Pixel

What: Fires when user adds a series to their watchlist **Page:** Any page with "Add to My List" functionality **Why:** Intent signal. This is someone planning to come back. High-value retargeting audience. **Data to capture:** - Series added - Number of items already in list - Whether user is registered

10. Submit Your Series Page Pixel

What: Fires on page load + form submission **Page:** `myvurt.com/submit-your-series` (or equivalent CTA) **Why:** Creator acquisition funnel. If you run creator-facing ads, this is the conversion. **Data to capture:** - Page view (interest) - Form submission (conversion) - Referral source

11. Share / Social Action Pixel

What: Fires when user shares content via social share buttons **Page:** Player component, series detail views **Why:** Organic amplification signal. Which content do people share? That's your best-performing creative for future ads. **Note:** The share button currently generates Enveu deep links (e.g., `https://vurt.enveu.link/ocjfpfvnwz`). These route users to the correct content across web and app. The pixel should capture when the share action is triggered and which link is generated. **Data to capture:** - Series/episode shared - Enveu share link generated - Platform shared to (IG, X, WhatsApp, SMS, copy link) - Whether sharer is registered

---

Phase 3: Advanced Tracking (After Foundation Is Solid)

12. Scroll Depth Pixel

What: Fires at scroll milestones (25%, 50%, 75%, 100%) on homepage **Page:** Homepage **Why:** Are users scrolling past the first carousel? If 80% never scroll to "Break The Boredom" rail, that content is invisible.

13. Session Replay / Heatmap Integration

What: Visual recording of user sessions **Why:** See exactly what users do. Where they click, where they hesitate, where they leave. Tools like Hotjar or FullStory.

14. Return Visit Pixel

What: Fires when a previously-seen user returns **Why:** Retention signal. Did the paid traffic come back organically? That's the real ROI.

15. Individual Show Pixels (1,000+ Titles)

What: Unique pixel/event per series **Why:** Per-title attribution for content you're actively promoting **Approach:** Don't pixel all 1,000 at once. Start with the 10-15 titles you're actively pushing via paid. Use a dynamic pixel that captures the series ID as a parameter rather than deploying 1,000 separate pixels.

Recommended Pixel Architecture

Don’t Deploy 1,000 Pixels — Deploy 1 Smart Pixel

Since series pages have unique URLs but episodes do not, a hybrid approach works best:

1. **One base pixel** on every page (handles landing, session, device, UTM capture) — fires on standard page load for the homepage, series pages, and static pages
2. **Event listeners** for episode-level and in-player actions that fire the same pixel with different event parameters:
   - `event: play` + `series_id: xyz` + `episode: 3`
   - `event: register_gate_shown`
   - `event: register_complete`
   - `event: category_browse` + `category: drama`
   - `event: app_download` + `platform: ios`
   - `event: share` + `series_id: xyz` + `enveu_link: vurt.enveu.link/abc123`
3. **UTM parameter persistence** — UTMs from the landing URL must be captured on entry and stored in session/local storage, then passed with every subsequent event (important for episode-level events where the URL doesn’t change)

UTM Structure for Campaigns

```
?utm_source=[platform]&utm_medium=[paid|organic]&utm_campaign=
[campaign_name]&utm_content=[creative_variant]
```

Examples: - `?utm_source=instagram&utm_medium=paid&utm_campaign=come_back_dad_launch&utm_content=trailer_v2` - `?utm_source=tiktok&utm_medium=paid&utm_campaign=top10_awareness&utm_content=kevin_hart_clip`

Google Analytics (GA4) Setup — Parallel Track

Alongside custom pixels, GA4 should be set up to capture organic + paid traffic holistically:

GA4 Event	Maps To	Purpose
`page_view`	Landing pixel	Traffic source attribution

GA4 Event	Maps To	Purpose
`play_content`	Play button pixel	Content engagement
`watch_progress`	View duration pixel	Watch depth
`sign_up`	Registration pixel	Conversion
`app_cta_click`	App download pixel	Cross-platform
`share_content`	Share pixel	Virality
`add_to_list`	My List pixel	Retention intent

GA4 custom dimensions needed: - `series_title` - `episode_number` - `content_category` - `user_type` (anonymous / registered)

Priority Summary

Priority	Pixel	Why It's Critical
🔴 P0	Landing / Entry	Can't attribute anything without this
🔴 P0	Play Button	Core engagement metric
🔴 P0	Registration Complete	Primary conversion
🟠 P1	View Duration	Quality of engagement
🟠 P1	App Download Click	Cross-platform conversion
🟠 P1	Age Gate Completion	Funnel drop-off diagnosis
🟡 P2	Categories Browse	Audience interest mapping
🟡 P2	Thumbnail Clicks	Creative/content testing
🟡 P2	Registration Gate Shown	Funnel optimization
🟢 P3	My List, Share, Scroll	Behavioral depth
🟢 P3	Per-show dynamic pixels	Content-level attribution

User Journey Map (Point A → Point Z)

```
[Ad / Social Post / Organic Search]
        │
        ▼
   ① LAND on myvurt.com ←── Landing Pixel
        │
        ▼
   ② AGE GATE (17+ confirm) ←── Age Gate Pixel
        │
        ▼
   ③ BROWSE homepage ←── Scroll Depth Pixel
     (carousels, Top 10, What's New)
        │
        ├──→ Categories ←── Categories Pixel
        │
        ▼
   ④ CLICK series thumbnail ←── Thumbnail Click Pixel
        │
        ▼
   ⑤ PLAY episode ←── Play Button Pixel
        │
        ▼
   ⑥ WATCH content ←── View Duration Pixel (25/50/75/100%)
        │
        ├──→ Watch next episode (binge) ←── Sequential Play Pixel
        │
        ├──→ Share ←── Share Pixel
        │
        ├──→ Add to My List ←── My List Pixel
        │
        ▼
   ⑦ REGISTRATION GATE appears ←── Gate Shown Pixel
     (after X watches)
        │
        ▼
   ⑧ REGISTER (free) ←── Registration Pixel
        │
        ├──→ Download App ←── App Download Pixel
        │
```

```
        ▼
    ⑨ RETURN VISIT ←── Return Visit Pixel
```

What the Paid Ads Team Needs From VURT Dev/Enveu

1. **Access to inject JavaScript** on the site (for pixel code + event listeners)
2. **DOM element identifiers** — CSS selectors or data attributes for: play button, registration form, age gate, category nav, share buttons, app download links
3. **Player API access** — Does Enveu's video player expose playback events (play, pause, progress, complete)? The paid team needs to hook into these.
4. **Confirmation of registration gate logic** — After how many watches does it appear? Is it configurable? Does it vary by user?
5. **GTM (Google Tag Manager) container** — Easiest way to deploy and manage all pixels from one place without touching site code repeatedly

---

Email Draft for Paid Ads Team

(See below — ready to send or edit)

Subject: VURT Pixel Plan — Pages, Events & Technical Context

Hey team,

Following up on our call. Here's the breakdown of our site and what we want to track. Important technical context first:

Our site (myvurt.com) runs on Enveu (Angular SPA). Here's the URL situation:

Pages with unique URLs (standard page-load pixels work): - Homepage: `myvurt.com/` - Series pages: e.g., `myvurt.com/series/come-back-dad` (each series has its own URL) - About: `myvurt.com/about-us` - Contact: `myvurt.com/contact-us` - Submit Your Series: `myvurt.com/submit-your-series` - FAQ, Privacy Policy, Terms of Service

What does NOT have unique URLs: Individual episodes within a series. Episode selection happens on the series page without a URL change. So episode-level tracking needs event-based pixels.

Also worth knowing: The site has a built-in share feature that generates Enveu deep links (e.g., `https://vurt.enveu.link/ocjfpfvnwz`). These route to the right content across web and app. These may be relevant for campaign landing links.

Events we need custom pixels for (fire on user action, not page load):

1. **Play button click** — When someone clicks play on any episode. We want to know: did the person we drove from social actually watch? Capture the series title and episode number with each fire.
2. **Watch completion** — Fire at 25%, 50%, 75%, 100% of episode. This tells us watch quality, not just clicks.
3. **Registration** — Two events: (a) when our registration gate appears (it shows up after users watch a certain number of episodes), and (b) when they complete sign-up. This is our primary conversion.
4. **App download clicks** — When users click our App Store or Google Play links. We want to know if web traffic converts to app installs.
5. **Category browsing** — When users navigate to our categories section. Especially important when we're driving traffic to a specific show — we want to see what else those users look for.
6. **Thumbnail clicks** — When users click on a series from the homepage carousels or category pages. Interest signal before play.

User journey (A to Z): Ad/Social → Land on site → Age gate (17+) → Browse homepage → Click series → Watch episodes → Registration gate appears → Register for free → Download app / Return visits

What we want to answer: - Which campaigns drive people who actually WATCH (not just land)? - How long from first visit to registration? - Which shows have the highest watch-through rates from paid traffic? - Are users driven by paid ads downloading the app? - After watching a promoted show, what categories/content do they explore next?

Start with: Landing pixel, play button pixel, registration pixel, app download pixel. Then layer in watch duration and category tracking.

UTM structure we'll use: `?utm_source=[platform]&utm_medium=paid&utm_campaign=[campaign_name]&utm_content=[creative_id]`

Let me know what you need from our dev team (Enveu) to get the event listeners set up — DOM selectors, player API access, GTM container, etc. Happy to set up a call with them.

Talk soon, Dioni