Web Development Internship

Day 7 Assignment

SE-IT-B-06

Abhishek Pandita

```
Q1.
Ans.
<html>
<body>
<form method="post" action=""><br>
Basic_Prcie: <input type="text" name="price"><br>
<input type="submit">
</form>
<?php
$a=$_POST['price'];
$b=$a*.15;
$c=$a*.1;
$d=$a*.05;
$e=$a*.01;
$f=$a+$b+$c+$d+$e;
echo"Excise duty=".$b;
echo"Sales tax=".$c;
echo"Octroi=".$d;
```

```
echo"Road tax=".$e;
echo"Total Price=".$f;
?>
</body>
</html>

    □ | 1/2 | 51 | ↑ □ | □ □ | M | □ □ | ∂6 □ localhost/try.php

← → C ① localhost/try.php
Excise duty=300Sales tax=200Octroi=100Road tax=20Total Price=2620
Q2.
Ans.
<html>
<body>
<form method="post" action=""><br>
Enter number: <input type="text" name="num1"><br>
Enter number: <input type="text" name="num2"><br>
```

```
Enter number: <input type="text" name="num3"><br>
Enter number: <input type="text" name="num4"><br>
<input type="submit">
</form>
<?php
$a=$_POST['num1'];
$b=$_POST['num2'];
$c=$_POST['num3'];
$d=$_POST['num4'];
if(($a>$b) && ($a>$c) && ($a>$d))
{
 max = a;
if(($b>$a) && ($b>$c) && ($b>$d))
 {
 max = b;
 }
 if(($c>$a) && ($c>$b) && ($c>$d))
 {
 $max = $c;
 }
 if(($d>$a) && ($d>$b) && ($d>$c))
{
 max = d;
 }
echo"Maximum Number=".$max;
```

?> </body> </html>
 □ | 1/2 | 131 | 14. | 14. | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 15 Enter number: Enter number: Enter number: Enter number: Submit Maximum Number=40 Q3. Ans. <html> <body> <form method="post" action="">
 Enter the age of the person:<input type="text" name="num1">
 <input type="submit">

</form>

<?php

```
$a=$_POST['num1'];
if ($a>=18)
     {
          echo"Eigibal for voting";
     }
     else
     {
          echo"Not Eigibal for voting";
     }
?>
</body>
</html>

☑ | 7½ | SI | ♠ | ▼ | ☑ | M | ☑ | ∂6  ☐ localhost/try.php

                                       × +
← → ♂ ⊙ localhost/try.php
Enter the age of the person:
Submit
Eigibal for voting
```

Q4.

Ans.

```
<html>
<body>
<form method="post" action="">
Enter number <input type="text" name="num1" ><br>
Enter number <input type="text" name="num2" ><br>
<input type="submit" >
</form>
<?php
$n=$_POST['num1'];
$r=$_POST['num2'];
$res = 1;
for (\$i = 2; \$i \le \$n; \$i++)
{
   $res = $res * $i;
}
$ress = 1;
for ($i = 2; $i <= $r; $i++)
{
   $ress = $ress * $i;
}
p = n - r
$re = 1;
```

```
for ($i = 2; $i <= $p; $i++)
{
     $re = $re * $i;
}
echo"NpR For numbers=".($res / $re);
echo"NcR For numbers=".( $res / ($ress * $re));
?>
</body>
</html>

☑ | 7½ | SI | ♠ | ▼ | ☑ | M | ☑ | ∂6  ☐ localhost/try.php

 \leftarrow \rightarrow ^{\circ} ^{\circ} O localhost/try.php
NpR For numbers=60NcR For numbers=10
```

```
Ans.
<html>
<body>
<form method="post" action="">
Enter the age of person <input type="text" name="age" ><br>
Enter the weight of the person <input type="text" name="weight" ><br>
<input type="submit" >
</form>
<?php
$age=$_POST['age'];
$wt=$_POST['weight'];
if($age>18 && $age<=55 && $wt>45)
{
echo "person is eligible for blood donation";
}
else
{
echo "person is not eligible for blood donation";
}
?>
</body>
```

</html>

