

IPv4-Schema
Fgz. Nr: OEGB (251)



Fahrzeugnummer:			OEGB-BENCH	Fzg ID: 251				Wagen:			A - 100		
Switch	Switchport	Usage	VLAN ID	Port Type	IP Address			IPID	PoE	[W]	Beschriftung TS	Comment	
A1	e0-0	FIS Switch A3	All (except OBS Intercon)	Trunk	-	-	-	-					
	e0-1	FIS Switch C1	All (except OBS Intercon)	Trunk	-	-	-	-					
	e0-2	Frontkupplung A1	100, 2, 3, 5, 6, 7, 8, 9, 12	Trunk	-	-	-	-					
	e0-3	OBS D1	100, 10, 20, 21, 22, 23, 24, 30, 31, 46, 48, 90, 131, 150, 200, 202	Trunk	-	-	-	-					
			7		172	19	253	130	2				
	e0-4	Access point A1	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-		y	18,0		
	e0-5	Service FIS / CCTV	2	Access	172	17	125	248	120				
	e1-0	Überw. Kamera A7	5	Access	172	18	253	138	10	y	5,0		
	e1-1	Überw. Kamera A2	5	Access	172	18	253	139	11	y	5,0		
	e1-2	Überw. Kamera A1	5	Access	172	18	253	140	12	y	5,0		
	e1-3	Überw. Kamera A5	5	Access	172	18	253	141	13	y	5,0		
	e1-4	Überw. Kamera A9	5	Access	172	18	253	142	14	y	5,0		
	e1-5	AFZ A1	8	Access	172	20	125	133	5	y	10,0		
	e1-6	AFZ A2	8	Access	172	20	125	134	6	y	10,0		
	e1-7				-	-	-	-	-				
	e1-8	Sprechstelle A1	9	Access	172	20	253	133	5	y	7,5		
	e1-9	Sprechstelle A3R	9	Access	172	20	253	169	41	y	7,5		
	e1-10				-	-	-	-	-				
	e1-11				-	-	-	-	-				
	e1-12	Future use box A5	90	Access	-	-	-	-	-				
	e1-13	Future use box A6	90	Access	-	-	-	-	-				
	e1-14	Seitenanzeige A1	3	Access	172	17	253	153	25				
	e1-15	Seitenanzeige A3	3	Access	172	17	253	154	26				
	e2-0	Bildschirm A7	3	Access	172	17	253	178	50				
	e2-1	Bildschirm A5	3	Access	172	17	253	179	51				
	e2-2	Bildschirm A1	3	Access	172	17	253	180	52				
e2-3	Bildschirm A3	3	Access	172	17	253	181	53					
e2-4	ADU A	9	Access	172	20	253	131	3					
e2-5	Audio Amp. A1	9	Access	172	20	253	149	21					
A2	e0-0	FIS Switch A3	All (except OBS Intercon)	Trunk	-	-	-	-	-				
	e0-1	FIS Switch C3	All (except OBS Intercon)	Trunk	-	-	-	-	-				
	e0-2				-	-	-	-	-				
	e0-3				-	-	-	-	-				
	e0-4	Access point A2	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	-	y	18,0		
	e0-5	reserved			-	-	-	-	-				
	e1-0	Überw. Kamera A8	5	Access	172	18	253	143	15	y	5,0		
	e1-1	Überw. Kamera A4	5	Access	172	18	253	144	16	y	5,0		
	e1-2	Überw. Kamera A3	5	Access	172	18	253	145	17	y	5,0		
	e1-3	Überw. Kamera A6	5	Access	172	18	253	146	18	y	5,0		
	e1-4	Überw. Kamera A10	5	Access	172	18	253	147	19	y	5,0		
	e1-5	AFZ A3	8	Access	172	20	125	135	7	y	10,0		
	e1-6	AFZ A4	8	Access	172	20	125	136	8	y	10,0		
	e1-7	NVR A	5	Access	172	18	253	133	5				
	e1-8	Sprechstelle A2	9	Access	172	20	253	134	6	y	7,5		
	e1-9	Sprechstelle A1R	9	Access	172	20	253	133	5	y	7,5		Redundanz A1
	e1-10				-	-	-	-	-				
	e1-11				-	-	-	-	-				
	e1-12	Future use box A2	90	Access	-	-	-	-	-				
	e1-13	Future use box A4	90	Access	-	-	-	-	-				
	e1-14	Seitenanzeige A2	3	Access	172	17	253	155	27				
	e1-15	Seitenanzeige A4	3	Access	172	17	253	156	28				
	e2-0	Bildschirm A8	3	Access	172	17	253	182	54				
	e2-1	Bildschirm A6	3	Access	172	17	253	183	55				
	e2-2	Bildschirm A2	3	Access	172	17	253	184	56				
	e2-3	Bildschirm A4	3	Access	172	17	253	185	57				
e2-4				-	-	-	-	-					
e2-5	Audio Amp. A2	9	Access	172	20	253	150	22					
A3	e0-0	FIS Switch A1	All (except OBS Intercon)	Trunk	-	-	-	-	-				
	e0-1	FIS Switch A2	All (except OBS Intercon)	Trunk	-	-	-	-	-				
	e0-2	Frontkupplung A2	100, 2, 3, 5, 6, 7, 8, 9, 12	Trunk	-	-	-	-	-				
	e0-3	RDC D1	200, 202	Trunk	-	-	-	-	-				
	e0-4	Access point A3	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	-	y	18,0		
	e0-5	reserved			-	-	-	-	-				
	e1-0	Rücksehkamera A1	5	Access	172	18	253	208	80	y	5,0		
	e1-1	Rücksehkamera A2	5	Access	172	18	253	209	81	y	5,0		
	e1-2	Access point A4	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	-	y	18,0		
	e1-3				-	-	-	-	-				
	e1-4	Firewall	2	Trunk	172	17	125	129	1				Kein DHCP Statische Konfiguration STADLER
			3		172	17	253	129					
			5		172	18	253	129					
			6		172	19	125	129					
			7		172	19	253	129					
			8		172	20	125	129					
			9		172	20	253	129					
			12	172	22	125	129						
	e1-5				-	-	-	-	-				
	e1-6				-	-	-	-	-				
	e1-7				-	-	-	-	-				
	e1-8	Sprechstelle A1R	9	Access	172	20	253	133	5	y	7,5		Redundanz A1
	e1-9	Sprechstelle A2R	9	Access	172	20	253	134	6	y	7,5		Redundanz A2
	e1-10				-	-	-	-	-				
	e1-11				-	-	-	-	-				
	e1-12	Future use box A1	90	Access	-	-	-	-	-				
e1-13	Future use box A3	90	Access	-	-	-	-	-					
e1-14	Frontanzeige A	3	Access	172	17	253	151	23					
e1-15				-	-	-	-	-					
e2-0	Bildschirm A9	3	Access	172	17	253	234	106					
e2-1	Bildschirm A10	3	Access	172	17	253	235	107					
e2-2				-	-	-	-	-					
e2-3	Sitzplatzreservierung A	6	Access	172	19	125	138	10					

	e2-4	ADU AR	9	Access	172	20	253	131	3				
	e2-5	Service VLAN PWLAN	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	127				

B1	e0-0	FIS Switch B3	All (except OBS Intercon)	Trunk	-	-	-	-	-					
	e0-1	FIS Switch F1	All (except OBS Intercon)	Trunk	-	-	-	-	-					
	e0-2	Frontkupplung B1	100, 2, 3, 5, 6, 7, 8, 9, 12	Trunk	-	-	-	-	-					
	e0-3				-	-	-	-	-					
	e0-4	Access point B1	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	-	y	18,0			
	e0-5	Service FIS / CCTV	2	Access	172	17	125	253	125					
	e1-0	Überw. Kamera B7	5	Access	172	18	253	187	59	y	5,0			
	e1-1	Überw. Kamera B2	5	Access	172	18	253	188	60	y	5,0			
	e1-2	Überw. Kamera B1	5	Access	172	18	253	189	61	y	5,0			
	e1-3	Überw. Kamera B5	5	Access	172	18	253	190	62	y	5,0			
	e1-4	Überw. Kamera B9	5	Access	172	18	253	191	63	y	5,0			
	e1-5	AFZ B1	8	Access	172	20	125	158	30	y	10,0			
	e1-6	AFZ B2	8	Access	172	20	125	159	31	y	10,0			
	e1-7	Sprechstelle B4	9	Access	172	20	253	172	44	y	7,5			
	e1-8	Sprechstelle B1	9	Access	172	20	253	147	19	y	7,5			
	e1-9	Sprechstelle B3R	9	Access	172	20	253	173	45	y	7,5		Redundanz B3	
	e1-10					-	-	-	-	-				
	e1-11	ZFR R	2	Access	172	17	125	130	2					
	e1-12	Future use box B5	90	Access		-	-	-	-	-				
	e1-13	Future use box B6	90	Access		-	-	-	-	-				
	e1-14	Seitenanzeige B1	3	Access	172	17	253	173	45					
	e1-15	Seitenanzeige B3	3	Access	172	17	253	174	46					
	e2-0	Bildschrim B7	3	Access	172	17	253	226	98					
	e2-1	Bildschrim B5	3	Access	172	17	253	227	99					
	e2-2	Bildschrim B1	3	Access	172	17	253	228	100					
e2-3	Bildschrim B3	3	Access	172	17	253	229	101						
e2-4	ADU B	9	Access	172	20	253	132	4						
e2-5	Audio Amp. B1	9	Access	172	20	253	159	31						
B2	e0-0	FIS Switch B3	All (except OBS Intercon)	Trunk	-	-	-	-	-					
	e0-1	FIS Switch F3	All (except OBS Intercon)	Trunk	-	-	-	-	-					
	e0-2				-	-	-	-	-					
	e0-3				-	-	-	-	-					
	e0-4	Access point B2	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	-	y	18,0			
	e0-5	reserved			-	-	-	-	-					
	e1-0	Überw. Kamera B8	5	Access	172	18	253	192	64	y	5,0			
	e1-1	Überw. Kamera B4	5	Access	172	18	253	193	65	y	5,0			
	e1-2	Überw. Kamera B3	5	Access	172	18	253	194	66	y	5,0			
	e1-3	Überw. Kamera B6	5	Access	172	18	253	195	67	y	5,0			
	e1-4	Überw. Kamera B10	5	Access	172	18	253	196	68	y	5,0			
	e1-5	AFZ B3	8	Access	172	20	125	160	32	y	10,0			
	e1-6	AFZ B4	8	Access	172	20	125	161	33	y	10,0			
	e1-7	NVR B	5	Access	172	18	253	134	6					
	e1-8	Sprechstelle B2	9	Access	172	20	253	148	20	y	7,5			
	e1-9	Sprechstelle B1R	9	Access	172	20	253	147	19	y	7,5			
	e1-10	Sprechstelle B5R	9	Access	172	20	253	174	46	y	7,5		Redundanz B5	
	e1-11	Sprechstelle B3	9	Access	172	20	253	173	45	y	7,5			
	e1-12	Future use box B2	90	Access		-	-	-	-	-				
	e1-13	Future use box B4	90	Access		-	-	-	-	-				
	e1-14	Seitenanzeige B2	3	Access	172	17	253	175	47					
	e1-15	Seitenanzeige B4	3	Access	172	17	253	176	48					
	e2-0	Bildschrim B8	3	Access	172	17	253	230	102					
	e2-1	Bildschrim B6	3	Access	172	17	253	231	103					
	e2-2	Bildschrim B2	3	Access	172	17	253	232	104					
e2-3	Bildschrim B4	3	Access	172	17	253	233	105						
e2-4					-	-	-	-	-					
e2-5	Audio Amp. B2	9	Access	172	20	253	160	32						
B3	e0-0	FIS Switch B1	All (except OBS Intercon)	Trunk	-	-	-	-	-					
	e0-1	FIS Switch B2	All (except OBS Intercon)	Trunk	-	-	-	-	-					
	e0-2	Frontkupplung B2	100, 2, 3, 5, 6, 7, 8, 9, 12	Trunk	-	-	-	-	-					
	e0-3				-	-	-	-	-					
	e0-4	Access point B3	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	-	y	18,0			
	e0-5	reserved			-	-	-	-	-					
	e1-0	Rücksehkamera B1	5	Access	172	18	253	218	90	y	5,0			
	e1-1	Rücksehkamera B2	5	Access	172	18	253	219	91	y	5,0			
	e1-2	Access point B4	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	-	y	18,0			
	e1-3				-	-	-	-	-					
	e1-4				-	-	-	-	-					
	e1-5				-	-	-	-	-					
	e1-6				-	-	-	-	-					
	e1-7	Sprechstelle B5	9	Access	172	20	253	174	46	y	7,5			
	e1-8				-	-	-	-	-					
	e1-9	Sprechstelle B2R	9	Access	172	20	253	148	20	y	7,5		Redundanz B2	
	e1-10	Sprechstelle B1R	9	Access	172	20	253	147	19	y	7,5		Redundanz B1	
	e1-11	ZFR	2	Access	172	17	125	130	2					
	e1-12	Future use box B1	90	Access		-	-	-	-					
	e1-13	Future use box B3	90	Access		-	-	-	-					
	e1-14	Frontanzeige B	3	Access	172	17	253	152	24					
	e1-15				-	-	-	-	-					
	e2-0	Bildschirm B9	3	Access	172	17	253	244	116					
	e2-1	Bildschirm B10	3	Access	172	17	253	245	117					
	e2-2				-	-	-	-	-					
e2-3	Sitzplatzreservierung B	6	Access	172	19	125	143	15						
e2-4	ADU BR	9	Access	172	20	253	132	4						
e2-5	Service VLAN PWLAN	100, 10, 20, 30, 31, 131, 150	Trunk		-	-	-	-	127					
Firewall		2		N/A	172	17	125	254	126			IP festgehalten fuer die RCU.		
		3		N/A	172	17	253	254	126			Diese ist mit der Firewall verbunden.		
		9		N/A	172	20	253	254	126			Anforderung von STADI ER		