

Fahrzeugnummer: 4736-XXX				Fzg ID: 129				Wagen: A - 100					
Switch	Switchport	Usage	VLAN ID	Port Type	IP Address			IPID	PoE	[W]	Beschreibung TS	Comment	
A1	e0-0	FIS Switch A3	All (except OBS Intercon)	Trunk	-	-	-	-	-				
	e0-1	FIS Switch C1	All (except OBS Intercon)	Trunk	-	-	-	-	-				
	e0-2	Frontkupplung A1	100, 2, 3, 5, 6, 7, 8, 9, 12	Trunk	-	-	-	-	-				
	e0-3				-	-	-	-	-				
	e0-4	Access point A1	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	-	y	18,0		
	e0-5	Service FIS / CCTV	2	Access	172	17	64	248	120				
	e1-0	Überw. Kamera A7	5	Access	172	18	192	138	10	y	5,0		
	e1-1	Überw. Kamera A2	5	Access	172	18	192	139	11	y	5,0		
	e1-2	Überw. Kamera A1	5	Access	172	18	192	140	12	y	5,0		
	e1-3	Überw. Kamera A5	5	Access	172	18	192	141	13	y	5,0		
	e1-4	Überw. Kamera A9	5	Access	172	18	192	142	14	y	5,0		
	e1-5	AFZ A1	8	Access	172	20	64	133	5	y	10,0		
	e1-6	AFZ A2	8	Access	172	20	64	134	6	y	10,0		
	e1-7				-	-	-	-	-				
	e1-8	Sprechstelle A1	9	Access	172	20	192	133	5	y	7,5		
	e1-9				-	-	-	-	-				
	e1-10				-	-	-	-	-				
	e1-11				-	-	-	-	-				
	e1-12	Future use box A5	90	Access	-	-	-	-	-				
	e1-13	Future use box A6	90	Access	-	-	-	-	-				
	e1-14	Seitenanzeige A1	3	Access	172	17	192	153	25				
	e1-15	Seitenanzeige A3	3	Access	172	17	192	154	26				
	e2-0	Bildschirm A7	3	Access	172	17	192	178	50				
	e2-1	Bildschirm A5	3	Access	172	17	192	179	51				
	e2-2	Bildschirm A1	3	Access	172	17	192	180	52				
e2-3	Bildschirm A3	3	Access	172	17	192	181	53					
e2-4	ADU A	9	Access	172	20	192	131	3					
e2-5	Audio Amp. A1	9	Access	172	20	192	149	21					
A2	e0-0	FIS Switch A3	All (except OBS Intercon)	Trunk	-	-	-	-	-				
	e0-1	FIS Switch C3	All (except OBS Intercon)	Trunk	-	-	-	-	-				
	e0-2				-	-	-	-	-				
	e0-3				-	-	-	-	-				
	e0-4	Access point A2	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	-	y	18,0		
	e0-5	reserved			-	-	-	-	-				
	e1-0	Überw. Kamera A8	5	Access	172	18	192	143	15	y	5,0		
	e1-1	Überw. Kamera A4	5	Access	172	18	192	144	16	y	5,0		
	e1-2	Überw. Kamera A3	5	Access	172	18	192	145	17	y	5,0		
	e1-3	Überw. Kamera A6	5	Access	172	18	192	146	18	y	5,0		
	e1-4	Überw. Kamera A10	5	Access	172	18	192	147	19	y	5,0		
	e1-5	AFZ A3	8	Access	172	20	64	135	7	y	10,0		
	e1-6	AFZ A4	8	Access	172	20	64	136	8	y	10,0		
	e1-7	NVR A	5	Access	172	18	192	133	5				
	e1-8	Sprechstelle A2	9	Access	172	20	192	134	6	y	7,5		
	e1-9	Sprechstelle A1R	9	Access	172	20	192	133	5	y	7,5		Redundanz A1
	e1-10				-	-	-	-	-				
	e1-11				-	-	-	-	-				
	e1-12	Future use box A2	90	Access	-	-	-	-	-				
	e1-13	Future use box A4	90	Access	-	-	-	-	-				
	e1-14	Seitenanzeige A2	3	Access	172	17	192	155	27				
	e1-15	Seitenanzeige A4	3	Access	172	17	192	156	28				
	e2-0	Bildschirm A8	3	Access	172	17	192	182	54				
	e2-1	Bildschirm A6	3	Access	172	17	192	183	55				
	e2-2	Bildschirm A2	3	Access	172	17	192	184	56				
e2-3	Bildschirm A4	3	Access	172	17	192	185	57					
e2-4				-	-	-	-	-					
e2-5	Audio Amp. A2	9	Access	172	20	192	150	22					
A3	e0-0	FIS Switch A1	All (except OBS Intercon)	Trunk	-	-	-	-	-				
	e0-1	FIS Switch A2	All (except OBS Intercon)	Trunk	-	-	-	-	-				
	e0-2	Frontkupplung A2	100, 2, 3, 5, 6, 7, 8, 9, 12	Trunk	-	-	-	-	-				
	e0-3				-	-	-	-	-				
	e0-4	Access point A3	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	-	y	18,0		
	e0-5	reserved			-	-	-	-	-				
	e1-0	Rücksehkamera A1	5	Access	172	18	192	208	80	y	5,0		
	e1-1	Rücksehkamera A2	5	Access	172	18	192	209	81	y	5,0		
	e1-2	Access point A4	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	-	y	18,0		
	e1-3				-	-	-	-	-				
	e1-4	Firewall	2	Trunk	172	17	64	129	1			Kein DHCP Statische Konfiguration STADLER	
			3		172	17	192	129					
			5		172	18	192	129					
			6		172	19	64	129					
			7		172	19	192	129					
			8		172	20	64	129					
			9		172	20	192	129					
			12		172	22	64	129					
	e1-5				-	-	-	-	-				
	e1-6				-	-	-	-	-				
	e1-7				-	-	-	-	-				
	e1-8				-	-	-	-	-				
	e1-9	Sprechstelle A2R	9	Access	172	20	192	134	6	y	7,5		Redundanz A2
	e1-10				-	-	-	-	-				
	e1-11				-	-	-	-	-				
e1-12	Future use box A1	90	Access	-	-	-	-	-					
e1-13	Future use box A3	90	Access	-	-	-	-	-					
e1-14	Frontanzeige A	3	Access	172	17	192	151	23					
e1-15				-	-	-	-	-					
e2-0				-	-	-	-	-					
e2-1				-	-	-	-	-					
e2-2				-	-	-	-	-					
e2-3				-	-	-	-	-					
e2-4	ADU AR	9	Access	172	20	192	131	3					
e2-5	Service VLAN PWLAN	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	127					

C1	e0-0	FIS Switch A1	All (except OBS Intercon)	Trunk	-	-	-	-	-				
	e0-1	FIS Switch D1	All (except OBS Intercon)	Trunk	-	-	-	-	-				
	e0-2				-	-	-	-	-				
	e0-3				-	-	-	-	-				
	e0-4	Access point C1	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	-	y	18,0		
	e0-5	Service FIS / CCTV	2	Access	172	17	64	249	121				
	e1-0	Überw. Kamera C7	5	Access	172	18	192	148	20	y	5,0		
	e1-1	Überw. Kamera C2	5	Access	172	18	192	149	21	y	5,0		
	e1-2	Überw. Kamera C1	5	Access	172	18	192	150	22	y	5,0		
	e1-3	Überw. Kamera C5	5	Access	172	18	192	151	23	y	5,0		
	e1-4	Überw. Kamera C9	5	Access	172	18	192	152	24	y	5,0		
	e1-5	AFZ C1	8	Access	172	20	64	137	9	y	10,0		
	e1-6	AFZ C2	8	Access	172	20	64	138	10	y	10,0		
	e1-7	AFZ C5	8	Access	172	20	64	139	11	y	10,0		
	e1-8	Sprechstelle C1	9	Access	172	20	192	135	7	y	7,5		
	e1-9				-	-	-	-	-				
	e1-10				-	-	-	-	-				
	e1-11				-	-	-	-	-				
	e1-12	Future use box C5	90	Access	-	-	-	-	-				
	e1-13	Future use box C6	90	Access	-	-	-	-	-				
	e1-14	Seitenanzeige C1	3	Access	172	17	192	157	29				
	e1-15	Seitenanzeige C3	3	Access	172	17	192	158	30				
	e2-0	Bildschirm C7	3	Access	172	17	192	186	58				
e2-1	Bildschirm C5	3	Access	172	17	192	187	59					
e2-2	Bildschirm C1	3	Access	172	17	192	188	60					
e2-3	Bildschirm C3	3	Access	172	17	192	189	61					
e2-4	Bildschirm C	3	Access	172	17	192	190	62					
e2-5	Audio Amp. C1	9	Access	172	20	192	151	23					
C2	e0-0	FIS Switch C3	All (except OBS Intercon)	Trunk	-	-	-	-	-				
	e0-1	FIS Switch D3	All (except OBS Intercon)	Trunk	-	-	-	-	-				
	e0-2				-	-	-	-	-				
	e0-3				-	-	-	-	-				
	e0-4	Access point C2	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	-	y	18,0		
	e0-5	reserved			-	-	-	-	-				
	e1-0	Überw. Kamera C8	5	Access	172	18	192	153	25	y	5,0		
	e1-1	Überw. Kamera C4	5	Access	172	18	192	154	26	y	5,0		
	e1-2	Überw. Kamera C3	5	Access	172	18	192	155	27	y	5,0		
	e1-3	Überw. Kamera C6	5	Access	172	18	192	156	28	y	5,0		
	e1-4	Überw. Kamera C10	5	Access	172	18	192	157	29	y	5,0		
	e1-5	AFZ C3	8	Access	172	20	64	140	12	y	10,0		
	e1-6	AFZ C4	8	Access	172	20	64	141	13	y	10,0		
	e1-7				-	-	-	-	-				
	e1-8	Sprechstelle C2	9	Access	172	20	192	136	8	y	7,5		
	e1-9	Sprechstelle C1R	9	Access	172	20	192	135	7	y	7,5		
	e1-10				-	-	-	-	-				
	e1-11				-	-	-	-	-				
	e1-12	Future use box C2	90	Access	-	-	-	-	-				
	e1-13	Future use box C4	90	Access	-	-	-	-	-				
	e1-14	Seitenanzeige C2	3	Access	172	17	192	159	31				
	e1-15	Seitenanzeige C4	3	Access	172	17	192	160	32				
	e2-0	Bildschirm C8	3	Access	172	17	192	191	63				
e2-1	Bildschirm C6	3	Access	172	17	192	192	64					
e2-2	Bildschirm C2	3	Access	172	17	192	193	65					
e2-3	Bildschirm C4	3	Access	172	17	192	194	66					
e2-4	Bildschirm C11	3	Access	172	17	192	195	67					
e2-5	Audio Amp. C2	9	Access	172	20	192	152	24					
C3	e0-0	FIS Switch A2	All (except OBS Intercon)	Trunk	-	-	-	-	-				
	e0-1	FIS Switch C2	All (except OBS Intercon)	Trunk	-	-	-	-	-				
	e0-2				-	-	-	-	-				
	e0-3				-	-	-	-	-				
	e0-4	Access point C3	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	-	y	18,0		
	e0-5	reserved			-	-	-	-	-				
	e1-0	Rücksehkamera C1	5	Access	172	18	192	210	82	y	5,0		
	e1-1	Rücksehkamera C2	5	Access	172	18	192	211	83	y	5,0		
	e1-2	Access point C4	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	-	y	18,0		
	e1-3				-	-	-	-	-				
	e1-4				-	-	-	-	-				
	e1-5				-	-	-	-	-				
	e1-6				-	-	-	-	-				
	e1-7				-	-	-	-	-				
	e1-8				-	-	-	-	-				
	e1-9	Sprechstelle C2R	9	Access	172	20	192	136	8	y	7,5		Redundanz C2
	e1-10				-	-	-	-	-				
	e1-11				-	-	-	-	-				
	e1-12	Future use box C1	90	Access	-	-	-	-	-				
	e1-13	Future use box C3	90	Access	-	-	-	-	-				
	e1-14				-	-	-	-	-				
	e1-15				-	-	-	-	-				
	e2-0				-	-	-	-	-				
e2-1				-	-	-	-	-					
e2-2				-	-	-	-	-					
e2-3				-	-	-	-	-					
e2-4				-	-	-	-	-					
e2-5				-	-	-	-	-					

D1	e0-0	FIS Switch C1	All (except OBS Intercon)	Trunk	-	-	-	-	-				
	e0-1	FIS Switch E2	All (except OBS Intercon)	Trunk	-	-	-	-	-				
	e0-2	OBS D1	100, 10, 20, 21, 22, 23, 24, 30, 31, 46, 48, 90, 131, 150, 200, 202	Trunk	-	-	-	-	-				
					7	172	19	192	130	2			
	e0-3	RDC D1	200, 202	Trunk	-	-	-	-	-				
	e0-4	Access point D1	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	-	y	18,0		
	e0-5	Service FIS / CCTV	2	Access	172	17	64	250	122				
	e1-0	Überw. Kamera D7	5	Access	172	18	192	158	30	y	5,0		
	e1-1	Überw. Kamera D2	5	Access	172	18	192	159	31	y	5,0		
	e1-2	Überw. Kamera D1	5	Access	172	18	192	160	32	y	5,0		
	e1-3	Überw. Kamera D5	5	Access	172	18	192	161	33	y	5,0		
	e1-4	Überw. Kamera D9	5	Access	172	18	192	162	34	y	5,0		
	e1-5	AFZ D1	8	Access	172	20	64	142	14	y	10,0		
	e1-6	AFZ D2	8	Access	172	20	64	143	15	y	10,0		
	e1-7	AFZ D5	8	Access	172	20	64	144	16	y	10,0		
	e1-8	Sprechstelle D1	9	Access	172	20	192	138	10	y	7,5		
	e1-9				-	-	-	-	-				
	e1-10				-	-	-	-	-				
	e1-11				-	-	-	-	-				
	e1-12	Future use box D5	90	Access	-	-	-	-	-				
	e1-13	Future use box D6	90	Access	-	-	-	-	-				
e1-14	Seitenanzeige D1	3	Access	172	17	192	161	33					
e1-15	Seitenanzeige D3	3	Access	172	17	192	162	34					
e2-0	Bildschrim D7	3	Access	172	17	192	196	68					
e2-1	Bildschrim D5	3	Access	172	17	192	197	69					
e2-2	Bildschrim D1	3	Access	172	17	192	198	70					
e2-3	Bildschrim D3	3	Access	172	17	192	199	71					
e2-4	Bildschirm D	3	Access	172	17	192	200	72					
e2-5	Audio Amp. D1	9	Access	172	20	192	153	25					
D2	e0-0	FIS Switch D3	All (except OBS Intercon)	Trunk	-	-	-	-	-				
	e0-1	FIS Switch E1	All (except OBS Intercon)	Trunk	-	-	-	-	-				
	e0-2	OBS Reserve D2			-	-	-	-	-				
	e0-3	RDC Reserve D2			-	-	-	-	-				
	e0-4	Access point D2	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	-	y	18,0		
	e0-5	reserved			-	-	-	-	-				
	e1-0	Überw. Kamera D8	5	Access	172	18	192	163	35	y	5,0		
	e1-1	Überw. Kamera D4	5	Access	172	18	192	164	36	y	5,0		
	e1-2	Überw. Kamera D3	5	Access	172	18	192	165	37	y	5,0		
	e1-3	Überw. Kamera D6	5	Access	172	18	192	166	38	y	5,0		
	e1-4	Überw. Kamera D10	5	Access	172	18	192	167	39	y	5,0		
	e1-5	AFZ D3	8	Access	172	20	64	145	17	y	10,0		
	e1-6	AFZ D4	8	Access	172	20	64	146	18	y	10,0		
	e1-7				-	-	-	-	-				
	e1-8	Sprechstelle D2	9	Access	172	20	192	139	11	y	7,5		
	e1-9	Sprechstelle D1R	9	Access	172	20	192	138	10	y	7,5		Redundanz D1
	e1-10				-	-	-	-	-				
	e1-11				-	-	-	-	-				
	e1-12	Future use box D2	90	Access	-	-	-	-	-				
	e1-13	Future use box D4	90	Access	-	-	-	-	-				
	e1-14	Seitenanzeige D2	3	Access	172	17	192	163	35				
e1-15	Seitenanzeige D4	3	Access	172	17	192	164	36					
e2-0	Bildschrim D8	3	Access	172	17	192	201	73					
e2-1	Bildschrim D6	3	Access	172	17	192	202	74					
e2-2	Bildschrim D2	3	Access	172	17	192	203	75					
e2-3	Bildschrim D4	3	Access	172	17	192	204	76					
e2-4	Bildschrim D11	3	Access	172	17	192	205	77					
e2-5	Audio Amp. D2	9	Access	172	20	192	154	26					
D3	e0-0	FIS Switch C2	All (except OBS Intercon)	Trunk	-	-	-	-	-				
	e0-1	FIS Switch D2	All (except OBS Intercon)	Trunk	-	-	-	-	-				
	e0-2	OBS D1	100, 10, 20, 21, 22, 23, 24, 30, 31, 46, 48, 90, 131, 150, 200, 202	Trunk	-	-	-	-	-				
					7	172	19	192	130	2			
	e0-3	RDC D1	200, 202	Trunk	-	-	-	-	-				
	e0-4	Access point D3	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	-	y	18,0		
	e0-5	reserved			-	-	-	-	-				
	e1-0	Rücksehkamera D1	5	Access	172	18	192	212	84	y	5,0		
	e1-1	Rücksehkamera D2	5	Access	172	18	192	213	85	y	5,0		
	e1-2	Access point D4	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	-	y	18,0		
	e1-3				-	-	-	-	-				
	e1-4				-	-	-	-	-				
	e1-5				-	-	-	-	-				
	e1-6				-	-	-	-	-				
	e1-7				-	-	-	-	-				
	e1-8				-	-	-	-	-				
	e1-9	Sprechstelle D2R	9	Access	172	20	192	139	11	y	7,5		Redundanz D2
	e1-10	OBS Reserve D2			-	-	-	-	-				
	e1-11	RDC Reserve D2			-	-	-	-	-				
	e1-12	Future use box D1	90	Access	-	-	-	-	-				
	e1-13	Future use box D3	90	Access	-	-	-	-	-				
e1-14				-	-	-	-	-					
e1-15				-	-	-	-	-					
e2-0				-	-	-	-	-					
e2-1				-	-	-	-	-					
e2-2				-	-	-	-	-					
e2-3				-	-	-	-	-					
e2-4				-	-	-	-	-					
e2-5				-	-	-	-	-					

E1	e0-0	FIS Switch F1	All (except OBS Intercon)	Trunk	-	-	-	-	-	-					
	e0-1	FIS Switch D2	All (except OBS Intercon)	Trunk	-	-	-	-	-	-					
	e0-2				-	-	-	-	-	-					
	e0-3				-	-	-	-	-	-					
	e0-4	Access point E1	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	-	-	y	18,0			
	e0-5	Service FIS / CCTV	2	Access	172	17	64	251	123						
	e1-0	Überw. Kamera E7	5	Access	172	18	192	168	40	y	5,0				
	e1-1	Überw. Kamera E2	5	Access	172	18	192	169	41	y	5,0				
	e1-2	Überw. Kamera E1	5	Access	172	18	192	170	42	y	5,0				
	e1-3	Überw. Kamera E5	5	Access	172	18	192	171	43	y	5,0				
	e1-4	Überw. Kamera E9	5	Access	172	18	192	172	44	y	5,0				
	e1-5	AFZ E1	8	Access	172	20	64	147	19	y	10,0				
	e1-6	AFZ E2	8	Access	172	20	64	148	20	y	10,0				
	e1-7	AFZ E5	8	Access	172	20	64	149	21	y	10,0				
	e1-8	Sprechstelle E1	9	Access	172	20	192	140	12	y	7,5				
	e1-9					-	-	-	-	-					
	e1-10	Sprechstelle PRM E1	9	Access	172	20	192	141	13	y	7,5				
	e1-11	Sprechstelle PRM WCR	9	Access	172	20	192	144	16	y	7,5				Redundanz WC
	e1-12	Future use box E5	90	Access	-	-	-	-	-	-					
	e1-13	Future use box E7	90	Access	-	-	-	-	-	-					
	e1-14	Seitenanzeige E1	3	Access	172	17	192	165	37						
	e1-15	Seitenanzeige E3	3	Access	172	17	192	166	38						
	e2-0	Bildschirm E7	3	Access	172	17	192	206	78						
e2-1	Bildschirm E5	3	Access	172	17	192	207	79							
e2-2	Bildschirm E1	3	Access	172	17	192	208	80							
e2-3	Bildschirm E3	3	Access	172	17	192	209	81							
e2-4	Bildschirm E	3	Access	172	17	192	210	82							
e2-5	Audio Amp. E1	9	Access	172	20	192	155	27							
E2	e0-0	FIS Switch E3	All (except OBS Intercon)	Trunk	-	-	-	-	-	-					
	e0-1	FIS Switch D1	All (except OBS Intercon)	Trunk	-	-	-	-	-	-					
	e0-2				-	-	-	-	-	-					
	e0-3				-	-	-	-	-	-					
	e0-4	Access point E2	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	-	-	y	18,0			
	e0-5	reserved			-	-	-	-	-	-					
	e1-0	Überw. Kamera E8	5	Access	172	18	192	173	45	y	5,0				
	e1-1	Überw. Kamera E4	5	Access	172	18	192	174	46	y	5,0				
	e1-2	Überw. Kamera E3	5	Access	172	18	192	175	47	y	5,0				
	e1-3	Überw. Kamera E6	5	Access	172	18	192	176	48	y	5,0				
	e1-4				-	-	-	-	-	-					
	e1-5	AFZ E3	8	Access	172	20	64	150	22	y	10,0				
	e1-6	AFZ E4	8	Access	172	20	64	151	23	y	10,0				
	e1-7	AFZ E6	8	Access	172	20	64	152	24	y	10,0				
	e1-8	Sprechstelle E2	9	Access	172	20	192	142	14	y	7,5				
	e1-9	Sprechstelle E1R	9	Access	172	20	192	140	12	y	7,5				Redundanz E1
	e1-10	Sprechstelle PRM E2	9	Access	172	20	192	143	15	y	7,5				
	e1-11	Sprechstelle PRM E1R	9	Access	172	20	192	141	13	y	7,5				Redundanz E1
	e1-12	Future use box E2	90	Access	-	-	-	-	-	-					
	e1-13	Future use box E4	90	Access	-	-	-	-	-	-					
	e1-14	Seitenanzeige E2	3	Access	172	17	192	167	39						
	e1-15	Seitenanzeige E4	3	Access	172	17	192	168	40						
	e2-0	Bildschirm E8	3	Access	172	17	192	211	83						
e2-1	Bildschirm E6	3	Access	172	17	192	212	84							
e2-2	Bildschirm E2	3	Access	172	17	192	213	85							
e2-3	Bildschirm E4	3	Access	172	17	192	214	86							
e2-4	Bildschirm E11	3	Access	172	17	192	215	87							
e2-5	Audio Amp. E2	9	Access	172	20	192	156	28							
E3	e0-0	FIS Switch F2	All (except OBS Intercon)	Trunk	-	-	-	-	-	-					
	e0-1	FIS Switch E2	All (except OBS Intercon)	Trunk	-	-	-	-	-	-					
	e0-2				-	-	-	-	-	-					
	e0-3				-	-	-	-	-	-					
	e0-4	Access point E3	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	-	-	y	18,0			
	e0-5	reserved			-	-	-	-	-	-					
	e1-0	Rücksehkamera E1	5	Access	172	18	192	214	86	y	5,0				
	e1-1	Rücksehkamera E2	5	Access	172	18	192	215	87	y	5,0				
	e1-2	Access point E4	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	-	-	y	18,0			
	e1-3				-	-	-	-	-	-					
	e1-4				-	-	-	-	-	-					
	e1-5				-	-	-	-	-	-					
	e1-6				-	-	-	-	-	-					
	e1-7				-	-	-	-	-	-					
	e1-8				-	-	-	-	-	-					
	e1-9	Sprechstelle E2R	9	Access	172	20	192	142	14	y	7,5				Redundanz E2
	e1-10	Sprechstelle PRM WC	9	Access	172	20	192	144	16	y	7,5				
	e1-11	Sprechstelle PRM E2R	9	Access	172	20	192	143	15	y	7,5				Redundanz E2
	e1-12	Future use box E1	90	Access	-	-	-	-	-	-					
	e1-13	Future use box E3	90	Access	-	-	-	-	-	-					
	e1-14				-	-	-	-	-	-					
	e1-15				-	-	-	-	-	-					
	e2-0	Energiezähler E	12	Access	172	22	64	131	3						
e2-1				-	-	-	-	-	-						
e2-2				-	-	-	-	-	-						
e2-3				-	-	-	-	-	-						
e2-4				-	-	-	-	-	-						
e2-5				-	-	-	-	-	-						

F1	e0-0	FIS Switch B1	All (except OBS Intercon)	Trunk	-	-	-	-	-					
	e0-1	FIS Switch E1	All (except OBS Intercon)	Trunk	-	-	-	-	-					
	e0-2				-	-	-	-	-					
	e0-3				-	-	-	-	-					
	e0-4	Access point F1	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	-	y	18,0			
	e0-5	Service FIS / CCTV	2	Access	172	17	64	252	124					
	e1-0	Überw. Kamera F7	5	Access	172	18	192	177	49	y	5,0			
	e1-1	Überw. Kamera F2	5	Access	172	18	192	178	50	y	5,0			
	e1-2	Überw. Kamera F1	5	Access	172	18	192	179	51	y	5,0			
	e1-3	Überw. Kamera F5	5	Access	172	18	192	180	52	y	5,0			
	e1-4	Überw. Kamera F9	5	Access	172	18	192	181	53	y	5,0			
	e1-5	AFZ F1	8	Access	172	20	64	153	25	y	10,0			
	e1-6	AFZ F2	8	Access	172	20	64	154	26	y	10,0			
	e1-7	AFZ F5	8	Access	172	20	64	155	27	y	10,0			
	e1-8	Sprechstelle F1	9	Access	172	20	192	145	17	y	7,5			
	e1-9					-	-	-	-	-				
	e1-10					-	-	-	-	-				
	e1-11					-	-	-	-	-				
	e1-12	Future use box F5	90	Access		-	-	-	-	-				
	e1-13	Future use box F6	90	Access		-	-	-	-	-				
	e1-14	Seitenanzeige F1	3	Access	172	17	192	169	41					
	e1-15	Seitenanzeige F3	3	Access	172	17	192	170	42					
	e2-0	Bildschirm F7	3	Access	172	17	192	216	88					
e2-1	Bildschirm F5	3	Access	172	17	192	217	89						
e2-2	Bildschirm F1	3	Access	172	17	192	218	90						
e2-3	Bildschirm F3	3	Access	172	17	192	219	91						
e2-4	Bildschirm F	3	Access	172	17	192	220	92						
e2-5	Audio Amp. F1	9	Access	172	20	192	157	29						
F2	e0-0	FIS Switch F3	All (except OBS Intercon)	Trunk	-	-	-	-	-					
	e0-1	FIS Switch E3	All (except OBS Intercon)	Trunk	-	-	-	-	-					
	e0-2				-	-	-	-	-					
	e0-3				-	-	-	-	-					
	e0-4	Access point F2	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	-	y	18,0			
	e0-5	reserved			-	-	-	-	-					
	e1-0	Überw. Kamera F8	5	Access	172	18	192	182	54	y	5,0			
	e1-1	Überw. Kamera F4	5	Access	172	18	192	183	55	y	5,0			
	e1-2	Überw. Kamera F3	5	Access	172	18	192	184	56	y	5,0			
	e1-3	Überw. Kamera F6	5	Access	172	18	192	185	57	y	5,0			
	e1-4	Überw. Kamera F10	5	Access	172	18	192	186	58	y	5,0			
	e1-5	AFZ F3	8	Access	172	20	64	156	28	y	10,0			
	e1-6	AFZ F4	8	Access	172	20	64	157	29	y	10,0			
	e1-7					-	-	-	-	-				
	e1-8	Sprechstelle F2	9	Access	172	20	192	146	18	y	7,5			
	e1-9	Sprechstelle FIR	9	Access	172	20	192	145	17	y	7,5			
	e1-10					-	-	-	-	-				
	e1-11					-	-	-	-	-				
	e1-12	Future use box F2	90	Access		-	-	-	-	-				
	e1-13	Future use box F4	90	Access		-	-	-	-	-				
	e1-14	Seitenanzeige F2	3	Access	172	17	192	171	43					
	e1-15	Seitenanzeige F4	3	Access	172	17	192	172	44					
	e2-0	Bildschirm F8	3	Access	172	17	192	221	93					
e2-1	Bildschirm F6	3	Access	172	17	192	222	94						
e2-2	Bildschirm F2	3	Access	172	17	192	223	95						
e2-3	Bildschirm F	3	Access	172	17	192	224	96						
e2-4	Bildschirm F11	3	Access	172	17	192	225	97						
e2-5	Audio Amp. F2	9	Access	172	20	192	158	30						
F3	e0-0	FIS Switch B2	All (except OBS Intercon)	Trunk	-	-	-	-	-					
	e0-1	FIS Switch F2	All (except OBS Intercon)	Trunk	-	-	-	-	-					
	e0-2				-	-	-	-	-					
	e0-3				-	-	-	-	-					
	e0-4	Access point F3	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	-	y	18,0			
	e0-5	reserved			-	-	-	-	-					
	e1-0	Rücksehkamera F1	5	Access	172	18	192	216	88	y	5,0			
	e1-1	Rücksehkamera F2	5	Access	172	18	192	217	89	y	5,0			
	e1-2	Access point F4	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	-	y	18,0			
	e1-3				-	-	-	-	-					
	e1-4				-	-	-	-	-					
	e1-5				-	-	-	-	-					
	e1-6				-	-	-	-	-					
	e1-7				-	-	-	-	-					
	e1-8				-	-	-	-	-					
	e1-9	Sprechstelle F2R	9	Access	172	20	192	146	18	y	7,5		Redundanz F2	
	e1-10					-	-	-	-	-				
	e1-11					-	-	-	-	-				
	e1-12	Future use box F1	90	Access		-	-	-	-	-				
	e1-13	Future use box F3	90	Access		-	-	-	-	-				
	e1-14					-	-	-	-	-				
	e1-15					-	-	-	-	-				
	e2-0					-	-	-	-	-				
e2-1					-	-	-	-	-					
e2-2					-	-	-	-	-					
e2-3					-	-	-	-	-					
e2-4					-	-	-	-	-					
e2-5					-	-	-	-	-					

B1	e0-0	FIS Switch B3	All (except OBS Intercon)	Trunk	-	-	-	-	-	-				
	e0-1	FIS Switch F1	All (except OBS Intercon)	Trunk	-	-	-	-	-	-				
	e0-2	Frontkupplung B1	100, 2, 3, 5, 6, 7, 8, 9, 12	Trunk	-	-	-	-	-	-				
	e0-3				-	-	-	-	-	-				
	e0-4	Access point B1	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	-	y	18,0			
	e0-5	Service FIS / CCTV	2	Access	172	17	64	253	125					
	e1-0	Überw. Kamera B7	5	Access	172	18	192	187	59	y	5,0			
	e1-1	Überw. Kamera B2	5	Access	172	18	192	188	60	y	5,0			
	e1-2	Überw. Kamera B1	5	Access	172	18	192	189	61	y	5,0			
	e1-3	Überw. Kamera B5	5	Access	172	18	192	190	62	y	5,0			
	e1-4	Überw. Kamera B9	5	Access	172	18	192	191	63	y	5,0			
	e1-5	AFZ B1	8	Access	172	20	64	158	30	y	10,0			
	e1-6	AFZ B2	8	Access	172	20	64	159	31	y	10,0			
	e1-7				-	-	-	-	-					
	e1-8	Sprechstelle B1	9	Access	172	20	192	147	19	y	7,5			
	e1-9				-	-	-	-	-					
	e1-10				-	-	-	-	-					
	e1-11	ZFR R	2	Access	172	17	64	130	2					
	e1-12	Future use box B5	90	Access	-	-	-	-	-					
	e1-13	Future use box B6	90	Access	-	-	-	-	-					
	e1-14	Seitenanzeige B1	3	Access	172	17	192	173	45					
	e1-15	Seitenanzeige B3	3	Access	172	17	192	174	46					
	e2-0	Bildschirm B7	3	Access	172	17	192	226	98					
	e2-1	Bildschirm B5	3	Access	172	17	192	227	99					
	e2-2	Bildschirm B1	3	Access	172	17	192	228	100					
	e2-3	Bildschirm B3	3	Access	172	17	192	229	101					
	e2-4	ADU B	9	Access	172	20	192	132	4					
	e2-5	Audio Amp. B1	9	Access	172	20	192	159	31					
	B2	e0-0	FIS Switch B3	All (except OBS Intercon)	Trunk	-	-	-	-	-	-			
		e0-1	FIS Switch F3	All (except OBS Intercon)	Trunk	-	-	-	-	-	-			
e0-2					-	-	-	-	-	-				
e0-3					-	-	-	-	-	-				
e0-4		Access point B2	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	-	y	18,0			
e0-5		reserved			-	-	-	-	-	-				
e1-0		Überw. Kamera B8	5	Access	172	18	192	192	64	y	5,0			
e1-1		Überw. Kamera B4	5	Access	172	18	192	193	65	y	5,0			
e1-2		Überw. Kamera B3	5	Access	172	18	192	194	66	y	5,0			
e1-3		Überw. Kamera B6	5	Access	172	18	192	195	67	y	5,0			
e1-4		Überw. Kamera B10	5	Access	172	18	192	196	68	y	5,0			
e1-5		AFZ B3	8	Access	172	20	64	160	32	y	10,0			
e1-6		AFZ B4	8	Access	172	20	64	161	33	y	10,0			
e1-7		NVR B	5	Access	172	18	192	134	6					
e1-8		Sprechstelle B2	9	Access	172	20	192	148	20	y	7,5			
e1-9		Sprechstelle B1R	9	Access	172	20	192	147	19	y	7,5			
e1-10					-	-	-	-	-					
e1-11					-	-	-	-	-					
e1-12		Future use box B2	90	Access	-	-	-	-	-					
e1-13		Future use box B4	90	Access	-	-	-	-	-					
e1-14		Seitenanzeige B2	3	Access	172	17	192	175	47					
e1-15		Seitenanzeige B4	3	Access	172	17	192	176	48					
e2-0		Bildschirm B8	3	Access	172	17	192	230	102					
e2-1		Bildschirm B6	3	Access	172	17	192	231	103					
e2-2		Bildschirm B2	3	Access	172	17	192	232	104					
e2-3		Bildschirm B4	3	Access	172	17	192	233	105					
e2-4					-	-	-	-	-					
e2-5		Audio Amp. B2	9	Access	172	20	192	160	32					
B3		e0-0	FIS Switch B1	All (except OBS Intercon)	Trunk	-	-	-	-	-	-			
		e0-1	FIS Switch B2	All (except OBS Intercon)	Trunk	-	-	-	-	-	-			
	e0-2	Frontkupplung B2	100, 2, 3, 5, 6, 7, 8, 9, 12	Trunk	-	-	-	-	-	-				
	e0-3				-	-	-	-	-	-				
	e0-4	Access point B3	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	-	y	18,0			
	e0-5	reserved			-	-	-	-	-	-				
	e1-0	Rücksehkamera B1	5	Access	172	18	192	218	90	y	5,0			
	e1-1	Rücksehkamera B2	5	Access	172	18	192	219	91	y	5,0			
	e1-2	Access point B4	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	-	y	18,0			
	e1-3				-	-	-	-	-	-				
	e1-4				-	-	-	-	-	-				
	e1-5				-	-	-	-	-	-				
	e1-6				-	-	-	-	-	-				
	e1-7				-	-	-	-	-	-				
	e1-8				-	-	-	-	-	-				
	e1-9	Sprechstelle B2R	9	Access	172	20	192	148	20	y	7,5		Redundanz B2	
	e1-10				-	-	-	-	-	-				
	e1-11	ZFR	2	Access	172	17	64	130	2					
	e1-12	Future use box B1	90	Access	-	-	-	-	-	-				
	e1-13	Future use box B3	90	Access	-	-	-	-	-	-				
	e1-14	Frontanzeige B	3	Access	172	17	192	152	24					
	e1-15				-	-	-	-	-	-				
	e2-0				-	-	-	-	-	-				
	e2-1				-	-	-	-	-	-				
	e2-2				-	-	-	-	-	-				
	e2-3				-	-	-	-	-	-				
	e2-4	ADU BR	9	Access	172	20	192	132	4					
	e2-5	Service VLAN PWLAN	100, 10, 20, 30, 31, 131, 150	Trunk	-	-	-	-	127					
	Firewall		RCU	2	N/A	172	17	64	254	126			IP festgehalten fuer die RCU.	
				3	N/A	172	17	192	254	126			Diese ist mit der Firewall verbunden.	
			9	N/A	172	20	192	254	126			Anforderung von STADLER		