



— BioMistral-7B
 — OpenBioLLM-8B
 — Mistral-7B-Instruct
 — Base + UQ
 - - NS-AI + UQ
 ⋯ NS-AI + UQ + CL



Deployed τ (markers):

BioMistral-7B, Base + UQ: defers 100.0% ($\tau = -\infty$)
 BioMistral-7B, NS-AI + UQ: defers 96.5%, risk 0.019
 BioMistral-7B, NS-AI + UQ + CL: defers 51.9%, risk 0.090
 OpenBioLLM-8B, Base + UQ: defers 91.9%, risk 0.062
 OpenBioLLM-8B, NS-AI + UQ: defers 99.2%, risk 0.000
 OpenBioLLM-8B, NS-AI + UQ + CL: defers 91.4%, risk 0.101
 Mistral-7B-Instruct, Base + UQ: defers 90.3%, risk 0.091
 Mistral-7B-Instruct, NS-AI + UQ: defers 70.2%, risk 0.088
 Mistral-7B-Instruct, NS-AI + UQ + CL: defers 86.2%, risk 0.087



Deployed τ (markers):

BioMistral-7B, Base + UQ: defers 100.0% ($\tau = -\infty$)
 OpenBioLLM-8B, Base + UQ: defers 100.0% (τ below all u)
 Mistral-7B-Instruct, Base + UQ: defers 99.7%, risk 0.000