DEVIXO SOLUTIONS

INTERNSHIP PROJECT REPORT

Project Title NEXORA DIGITAL — Digital Agency Website

Internship Domain: Web Development

Task Number: 2

Student Name: Abubakar Siddique

Organization: Devixo Solutions

Technologies Used: HTML5, CSS3,JavaScript

GitHub Repository:
https://github.com/abubakar136/personal-portfolio

Submission Date: 18/10/2026

---

1. Objective

The objective of this project is to design and develop a modern digital agency website named NEXORA DIGITAL using HTML5, CSS3, and JavaScript. The website is designed to present digital services through a professional layout, organized content, and interactive features. The project also aims to improve practical skills in front-end development, responsive design, JavaScript functionality, website testing, and project management.

2. Problem Statement

Digital agencies need a professional online presence to introduce their services, communicate their brand identity, and provide visitors with an easy way to explore their offerings. A poorly organized or outdated website can make it difficult for visitors to understand the agency's services and navigate its content.

NEXORA DIGITAL addresses this need by providing a modern website with a consistent visual design, clear navigation, service-related content, and interactive functionality. The project

demonstrates how HTML, CSS, and JavaScript can be used together to create an organized and engaging digital agency website.

3. Technologies Used

HTML5: Used to structure the website pages and organize headings, text, navigation, sections, and other content.

CSS3: Used to design the website layout, typography, colors, spacing, responsive elements, and visual appearance.

JavaScript: Used to implement interactive website functionality, including the theme-switching feature.

Visual Studio Code: Used to write, edit, and organize the project's source code.

Git and GitHub: Used to manage project changes and host the source code in an online repository.

4. Implementation Steps

Step 1: Project Planning

The project was planned as a digital agency website with a professional appearance, clear navigation, organized content, and interactive features.

Step 2: Project Setup

The project files were organized in Visual Studio Code. HTML, CSS, and JavaScript were used to build and manage the website's structure, design, and functionality.

Step 3: HTML Development

HTML5 was used to create the website structure and organize its content into appropriate sections and pages.

Step 4: CSS Styling

CSS3 was used to establish the visual design, including colors, typography, spacing, layouts, and other styling details.

Step 5: JavaScript Functionality

JavaScript was used to add interactivity to the website. The theme-switching feature was tested to help identify and resolve issues related to changing between light and dark themes.

Step 6: Website Testing

The website was opened in a web browser to check its appearance, navigation, and interactive features. The theme button was tested to verify that it changed the website's theme as expected.

Step 7: GitHub Repository

Git was used to track project changes, and the source code was uploaded to GitHub for online access and review.

Step 8: Project Documentation

Project documentation was prepared to explain the objective, technologies, implementation process, challenges, and final output of the website.

5. Code Screenshots and Explanations

This section presents screenshots of the source code used to develop NEXORA DIGITAL. Each screenshot should show the relevant code in Visual Studio Code, followed by a short explanation of its purpose.

5.1 HTML Structure

The HTML code defines the website's structure, including its page content, navigation, headings, and sections.

index.html > html > body > footer > div.wrap > div.foot > div

```
<!DOCTYPE html>
<html lang="en" data-theme="dark">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Home | NEXORA DIGITAL</title>
    <meta
        name="description"
        content="NEXORA DIGITAL — digital experiences built for what's next."
    >
    <link rel="stylesheet" href="style.css">
</head>

<body>
    <a class="skip" href="#main">Skip to content</a>
    <header>
        <div class="wrap bar">
            <a class="logo" href="index.html">
                NEXORA<span>.</span>DIGITAL
            </a>
            <nav id="site-nav" aria-label="Main">
                <ul>
                    <li><a href="index.html" aria-current="page">Home</a></li>
                    <li><a href="about.html">About</a></li>
                    <li><a href="services.html">Services</a></li>
                    <li><a href="portfolio.html">Portfolio</a></li>
                    <li><a href="contact.html">Contact</a></li>
                </ul>
            </nav>
            <div class="tools">
    <button class="ibtn" id="theme-btn" aria-label="Switch theme">◐</button>
    <button class="ibtn" id="menu-btn" aria-label="Open menu">☰</button>
```

```
</div>
        </div>
    </header>
    <main id="main">
        <!-- Hero Section -->
        <section class="hero">
            <div class="wrap">
                <p class="eyebrow">Digital experience studio</p>
                <h1>Digital experiences built for what's next.</h1>
                <p>
                    We help small and medium-sized businesses with
                    <span class="typed" id="typed" aria-live="off">
                        web design.
                    </span>
                </p>
                <div class="cta">
                    <a class="btn" href="contact.html">Start a project</a>
                    <a class="btn ghost" href="portfolio.html">View concepts</a>
                </div>
            </div>
        </section>
        <!-- Statistics Section -->
        <section class="sec">
            <div class="wrap">
                <p class="eyebrow">By the numbers (examples)</p>
                <div class="grid g4">
```

```
<!-- Statistics Section -->
<section class="sec">
    <div class="wrap">
        <p class="eyebrow">By the numbers (examples)</p>
        <div class="grid g4">
            <div>
                <div class="num" data-count="48" data-suffix="+">0</div>
                <p>Example projects planned</p>
            </div>
            <div>
                <div class="num" data-count="12">0</div>
                <p>Sample industries explored</p>
            </div>
            <div>
                <div class="num" data-count="98" data-suffix="%">0</div>
                <p>Illustrative target satisfaction</p>
            </div>
            <div>
                <div class="num" data-count="6">0</div>
                <p>Core disciplines</p>
            </div>
        </div>


        <p class="note">
            All figures are illustrative examples, not real client data.
        </p>
    </div>
</section>
<!-- Services Section -->
```



Figure 1: HTML code used to structure NEXORA DIGITAL.

5.2 CSS Styling

The CSS stylesheet controls the website's visual appearance, including its layout, typography, colors, spacing, and design consistency.



```
# style.css > ...
1
2   /* ============================================================
3      NEXORA DIGITAL — Shared Design System
4      Responsive, accessible, dark/light theme
5      ============================================================ */
6   @import url('https://fonts.googleapis.com/css2?family=Inter:wght@400;500;600;700&family=Space+Gr
7
8   /* 1. Theme Variables */
9   :root {
10      color-scheme: dark;
11      --bg: #141514;
12      --fg: #f2efe8;
13      --mut: #a9a89f;
14      --line: #2e302d;
15      --acc: #c6ff3d;
16      --accfg: #141514;
17      --card: #1b1c1a;
18      --fh: 'Space Grotesk', Arial, sans-serif;
19      --fb: 'Inter', Arial, sans-serif;
20
21      --s1: 0.5rem;
22      --s2: 1rem;
23      --s3: 2rem;
24      --s4: 4rem;
25      --s5: 7rem;
26
27      --h1: clamp(2.6rem, 8vw, 6.5rem);
28      --h2: clamp(1.8rem, 4.5vw, 3.2rem);
29      --h3: 1.25rem;
30      --radius: 4px;
31      --transition: 0.25s ease;
32      --content-width: 1180px;
33  }
34  /* Light Theme */
35
36  html[data-theme="light"] {
37      color-scheme: light;
38      --bg: #f2efe8;
```

```css
html[data-theme="light"] {
    color-scheme: light;
    --bg: #f2efe8;
    --fg: #141514;
    --mut: #55574f;
    --line: #d3d0c6;
    --acc: #141514;
    --accfg: #c6ff3d;
    --card: #e9e6dd;
}

/* 2. Reset and Base Styles */


* {
    box-sizing: border-box;
    margin: 0;
}
html {
    scroll-behavior: smooth;
    scroll-padding-top: 90px;
}
body {
    min-height: 100vh;
    overflow-x: hidden;
    background: var(--bg);
    color: var(--fg);
    font: 400 1rem/1.65 var(--fb);
    transition:
        background-color var(--transition),
        color var(--transition);
}
img,
svg,
video {
    display: block;
    max-width: 100%;
```

```
68  svg,
69  video {
70      display: block;
71      max-width: 100%;
72  }
73  button,
74  input,
75  textarea {
76      font: inherit;
77  }
78  button {
79      color: inherit;
80  }
81  a {
82      color: inherit;
83  }
84  p {
85      max-width: 62ch;
86      color: var(--mut);
87  }
88  h1,
89  h2,
90  h3 {
91      font-family: var(--fh);
92      line-height: 1.1;
93      letter-spacing: -0.02em;
94  }
95  h1 {
96      font-size: var(--h1);
97      font-weight: 700;
98  }
99
100 h2 {
101     font-size: var(--h2);
102     font-weight: 700;
103 }
104 h3 {
105     font-size: var(--h3);
```

```
button:focus-visible,
a:focus-visible,
input:focus-visible,
textarea:focus-visible {
    outline: 3px solid var(--acc);
    outline-offset: 4px;
}

::selection {
    background: var(--acc);
    color: var(--accfg);
}

/* 3. Layout Utilities */
.wrap {
    width: min(var(--content-width), calc(100% - 2.5rem));
    margin-inline: auto;
}
.sec {
    padding-block: var(--s4);
    border-top: 1px solid var(--line);
}
.sec > .wrap > h2 + p {
    margin-top: var(--s2);
}
.eyebrow {
    margin-bottom: var(--s2);
    color: var(--acc);
    font: 500 0.8rem var(--fh);
    letter-spacing: 0.16em;
    text-transform: uppercase;
}
html[data-theme="light"] .eyebrow {
    color: var(--fg);
}
.skip {
    position: absolute;
    top: 0.5rem;
```



```
.eyebrow {
    margin-bottom: var(--s2);
    color: var(--acc);
    font: 500 0.8rem var(--fh);
    letter-spacing: 0.16em;
    text-transform: uppercase;
}
html[data-theme="light"] .eyebrow {
    color: var(--fg);
}
.skip {
    position: absolute;
    top: 0.5rem;
    left: -9999px;
    z-index: 100;
    padding: 0.75rem 1rem;
    background: var(--acc);
    color: var(--accfg);
}
.skip:focus {
    left: 1rem;
}
/* 4. Header and Navigation */
header {
    position: sticky;
    top: 0;
    z-index: 50;
    background: var(--bg);
    border-bottom: 1px solid var(--line);
}
.bar {
    display: flex;
    align-items: center;
    justify-content: space-between;

    min-height: 68px;
    gap: 1rem;
}
.logo {
```

Figure 2: CSS rules used to style the website.

5.3 JavaScript Functionality

The JavaScript code adds interactive behavior to the website. It includes the logic responsible for the theme-switching functionality.

main.js

```js
// NEXORA DIGITAL — Shared Behaviour
// Every feature checks that its elements exist first.
const $ = (s, r = document) => r.querySelector(s);
const $$ = (s, r = document) => [...r.querySelectorAll(s)];
const reduce = matchMedia('(prefers-reduced-motion: reduce)').matches;


// 1. Theme Toggle (saved in localStorage)
const root = document.documentElement;
const tb = $('#theme-btn');

function applyTheme(theme) {
    root.setAttribute('data-theme', theme);

    if (tb) {
        tb.textContent = theme === 'dark' ? '☀' : '☾';
        tb.setAttribute(
            'aria-label',
            `Switch to ${theme === 'dark' ? 'light' : 'dark'} theme`
        );
        tb.setAttribute('aria-pressed', theme === 'light');
    }

    try {
        localStorage.setItem('nx-theme', theme);
    } catch (error) {
        // Theme still works if storage is unavailable.
    }
}

// Load the saved theme.
let savedTheme = 'dark';

try {
    const storedTheme = localStorage.getItem('nx-theme');

    if (storedTheme === 'light' || storedTheme === 'dark') {
        savedTheme = storedTheme;
    }
```

```
36
37      if (storedTheme === 'light' || storedTheme === 'dark') {
38          savedTheme = storedTheme;
39      }
40  } catch (error) {
41      // Use dark theme by default.
42  }
43
44  applyTheme(savedTheme);
45
46  // Toggle theme when the button is clicked (ONE listener only).
47  if (tb) {
48      tb.addEventListener('click', () => {
49          const nextTheme =
50              root.getAttribute('data-theme') === 'dark' ? 'light' : 'dark';
51
52          applyTheme(nextTheme);
53      });
54  }
55
56
57  // 2. Mobile Menu
58  const mb = $('#menu-btn');
59  const nav = $('#site-nav');
60
61  if (mb && nav) {
62      mb.onclick = () => {
63          mb.setAttribute('aria-expanded', nav.classList.toggle('open'));
64      };
65
66      document.addEventListener('keydown', e => {
67          if (e.key === 'Escape' && nav.classList.contains('open')) {
68              nav.classList.remove('open');
69              mb.setAttribute('aria-expanded', 'false');
70              mb.focus();
71          }
72      });
73  }
74
```



```
66      document.addEventListener('keydown', e => {
72      });
73  }
74
75
76  // 3. Scroll to Top
77  const topBtn = $('#top');
78
79  if (topBtn) {
80      addEventListener(
81          'scroll',
82          () => topBtn.classList.toggle('show', scrollY > 500),
83          { passive: true }
84      );
85
86      topBtn.onclick = () => {
87          scrollTo({
88              top: 0,
89              behavior: reduce ? 'auto' : 'smooth'
90          });
91      };
92  }
93
94
95  // 4. Animated Counters (start when visible)
96  const counters = $$('[data-count]');
97
98  if (counters.length) {
99      const run = el => {
100         const end = +el.dataset.count;
101         const suf = el.dataset.suffix || '';
102
103         if (reduce) {
104             el.textContent = end + suf;
105             return;
106         }
107
108         let t0;
```

l

```
    };

    const io = new IntersectionObserver(
        es => es.forEach(e => {
            if (e.isIntersecting) {
                run(e.target);
                io.unobserve(e.target);
            }
        }),
        { threshold: 0.5 }
    );

    counters.forEach(c => io.observe(c));
}


// 5. Typing Animation
const ty = $('#typed');


if (ty) {
    const w = [
        'web design.',
        'UI/UX systems.',
        'search visibility.',
        'online stores.'
    ];

    if (reduce) {
        ty.textContent = w[0];
    } else {
        let i = 0;
        let j = 0;
        let del = false;

        (function tick() {
            const s = w[i];

            ty.textContent = s.slice(0, j);

```



```
            'search visibility.',
            'online stores.'
        ];

        if (reduce) {
            ty.textContent = w[0];
        } else {
            let i = 0;
            let j = 0;
            let del = false;

            (function tick() {
                const s = w[i];

                ty.textContent = s.slice(0, j);

                if (!del && j === s.length) {
                    del = true;
                    return setTimeout(tick, 1600);
                }

                if (del && j === 0) {
                    del = false;
                    i = (i + 1) % w.length;
                }

                j += del ? -1 : 1;

                setTimeout(tick, del ? 40 : 80);
            })();
        }
    }


    // 6. FAQ Accordion
    $$('.faq button').forEach(b => {
        b.onclick = () => {
            const a = document.getElementById(b.getAttribute('aria-controls'));
            const o = b.getAttribute('aria-expanded') === 'true';
```

```
const sl = $('.slider');

if (sl) {
    const slides = $$('.slide', sl);
    const dots = $('.dots', sl);

    let n = 0;

    slides.forEach((_, i) => {
        const d = document.createElement('button');

        d.className = 'dot';
        d.setAttribute('aria-label', 'Go to project ' + (i + 1));
        d.onclick = () => show(i);

        dots.append(d);
    });

    function show(i) {
        n = (i + slides.length) % slides.length;

        slides.forEach((s, k) => {
            s.classList.toggle('on', k === n);
        });

        $$('.dot', sl).forEach((d, k) => {
            d.setAttribute('aria-current', k === n);
        });
    }

    $('.prev', sl).onclick = () => show(n - 1);
    $('.next', sl).onclick = () => show(n + 1);

    sl.addEventListener('keydown', e => {
        if (e.key === 'ArrowLeft') show(n - 1);
        if (e.key === 'ArrowRight') show(n + 1);
    });

```

Figure 3: JavaScript code used to implement website interactivity.

6. Output Screenshots and Explanations

This section presents screenshots of NEXORA DIGITAL as displayed in a web browser. The screenshots demonstrate the website's final appearance and interactive functionality.

6.1 Website Home Page

The Home page introduces the NEXORA DIGITAL brand and presents the main website content in a structured layout.




Figure 5: NEXORA DIGITAL displayed in a web browser.

6.2 Navigation and Page Layout

The navigation and page layout help visitors move through the website and explore the available content.

[Insert Figure 6: Navigation and Layout Screenshot]

Figure 6: Website navigation and content layout.

6.3 Dark Theme Output

The dark theme presents the website using its dark color scheme.




Figure 7: NEXORA DIGITAL displayed in dark theme.

6.4 Light Theme Output

The light theme demonstrates the alternative appearance available through the theme-switching button.




Figure 8: NEXORA DIGITAL displayed in light theme.

7. Challenges Faced

One of the main challenges during development was implementing the theme-switching feature so that the website could change between light and dark appearances correctly. Testing the theme button and checking the JavaScript behavior helped identify the cause of the issue.

Another challenge was maintaining a consistent visual design while organizing the website's HTML, CSS, and JavaScript code. Browser testing helped verify the website's appearance and interactive behavior.

The project provided practical experience in debugging JavaScript, connecting scripts with CSS styles, organizing front-end code, and testing website functionality.

8. Conclusion

The NEXORA DIGITAL project provided practical experience in developing a digital agency website using HTML5, CSS3, and JavaScript. It strengthened understanding of website structure, styling, interactive functionality, browser testing, debugging, and source-code management using Git and GitHub.

The project also demonstrated the importance of testing interactive features, particularly the light and dark theme switcher. Overall, the project improved practical front-end development skills and provided experience in building and documenting a professional website.

9. GitHub Repository

The project source code is available through the following GitHub repository:

Repository Link: https://github.com/abubakar136/NEXORA-DIGITAL

The repository provides access to the website's source code for review.