

Aoun Frontend

Frontend application for Aoun, a charitable giving platform that helps users discover donation opportunities and manage the related user workflows through a modern web interface.

Overview

The frontend is built with Next.js and TypeScript. It uses the App Router structure and separates authentication pages, main application pages, shared components, configuration, context, hooks, libraries, and type definitions.

Main capabilities

- User registration, login, verification, and password recovery.
- Main application dashboard.
- Browsing available donation opportunities.
- Donation requests.
- Item browsing and management.
- Safe hub interfaces.
- Protected application areas.
- Shared authentication and application state.
- Responsive interface foundations through global styling and reusable components.

Project structure

```
.
├── public/                # Static assets
├── src/
│   ├── app/              # Next.js App Router pages and layouts
│   │   ├── (auth)/      # Authentication routes
│   │   └── (main)/       # Main application routes
│   ├── components/       # Reusable UI components
│   ├── config/           # Frontend configuration
│   ├── context/          # Shared React context providers
│   ├── hooks/            # Reusable React hooks
│   ├── lib/              # API and shared frontend utilities
│   ├── types/            # TypeScript types and interfaces
│   └── proxy.ts          # Request and route-protection proxy logic
├── next.config.ts        # Next.js configuration
├── eslint.config.mjs     # ESLint configuration
├── postcss.config.mjs    # PostCSS configuration
└── tsconfig.json         # TypeScript configuration
```

Route groups

Authentication

The authentication group contains pages for:

- Login.
- Registration.
- Account verification.
- Forgot password.
- Password reset.

Main application

The main group contains the application home page and interfaces for browsing, donation requests, hubs, and items. It also includes protected application routes and shared layouts.

Requirements

- Node.js.
- A running Aoun backend API.
- The frontend environment variables required by the files under `src/config` and `src/lib`.

Installation

```
npm install
```

Create the appropriate local environment file with the backend/API configuration used by the application, then run the development server:

```
npm run dev
```

Open the local Next.js address shown in the terminal.

Available scripts

```
npm run dev      # Start the development server
npm run build     # Create a production build
npm run start     # Start the production server
```

The repository also includes the configured lint command from `package.json`.

Development guidelines

- Keep server communication inside the established frontend API/lib layer.
- Reuse shared components, hooks, contexts, and TypeScript types instead of duplicating logic in pages.
- Protect authenticated routes through the existing route-protection architecture.
- Keep loading, error, empty, disabled, and responsive states visible and accessible.
- Never expose private backend credentials or service secrets in client-side environment variables.

Related project

The backend API is maintained in the [Aoun-Project_BackEnd](#) repository.