AMARTOY - FRONT-END IMPLEMENTATION PLAN

Front-End Implementation Master Plan

Comprehensive Blueprint for Developers

Sections: A. Design System · B. Global Components · C. Page-by-Page Layouts · D. Animations · E. Tech Stack

---

A. Overall Design System

This section defines every visual token that governs the entire AmarToy front-end. Every color, font, spacing value, shadow, and shape rule documented here must be codified as CSS custom properties (variables) in a single :root block so that every component automatically inherits them. No magic numbers should ever appear directly inside component CSS.

A.1 — Color Palette

The AmarToy color language is warm, playful, and high-contrast. It uses an orange-dominant primary with a warm yellow secondary, which immediately communicates fun and energy to its target audience of parents and children. The site background is a warm off-white rather than pure white, which softens the brightness and feels more premium.

Primary (Orange)	#FF6B35	CTA Buttons, Highlights, Links
Secondary (Yellow)	#FFD166	Badges, Star Ratings, Highlights
Dark Background	#1A1A2E	Hero section, Side panel, dark overlays
Page Background	#FFF8F0	Warm off-white site background
Card Background	#FFFFFF	Product cards, modals, forms
Text Dark	#1C1C1C	Body text, headings
Text Mid	#555555	Secondary text, descriptions
Text Light	#999999	Captions, meta labels
Border	#EEEEEE	Card borders, dividers, input borders
Success Green	#2ECC71	Order success, in-stock, badges
Accent Pink	#FF4F81	Wishlist heart, Sale badges, hover states

CSS Custom Properties (Design Tokens)

Place the following block at the very top of your main CSS file (e.g., tokens.css or variables.css):

```
:root {
  --color-primary:      #FF6B35;   /* CTA buttons, links, highlights */
  --color-secondary:    #FFD166;   /* Badges, ratings, warnings */
  --color-dark-bg:      #1A1A2E;   /* Hero, side panel, dark sections */
  --color-page-bg:      #FFF8F0;   /* Warm page background */
  --color-card-bg:      #FFFFFF;   /* Cards, forms, modals */
  --color-text-dark:    #1C1C1C;   /* Headings, primary body */
  --color-text-mid:     #555555;   /* Descriptions, secondary text */
  --color-text-light:   #999999;   /* Captions, meta labels */
  --color-border:       #EEEEEE;   /* Dividers, card borders */
  --color-success:      #2ECC71;   /* Order success, in-stock */
  --color-accent-pink:  #FF4F81;   /* Sale badge, wishlist, hover */
  --color-white:        #FFFFFF;
  --color-black:        #000000;
```

```
}
```

Gradient Definitions

```
/* Hero slide gradient overlay */
.hero-overlay { background: linear-gradient(135deg, rgba(26,26,46,0.85) 0%,
rgba(26,26,46,0.3) 60%, transparent 100%); }


/* CTA button hover gradient */
.btn-primary:hover { background: linear-gradient(135deg, #FF6B35 0%, #FF4F81 100%); }


/* Category card gradient on hover */
.category-card:hover::after { background: linear-gradient(180deg, transparent 30%,
rgba(255,107,53,0.85) 100%); }
```

A.2 — Typography System

The AmarToy theme uses rounded, friendly typefaces that communicate playfulness while maintaining readability. The primary display font should be a rounded, bold sans-serif. Nunito (Google Fonts) is the closest open-source match. For a more toy-like whimsical feel in headings, "Fredoka One" can be used as an alternative display font.

Element	Font Family	Weight	Size (px)	Color	Line Height
Display / H1	Nunito / Fredoka One	800 ExtraBold	52–64px	#1C1C1C	1.1
H2 Section Title	Nunito	700 Bold	38–44px	#1C1C1C	1.2
H3 Card Title	Nunito	700 Bold	24–28px	#1C1C1C	1.3
H4 Label/Sub-heading	Nunito	600 SemiBold	18–20px	#FF6B35	1.4
H5/H6	Nunito	600 SemiBold	14–16px	#555555	1.4
Body Paragraph	Nunito Sans / Open Sans	400 Regular	16px	#555555	1.7
Small / Caption	Nunito Sans	400 Regular	13–14px	#999999	1.5
Button Label	Nunito	700 Bold	14–16px	#FFFFFF	1
Price Tag	Nunito	700 Bold	20–24px	#FF6B35	1
Nav Links	Nunito	600 SemiBold	15px	#1C1C1C	1
Category Label	Nunito	700 Bold	13px uppercase	#FFFFFF	1

Google Fonts Import

```
/* Add to <head> in HTML or @import in CSS */
```

```
@import
url('https://fonts.googleapis.com/css2?family=Nunito:wght@400;500;600;700;800;900&family=
Nunito+Sans:wght@400;600&display=swap');
```

Typography CSS Variables

```
:root {
  --font-display:  "Nunito", sans-serif;   /* All headings */
  --font-body:     "Nunito Sans", sans-serif; /* Body text */
  --font-mono:     "Courier New", monospace; /* Code snippets only */

  --text-xs:    0.75rem;   /* 12px - tiny labels */
  --text-sm:    0.875rem;  /* 14px - captions, meta */
  --text-base:  1rem;      /* 16px - body default */
  --text-lg:    1.125rem;  /* 18px - large body */
  --text-xl:    1.25rem;   /* 20px - card titles */
  --text-2xl:   1.5rem;    /* 24px - H3 */
  --text-3xl:   2rem;      /* 32px - H2 sub */
  --text-4xl:   2.5rem;    /* 40px - H2 */
  --text-5xl:   3.25rem;   /* 52px - H1 */
  --text-6xl:   4rem;      /* 64px - Hero title */
}
```

A.3 — Spacing, Layout Grid & Container

The layout uses a standard 12-column grid with a maximum content width of 1280px centered on screen. Sections use generous vertical padding to give the playful, airy feel consistent with the toy brand. All spacing values follow an 8px base unit scale.

CSS Spacing Variables

```
:root {
  --space-1:  0.25rem;  /* 4px */
  --space-2:  0.5rem;   /* 8px */
  --space-3:  0.75rem;  /* 12px */
  --space-4:  1rem;     /* 16px */
  --space-5:  1.25rem;  /* 20px */
  --space-6:  1.5rem;   /* 24px */
  --space-8:  2rem;     /* 32px */
  --space-10: 2.5rem;   /* 40px */
  --space-12: 3rem;     /* 48px */
  --space-16: 4rem;     /* 64px */
  --space-20: 5rem;     /* 80px */
  --space-24: 6rem;     /* 96px */

  --container-max: 1280px;
  --container-pad: 1.5rem;   /* Horizontal page padding */
```

```
  --section-pad-y: 5rem;     /* Top/bottom padding for sections */
}
```

Container Class

```
.container {
  width: 100%;
  max-width: var(--container-max);
  margin-inline: auto;
  padding-inline: var(--container-pad);
}
```

Responsive Breakpoints

```
/* Mobile first */
@media (min-width: 480px)  { /* xs: small phone */ }
@media (min-width: 640px)  { /* sm: large phone */ }
@media (min-width: 768px)  { /* md: tablet portrait */ }
@media (min-width: 1024px) { /* lg: tablet landscape / small laptop */ }
@media (min-width: 1280px) { /* xl: desktop */ }
@media (min-width: 1536px) { /* 2xl: large desktop */ }
```

A.4 — Graphic Elements, Shadows & Border Radii

The AmarToy design language uses soft, rounded corners consistently — never sharp 0px corners on interactive elements. The shadows are warm-tinted (never pure gray) to harmonize with the orange palette.

Border Radius Tokens

```
:root {
  --radius-sm:   6px;    /* Input fields, small tags */
  --radius-md:   12px;   /* Product cards, small buttons */
  --radius-lg:   20px;   /* Large feature cards, panels */
  --radius-xl:   28px;   /* Hero pill CTAs, hero cards */
  --radius-full: 999px;  /* Badge pills, avatar circles */
}
```

Shadow Tokens

```
:root {
  /* Warm-tinted card shadow */
  --shadow-card:   0 4px 16px rgba(255, 107, 53, 0.08);
  /* Elevated hover shadow */
  --shadow-hover:  0 12px 40px rgba(255, 107, 53, 0.18);
  /* Navbar / sticky header shadow */
  --shadow-nav:    0 2px 20px rgba(0, 0, 0, 0.08);
  /* Floating element shadow (chat widget) */
```

```
  --shadow-float:  0 8px 32px rgba(255, 107, 53, 0.25);
  /* Modal / overlay shadow */
  --shadow-modal:  0 24px 80px rgba(0, 0, 0, 0.24);
}
```

Decorative Graphic Shapes

The site uses small SVG decorative elements scattered around sections for a toylike whimsy:

- Star shapes (6-pointed, outlined) — scattered in hero background at varying opacities (0.2–0.6) and sizes (12px–40px). Used extensively on the hero slides.
- Cloud shapes — appear in the hero banner, floating behind the product character. Animate with a slow horizontal drift (translateX loop, ~8s).
- Plus/cross symbols (thin stroke, rotated 45°) — used as section decoration on Contact page.
- Circle outlines — used on Contact page as decorative floating elements.
- Color blobs — soft, amorphous, semi-transparent blobs in brand colors used as background elements in the About section.

All decorative shapes should be positioned absolutely within their section containers with pointer-events: none and user-select: none. Use z-index: 0 so they sit below content (z-index: 1+).

Image Specifications

Product Grid Thumbnails	Square 1:1 ratio — 630×630px render. CSS: object-fit: cover, aspect-ratio: 1
Product Single Gallery	Portrait 600×660px (≈ 10:11). CSS: object-fit: contain, background: #FAFAFA
Hero Banner (Full-Width)	Min 1440×680px, or 16:7 ratio. CSS: width:100%, height: 100vh max, object-fit: cover
Category Card Image	650×572px (≈ 8:7 ratio). CSS: object-fit: cover, border-radius: --radius-md
Blog Portfolio Card	840×560px (3:2 ratio). CSS: object-fit: cover, aspect-ratio: 3/2, overflow: hidden
Testimonial Avatar	120×120px circle. CSS: border-radius: 50%, object-fit: cover

B. Global Component Architecture

These components appear on every page and define the outer shell of the application. They must be coded as isolated, reusable components — in React they are top-level layout components; in plain HTML they are included via partials or template literals.

B.1 — Header / Navigation Bar

Visual Anatomy

The header is a sticky, full-width bar that transitions from transparent (overlaid on the hero) to a solid white/opaque state when the user scrolls down past 80px. It has three distinct zones:

- LEFT ZONE (25% width): Logo image. Links to home. On mobile, this also serves as the brand anchor when the hamburger is tapped.
- CENTER ZONE (50% width): Horizontal navigation menu. Items: Home (dropdown), Pages (dropdown), Shop (dropdown), Blog (dropdown), Contacts. Each top-level item has a dropdown submenu that appears on hover.
- RIGHT ZONE (25% width): Three icon controls — (1) Cart icon with item-count badge bubble, (2) Search icon (opens a full-width search overlay), (3) Hamburger/Panel icon (opens the right-side info panel).

CSS Implementation Plan

```
.site-header {
  position: sticky;          /* OR fixed, depends on scroll behavior */
  top: 0;
  left: 0;
  width: 100%;
  z-index: 1000;
  transition: background 0.3s ease, box-shadow 0.3s ease, padding 0.3s ease;
  padding: 1.25rem 0;        /* Default tall padding */
}
.site-header.scrolled {
  background: var(--color-white);
  box-shadow: var(--shadow-nav);
  padding: 0.75rem 0;        /* Shrinks when scrolled */
}
.header-inner {
  display: flex;
  align-items: center;
  justify-content: space-between;
  gap: 1rem;
}
```

Navigation Dropdown Architecture

Each nav item with children uses CSS :hover + a sibling .dropdown-menu that is hidden by default and revealed on hover. The dropdown appears with a fade-in + slight translateY(8px → 0) motion.

```
.nav-item { position: relative; }
.dropdown-menu {
  position: absolute;
  top: calc(100% + 10px);
  left: 0;
  min-width: 200px;
  background: var(--color-white);
  border-radius: var(--radius-md);
  box-shadow: var(--shadow-modal);
  opacity: 0;
  visibility: hidden;
  transform: translateY(8px);
  transition: opacity 0.2s ease, transform 0.2s ease, visibility 0.2s;
  z-index: 999;
}
.nav-item:hover .dropdown-menu {
  opacity: 1;
  visibility: visible;
  transform: translateY(0);
}
```

Cart Badge

```
.cart-icon-wrapper { position: relative; display: inline-flex; }
.cart-count-badge {
  position: absolute;
  top: -6px;
  right: -8px;
  width: 18px; height: 18px;
  background: var(--color-primary);
  color: white;
  border-radius: var(--radius-full);
  font-size: 11px;
  font-weight: 700;
  display: flex; align-items: center; justify-content: center;
}
```

Scroll Behavior — JavaScript

```
window.addEventListener('scroll', () => {
  const header = document.querySelector('.site-header');
  header.classList.toggle('scrolled', window.scrollY > 80);
});
```

Mobile Header

Below 1024px breakpoint: hide center nav links. Show only Logo (left) and right icons. The hamburger icon opens the mobile nav drawer from the left side. On mobile, the right panel icon opens the side info panel.

B.2 — Right-Side Info Panel

Visual Description

Triggered by the rightmost icon in the header (a grid/apps-style icon or three-dots). A panel slides in from the right with a dark overlay covering the rest of the page. The panel itself has a dark navy (--color-dark-bg) background.

Panel Content Structure (top to bottom)

1. Logo — the AmarToy logo (white version) at the top of the panel, centered or left-aligned with padding.
2. Close "X" button — top-right corner of the panel, white, tappable.
3. Social Media Icons — horizontal row: Facebook, Instagram, WhatsApp, YouTube. Icons are circular outlined buttons (border: 1px solid rgba(255,255,255,0.3)), turning solid orange on hover.
4. Contact Section — label "Have a Project?" followed by info@website.com link, then a "Want to Work With Me? → Send Brief" CTA link.
5. Phone number — large, bold, white. Format: +1 840 841 25 69.
6. Newsletter brief CTA (optional) — "Go to Shop" link.

CSS Implementation

```
.side-panel {
  position: fixed;
  top: 0; right: 0;
  width: 340px;
  height: 100vh;
  background: var(--color-dark-bg);
  padding: 2.5rem 2rem;
  transform: translateX(100%);
  transition: transform 0.4s cubic-bezier(0.4, 0, 0.2, 1);
  z-index: 1100;
  overflow-y: auto;
}
.side-panel.open { transform: translateX(0); }
.side-panel-overlay {
  position: fixed; inset: 0;
  background: rgba(0,0,0,0.5);
  backdrop-filter: blur(3px);
  opacity: 0; visibility: hidden;
  transition: opacity 0.4s ease, visibility 0.4s;
  z-index: 1099;
}
.side-panel-overlay.open { opacity: 1; visibility: visible; }
```

Social Icon Buttons

```
.social-icons-row { display: flex; gap: 0.75rem; margin: 2rem 0; }
.social-icon-btn {
  width: 40px; height: 40px;
  border: 1.5px solid rgba(255,255,255,0.3);
  border-radius: var(--radius-full);
  display: flex; align-items: center; justify-content: center;
  color: white;
  transition: background 0.25s, border-color 0.25s, transform 0.25s;
}
.social-icon-btn:hover {
  background: var(--color-primary);
  border-color: var(--color-primary);
  transform: translateY(-2px);
}
```

B.3 — Footer

Footer Layout (Two-Tier Structure)

The AmarToy footer has two zones: a dark main footer area and a minimal bottom bar for copyright.

Main Footer — 4-Column Grid

- Column 1: Logo + short tagline + social media icon row (Facebook, Twitter, Dribbble, Instagram).
- Column 2: Quick navigation links (Home, Services, About Us, Shop, Contacts).
- Column 3: Contact info — Address label, email, phone number.
- Column 4: Newsletter subscribe form — email input + Subscribe button + privacy policy checkbox.

Footer CSS

```
.site-footer { background: var(--color-dark-bg); color: var(--color-text-light); padding:
5rem 0 2rem; }
.footer-grid {
  display: grid;
  grid-template-columns: 2fr 1fr 1fr 2fr;
  gap: 3rem;
}
@media (max-width: 1024px) { .footer-grid { grid-template-columns: 1fr 1fr; } }
@media (max-width: 640px)  { .footer-grid { grid-template-columns: 1fr; } }
.footer-bottom {
  margin-top: 3rem;
  padding-top: 1.5rem;
  border-top: 1px solid rgba(255,255,255,0.1);
  text-align: center;
  font-size: var(--text-sm);
  color: rgba(255,255,255,0.4);
```

```
}
```

Newsletter Input + Button

```
.newsletter-form { display: flex; gap: 0.5rem; margin-top: 1rem; }
.newsletter-input {
  flex: 1;
  padding: 0.75rem 1rem;
  border-radius: var(--radius-sm);
  border: 1px solid rgba(255,255,255,0.2);
  background: rgba(255,255,255,0.05);
  color: white;
  font-size: var(--text-sm);
}
.newsletter-btn {
  padding: 0.75rem 1.25rem;
  background: var(--color-primary);
  color: white;
  border-radius: var(--radius-sm);
  font-weight: 700;
  transition: background 0.2s;
}
```

B.4 — Floating Live Chat Widget (Bottom-Left)

A persistent floating widget fixed to the bottom-left corner of every page. It features a "Please Chat" label and a chat bubble icon. It pulses gently to draw attention without being obtrusive.

HTML Structure

```
<div class="floating-chat" id="floatingChat">
  <div class="floating-chat__bubble">
    <svg><!-- chat icon SVG --></svg>
  </div>
  <span class="floating-chat__label">Please Chat</span>
</div>
```

CSS

```
.floating-chat {
  position: fixed;
  bottom: 2rem;
  left: 2rem;
  display: flex;
  align-items: center;
  gap: 0.5rem;
  background: var(--color-primary);
```

```
  color: white;
  padding: 0.75rem 1.25rem;
  border-radius: var(--radius-full);
  box-shadow: var(--shadow-float);
  cursor: pointer;
  z-index: 900;
  animation: chatPulse 2.5s ease-in-out infinite;
}
@keyframes chatPulse {
  0%, 100% { box-shadow: var(--shadow-float); }
  50% { box-shadow: 0 8px 32px rgba(255,107,53,0.55), 0 0 0 8px rgba(255,107,53,0.12); }
}
.floating-chat:hover { transform: translateY(-3px) scale(1.04); transition: transform
0.2s ease; }
```

B.5 — Search Overlay

Triggered by the search icon in the header. A full-screen dark overlay appears with a centered, large input field. Pressing Escape or clicking outside the field closes it.

```
.search-overlay {
  position: fixed; inset: 0;
  background: rgba(26, 26, 46, 0.96);
  z-index: 1200;
  display: flex; align-items: center; justify-content: center;
  opacity: 0; visibility: hidden;
  transition: opacity 0.3s ease;
}
.search-overlay.active { opacity: 1; visibility: visible; }
.search-overlay__input {
  width: min(600px, 90vw);
  background: transparent;
  border: none;
  border-bottom: 2px solid var(--color-primary);
  color: white;
  font-size: 2.5rem;
  text-align: center;
  padding-bottom: 1rem;
  outline: none;
}
```

C. Page-by-Page Layout Structure

C.1 — Home Page (Home 1)

The homepage is the most visually rich page. It stacks the following sections vertically, each with its own background and rhythm:

C.1.1 — Hero Slider (Full-Viewport)

- Height: 100vh (or min 680px). Full-width.
- Background: Dark navy (#1A1A2E) with product character images (PNG with transparent background) placed on the right half.
- Left side: Pre-heading label (small uppercase text, e.g., "Pick the best toy"), H1 heading, subtext paragraph, "Discover Now" CTA button.
- Floating decorative elements: 6–8 star SVGs scattered across the slide at varying opacity. Clouds behind the character image. These are absolutely positioned within the slide container.
- Navigation dots at the bottom-center. Navigation arrows (left/right) on the sides.
- Slide transition: Crossfade (opacity transition) or horizontal slide (translateX). Duration: 600ms ease-in-out.
- Auto-advance: 5000ms interval. Pause on hover.

Hero CTA Button Style

```
.btn-discover {
  display: inline-flex;
  align-items: center;
  gap: 0.5rem;
  padding: 1rem 2rem;
  background: var(--color-primary);
  color: white;
  border-radius: var(--radius-full);
  font-size: var(--text-lg);
  font-weight: 700;
  letter-spacing: 0.03em;
  box-shadow: 0 8px 24px rgba(255,107,53,0.3);
  transition: transform 0.2s ease, box-shadow 0.2s ease;
}
.btn-discover:hover { transform: translateY(-3px); box-shadow: 0 14px 36px
rgba(255,107,53,0.45); }
.btn-discover:active { transform: translateY(-1px); }
```

C.1.2 — Product Categories Section

- Section label: Small uppercase tag ("Categories") above the heading.
- Heading: "We design toys not just for kids but with kids" — 2-line H2 centered above the grid.

- Layout: 4-column grid on desktop, 2-column on tablet, 1-column on mobile.
- Each category card: A tall card (≈ 8:7 aspect ratio image). Image fills top ~75% of the card. Bottom area shows category name (H6) and "Shop Now" link with an arrow. On hover: image scales to 1.06, a primary color gradient overlay slides up from the bottom, and the text transitions to white.

Category Card CSS

```
.category-card {
  position: relative;
  border-radius: var(--radius-lg);
  overflow: hidden;
  cursor: pointer;
  box-shadow: var(--shadow-card);
  transition: transform 0.3s ease, box-shadow 0.3s ease;
}
.category-card:hover { transform: translateY(-6px); box-shadow: var(--shadow-hover); }
.category-card img { width: 100%; aspect-ratio: 8/7; object-fit: cover; transition:
transform 0.5s ease; }
.category-card:hover img { transform: scale(1.06); }
.category-card__overlay {
  position: absolute; inset: 0;
  background: linear-gradient(180deg, transparent 40%, rgba(255,107,53,0.9) 100%);
  opacity: 0;
  transition: opacity 0.4s ease;
}
.category-card:hover .category-card__overlay { opacity: 1; }
```

C.1.3 — Popular in Store (Product Grid — First Row)

- Heading: "Shop AmarToy & Games" (small pre-label), "Popular in Store" (H2).
- Grid: 4 products per row on desktop. Shows first 4 items. "View All" link below.
- Each card: White card, rounded corners (--radius-md), no visible border (shadow only). Product image (1:1 square), product name (H3), price (bold orange), "Buy Now" button (pill-shaped, solid orange), and a wishlist heart icon (top-right of image).
- Sale badge: Absolute top-left of image. Pill shape, pink background (#FF4F81), bold white text (e.g., "-20%").

Product Card CSS

```
.product-card {
  background: var(--color-card-bg);
  border-radius: var(--radius-md);
  box-shadow: var(--shadow-card);
  overflow: hidden;
  transition: transform 0.3s ease, box-shadow 0.3s ease;
}
.product-card:hover { transform: translateY(-5px); box-shadow: var(--shadow-hover); }
.product-card__img-wrap { position: relative; overflow: hidden; aspect-ratio: 1; }
```

```
.product-card__img { width: 100%; height: 100%; object-fit: cover; transition: transform 0.4s ease; }
.product-card:hover .product-card__img { transform: scale(1.05); }
.product-card__wishlist {
  position: absolute; top: 10px; right: 10px;
  width: 32px; height: 32px;
  background: white;
  border-radius: var(--radius-full);
  display: flex; align-items: center; justify-content: center;
  box-shadow: 0 2px 8px rgba(0,0,0,0.1);
  cursor: pointer;
  color: var(--color-text-light);
  transition: color 0.2s;
}
.product-card__wishlist.active { color: var(--color-accent-pink); }
.product-card__sale-badge {
  position: absolute; top: 10px; left: 10px;
  background: var(--color-accent-pink);
  color: white; font-weight: 700; font-size: 12px;
  padding: 3px 10px;
  border-radius: var(--radius-full);
}
.product-card__body { padding: 1.25rem; }
.product-card__name { font-size: var(--text-lg); font-weight: 700; color: var(--color-text-dark); margin-bottom: 0.5rem; }
.product-card__price { font-size: var(--text-xl); font-weight: 700; color: var(--color-primary); }
.product-card__price--original { text-decoration: line-through; color: var(--color-text-light); font-size: var(--text-base); margin-right: 0.5rem; }
```

C.1.4 — About / "We Help You Take Care of Kids" Section

- Split 2-column layout: Left = stacked images (two images overlapping), Right = text content.
- Left column: Primary image (tall, rounded corners) with a secondary smaller image overlapping its bottom-right at a slight rotation. A floating badge/icon (e.g., a smiley face SVG badge) sits at the overlap point.
- Right column: Icon + small label ("creative approach"), H2 heading, paragraph text, stats row (e.g., "5000+ Happy Kids"), and a "Shop Now" CTA button.
- Background: Light warm (#FFF8F0).

C.1.5 — Second Popular Products Grid (8 Products)

- Same component as C.1.3, but displays 8 products (2 rows × 4 columns).
- Section appears on a slightly different background (pure white) to alternate rhythm.

C.1.6 — Features Strip (4 Icons)

- A horizontal 4-column strip. Background: light cream or pale yellow.

- Each column: SVG icon (simple, line-style), bold title (e.g., "Best Prices"), subtitle (e.g., "Affordable").
- Items: Best Prices / Affordable, Fast Shipment / Express, Buyers Protection / Guarantee, Live Support / Online.

C.1.7 — Video Section

- A full-width section with a blurred background image. Centered "PLAY" button — a large circle with a play triangle icon.
- Clicking opens a modal with an embedded YouTube/Vimeo video iframe.

```
.play-btn {
  width: 80px; height: 80px;
  border-radius: 50%;
  background: var(--color-primary);
  display: flex; align-items: center; justify-content: center;
  animation: playPulse 2s ease-in-out infinite;
}
@keyframes playPulse {
  0%, 100% { box-shadow: 0 0 0 0 rgba(255,107,53,0.4); }
  50% { box-shadow: 0 0 0 18px rgba(255,107,53,0); }
}
```

C.1.8 — Testimonials Slider

- White card testimonials with avatar, name, role, and quote text.
- Auto-scrolling carousel (3 visible on desktop, 1 on mobile).
- Navigation dots below. Optional prev/next arrows.

C.1.9 — Blog Latest News (4-Column Grid)

- Section label + H2 heading.
- 4 blog post cards in a row. Each card: image (3:2 ratio, rounded corners), category tag (orange label), date, post title (H4 link).
- Hover effect: image zooms, title color shifts to primary orange.

C.1.10 — Brand Logos Marquee

- A continuous horizontal scrolling strip of partner brand logos.
- Implement with CSS animation: a double-duplicated list of logos that translates left infinitely.

```
.brand-marquee { overflow: hidden; }
.brand-track { display: flex; gap: 3rem; animation: marquee 20s linear infinite; }
@keyframes marquee { from { transform: translateX(0); } to { transform: translateX(-50%);
} }
```

C.2 — Shop / Product List Page

Page Header Banner

- Full-width banner below the main header. Background: warm cream or decorative SVG pattern. Centered H1 "Shop" title. Breadcrumb navigation below (Home > Shop).

Layout — Two-Column (Sidebar + Grid)

- Left sidebar (approx 280px, sticky): Contains Search box, Product Categories list, Price Range filter (min/max inputs), Tags cloud.
- Right main area: Sort dropdown (top-right, "Sort by latest"), product grid (3 columns on desktop), pagination at bottom.

Sidebar CSS

```
.shop-layout { display: grid; grid-template-columns: 280px 1fr; gap: 2rem; }
@media (max-width: 1024px) { .shop-layout { grid-template-columns: 1fr; } /* sidebar hidden/collapsible on mobile */ }
.sidebar-widget { margin-bottom: 2rem; padding: 1.5rem; background: white; border-radius: var(--radius-md); box-shadow: var(--shadow-card); }
.sidebar-widget__title { font-size: var(--text-base); font-weight: 700; text-transform: uppercase; letter-spacing: 0.08em; margin-bottom: 1rem; color: var(--color-text-dark); }
```

Price Range Slider CSS

```
input[type="range"] { accent-color: var(--color-primary); width: 100%; }
```

Pagination

```
.pagination { display: flex; gap: 0.5rem; justify-content: center; margin-top: 3rem; }
.page-btn { width: 40px; height: 40px; border-radius: var(--radius-sm); border: 1px solid var(--color-border); display: flex; align-items: center; justify-content: center; }
.page-btn.active { background: var(--color-primary); color: white; border-color: var(--color-primary); }
```

C.3 — Product Single Page

Layout (2-Column)

- LEFT column (55%): Product image gallery. Main large image (600×660 portrait). Below it: 4 thumbnail images in a row (clickable, active thumbnail has orange border). Image click opens lightbox.
- RIGHT column (45%): Product details panel.

Right Column Contents (top to bottom)

7. Breadcrumb: Home > Category > Product Name
8. Product Name — H1 heading
9. Price — large bold orange. If on sale, show original price struck-through in gray, new price in orange.
10. Short description paragraph.
11. Quantity control — minus button, number input, plus button. Rounded pill shape.
12. "Buy Now" button — full-width, pill-shaped, solid orange (#FF6B35). Icon + text.
13. "Add to Wishlist" — secondary link/button with heart icon below main CTA.
14. Product meta: Category, Tags, Product ID — small gray text.
15. Description/Reviews tabs — two tab buttons. Active tab has orange underline border.
16. Tab content area — Description text or reviews form/list.

Quantity Stepper CSS

```
.qty-stepper { display: flex; align-items: center; gap: 0; border: 1px solid var(--color-border); border-radius: var(--radius-full); overflow: hidden; width: fit-content; }
.qty-btn { width: 40px; height: 40px; background: transparent; font-size: 1.25rem; cursor: pointer; transition: background 0.2s; }
.qty-btn:hover { background: var(--color-primary); color: white; }
.qty-input { width: 48px; text-align: center; border: none; border-left: 1px solid var(--color-border); border-right: 1px solid var(--color-border); font-weight: 700; }
```

Related Products

- Below the main product content: "Related products" H2 heading + 3-column grid of product cards (same component as shop grid).

C.4 — Cart Page

Layout

- Full-width table for desktop (5 columns): Product image + name, Price, Quantity, Subtotal, Remove (×).
- Below table: "Continue Shopping" button (left) and "Update Cart" button (right). Both outlined style, not filled.
- Below that: 2-column layout — Left: Coupon code input + "Apply Coupon" button. Right: Cart Totals summary box.

Cart Totals Box

```
.cart-totals {
  background: var(--color-card-bg);
  border: 1px solid var(--color-border);
```

```
  border-radius: var(--radius-md);
  padding: 2rem;
}
.cart-totals__row { display: flex; justify-content: space-between; padding: 0.75rem 0;
border-bottom: 1px solid var(--color-border); }
.cart-totals__total { font-size: var(--text-xl); font-weight: 700; color:
var(--color-primary); }
.checkout-btn { width: 100%; margin-top: 1.5rem; } /* Same style as .btn-discover */
```

C.5 — Checkout Page

Layout — 2-Column

- LEFT (60%): Checkout form — Billing Details section (First Name, Last Name, Country, Address, City, State, ZIP, Phone, Email). Each input has a visible label above it, not placeholder-only. Section heading "Billing Details" in H3.
- RIGHT (40%): Order Summary box. Lists each product (image thumbnail, name, quantity × price). Shows Cart Subtotal, Shipping, Grand Total. "Place Order" button — full-width orange pill CTA.

Form Input Style

```
.form-group { margin-bottom: 1.25rem; }
.form-label { display: block; font-size: var(--text-sm); font-weight: 600; color:
var(--color-text-dark); margin-bottom: 0.4rem; }
.form-input {
  width: 100%;
  padding: 0.875rem 1rem;
  border: 1.5px solid var(--color-border);
  border-radius: var(--radius-sm);
  font-size: var(--text-base);
  transition: border-color 0.2s, box-shadow 0.2s;
  background: var(--color-card-bg);
}
.form-input:focus { border-color: var(--color-primary); box-shadow: 0 0 0 3px
rgba(255,107,53,0.15); outline: none; }
```

Order Success / Thank You Page

- Centered card layout on a light background.
- Large green checkmark icon at top (animated scale-in on load: keyframe from scale(0) to scale(1), cubic-bezier bounce).
- H2: "Thank you. Your order has been received."
- 4 info pills in a row: Order number, Date, Email, Total, Payment method.
- Order details table: lists ordered products.
- "Continue Shopping" CTA button.

```
.success-check { animation: checkIn 0.6s cubic-bezier(0.175, 0.885, 0.32, 1.275) forwards; }
@keyframes checkIn { from { transform: scale(0); opacity: 0; } to { transform: scale(1); opacity: 1; } }
```

C.6 — Wishlist Page

- Full-width table layout. Columns: Remove (×), Product Image, Product Name, Unit Price, Stock Status, "Add to Cart" button.
- Each row has the product image (60×60 thumbnail), product name link, price, "In stock" badge (green), and a solid "Add to Cart" orange button.
- Empty state: centered icon + "No products in your wishlist" message + "Continue Shopping" button.

C.7 — Blog: Portfolio 3 Columns Layout

Page Architecture

- Full-page, NO sidebar. Header banner + breadcrumb identical to Shop page.
- Grid: 3 equal-width columns, uniform gutters (gap: 2rem).
- Pagination at the bottom, centered.

Portfolio Blog Card Anatomy

Each card in this layout is a full-bleed image card — the image fills the entire card, and the metadata overlays on top of the image from the bottom on hover. This is the "portfolio" style distinct from standard blog cards.

- Default state: Image (3:2 ratio, full bleed, border-radius on container). No text overlay — only a minimal bottom bar showing category + date.
- Hover state: A dark gradient overlay slides up from the bottom. Post title and "read more" arrow appear over it. Image scales to 1.05.
- Card has rounded corners (--radius-lg) and overflow: hidden.

Portfolio Card CSS

```
.portfolio-card {
  position: relative;
  border-radius: var(--radius-lg);
  overflow: hidden;
  aspect-ratio: 3/2;
  cursor: pointer;
}
```

```
.portfolio-card img { width: 100%; height: 100%; object-fit: cover; transition: transform 0.5s ease; }
.portfolio-card:hover img { transform: scale(1.05); }
.portfolio-card__meta {
  position: absolute;
  bottom: 0; left: 0; right: 0;
  padding: 1.5rem;
  background: linear-gradient(transparent, rgba(26,26,46,0.95));
  transform: translateY(60px);
  transition: transform 0.4s cubic-bezier(0.4, 0, 0.2, 1);
}
.portfolio-card:hover .portfolio-card__meta { transform: translateY(0); }
.portfolio-card__category { font-size: var(--text-xs); text-transform: uppercase; letter-spacing: 0.1em; color: var(--color-secondary); font-weight: 700; }
.portfolio-card__title { color: white; font-size: var(--text-lg); font-weight: 700; margin-top: 0.25rem; }
.portfolio-card__date { color: rgba(255,255,255,0.6); font-size: var(--text-sm); margin-top: 0.25rem; }
```

C.8 — Contact Page

Page Layout Overview

- 2-column layout: Left = decorative image + floating graphic shapes, Right = contact form.
- Background: Warm off-white. Floating decorative shapes (plus signs, circles in brand colors) are absolutely positioned.
- Section pre-label: "Contact Us" in small uppercase orange text.
- H1: "Have Questions? Get in touch!"

Left Column

- A large creative/character illustration image.
- Overlaid floating shapes: 2× plus/cross SVGs, 2× circle outlines — different sizes, positioned at corners of the image container.

Right Column — Contact Form

- Full-name input (single field or two side-by-side).
- Email address input.
- Message textarea (min-height: 160px, resize: vertical).
- GDPR checkbox: "I agree that my submitted data is being collected and stored."
- Submit button: "Send Message" — full-width or auto-width orange pill button.

Below Form — Contact Details Row

- 3-item horizontal row: Address ("785 15h Street, Office 478"), Email (info@email.com), Phone (+1 840 841 25 69).
- Each item has an icon (map pin, envelope, phone) in a small orange circle badge before the text.
- Social links row at the bottom of the section.

Contact Icon Badge

```
.contact-icon { width: 44px; height: 44px; background: var(--color-primary);
border-radius: 50%; display: flex; align-items: center; justify-content: center; color:
white; flex-shrink: 0; }
.contact-item { display: flex; align-items: flex-start; gap: 1rem; margin-bottom: 1.5rem;
}
```

D. Animation & Interaction Guide

All animations on the AmarToy site serve a single purpose: to make the experience feel playful and alive, consistent with a toy brand. They are generally not long or aggressive — quick, springy, and delightful. Below is a complete catalog of every animation type and the exact CSS/JS needed to reproduce it.

D.1 — Scroll-Triggered Reveal Animations

Elements animate in as they enter the viewport. Use the Intersection Observer API to add an .animate-in class when an element reaches the viewport. All animatable elements start with opacity: 0 and a translateY offset.

Base Utility Classes

```
/* All elements that animate should have this class by default */
.reveal { opacity: 0; transform: translateY(40px); transition: opacity 0.6s ease,
transform 0.6s ease; }
.reveal.visible { opacity: 1; transform: translateY(0); }

/* Staggered children — add delay via CSS custom property */
.reveal-delay-1 { transition-delay: 0.1s; }
.reveal-delay-2 { transition-delay: 0.2s; }
.reveal-delay-3 { transition-delay: 0.3s; }
.reveal-delay-4 { transition-delay: 0.4s; }
```

Intersection Observer JS

```
const revealObserver = new IntersectionObserver((entries) => {
  entries.forEach(entry => {
    if (entry.isIntersecting) {
```

```
      entry.target.classList.add('visible');
      revealObserver.unobserve(entry.target); // animate once
    }
  });
}, { threshold: 0.15 });

document.querySelectorAll('.reveal').forEach(el => revealObserver.observe(el));
```

D.2 — Hero Slide Entrance Animations

When a hero slide becomes active, its text elements animate in sequentially. This creates the "content flying in" effect visible on the reference site.

Slide Text Animation Classes

```
.slide-label { animation: slideUp 0.5s 0.1s ease forwards; opacity: 0; }
.slide-title { animation: slideUp 0.6s 0.25s ease forwards; opacity: 0; }
.slide-desc  { animation: slideUp 0.6s 0.4s ease forwards; opacity: 0; }
.slide-cta   { animation: slideUp 0.5s 0.55s ease forwards; opacity: 0; }
.slide-char  { animation: slideInRight 0.7s 0.2s cubic-bezier(0.175, 0.885, 0.32, 1.275)
forwards; opacity: 0; }

@keyframes slideUp {
  from { transform: translateY(30px); opacity: 0; }
  to   { transform: translateY(0);    opacity: 1; }
}
@keyframes slideInRight {
  from { transform: translateX(60px); opacity: 0; }
  to   { transform: translateX(0);    opacity: 1; }
}
```

Floating Star Animation in Hero

```
.hero-star { animation: starFloat var(--dur, 4s) var(--delay, 0s) ease-in-out infinite
alternate; }
@keyframes starFloat {
  from { transform: translateY(0) rotate(0deg); }
  to   { transform: translateY(-12px) rotate(15deg); }
}
```

Apply different --dur (3s–6s) and --delay (0–2s) values per star element via inline style attributes.

D.3 — Button Hover Effects

Primary CTA Button (.btn-primary)

```
.btn-primary { transition: transform 0.2s ease, box-shadow 0.2s ease, background 0.2s
ease; }
```

```
.btn-primary:hover { transform: translateY(-3px); box-shadow: 0 14px 36px
rgba(255,107,53,0.45); }
.btn-primary:active { transform: translateY(-1px) scale(0.98); }
```

Icon Buttons (Cart, Search, Wishlist)

```
.icon-btn { transition: color 0.2s, transform 0.2s; }
.icon-btn:hover { color: var(--color-primary); transform: scale(1.15); }
```

D.4 — Card Hover Effects

Product Card

```
/* lift + shadow increase — see C.2 for full code */
.product-card { transition: transform 0.3s ease, box-shadow 0.3s ease; }
.product-card:hover { transform: translateY(-5px); box-shadow: var(--shadow-hover); }
```

Category Card — Image Zoom + Gradient Reveal

See C.1.2 for complete CSS. The overlay gradient opacity transitions from 0 to 1 on hover, while the image simultaneously scales from 1 to 1.06 — giving a rich parallax-like reveal effect.

Blog Portfolio Card — Meta Slide Up

See C.7 for complete CSS. The metadata panel (title, date, category) is translated 60px below the card bottom by default. On hover, it translates to Y(0), making it visible over the gradient overlay.

D.5 — Page Load Animation

On initial page load, the header, hero content, and above-the-fold elements animate in. This is achieved by adding a "page-loaded" class to <body> after 100ms, which triggers CSS transitions on pre-animated elements.

```
window.addEventListener('load', () => {
  setTimeout(() => document.body.classList.add('page-loaded'), 100);
});


.site-header { opacity: 0; transform: translateY(-20px); transition: opacity 0.5s ease,
transform 0.5s ease; }
.page-loaded .site-header { opacity: 1; transform: translateY(0); }
```

D.6 — Number Counter Animation (Stats Section)

In the About section, stat numbers (e.g., "5000+ Happy Kids") animate from 0 to their target value when scrolled into view.

```
function animateCounter(el) {
  const target = parseInt(el.dataset.target);
```

```
  const duration = 1800;
  const start = performance.now();
  function update(time) {
    const progress = Math.min((time - start) / duration, 1);
    const ease = 1 - Math.pow(1 - progress, 3); // ease-out cubic
    el.textContent = Math.floor(ease * target).toLocaleString() + '+';
    if (progress < 1) requestAnimationFrame(update);
  }
  requestAnimationFrame(update);
}
```

D.7 — Form Focus / Input Animation

```
.form-input { transition: border-color 0.2s ease, box-shadow 0.2s ease; }
.form-input:focus { border-color: var(--color-primary); box-shadow: 0 0 0 3px
rgba(255,107,53,0.12); }
.form-label { transition: color 0.2s ease; }
.form-group:focus-within .form-label { color: var(--color-primary); }
```

D.8 — Add to Cart / Wishlist Feedback Animation

Cart Button — Bounce on Click

```
.btn-add-cart.clicked { animation: cartBounce 0.4s ease; }
@keyframes cartBounce {
  0%  { transform: scale(1); }
  40% { transform: scale(0.9); }
  70% { transform: scale(1.1); }
  100%{ transform: scale(1); }
}
```

Wishlist Heart — Fill Animation

```
.wishlist-icon { transition: color 0.2s, transform 0.2s; }
.wishlist-icon.active { color: var(--color-accent-pink); transform: scale(1.2); }
.wishlist-icon:hover { transform: scale(1.25); }
```

E. Tech Stack & Step-by-Step Execution Strategy

E.1 — Recommended Tech Stack

Option A — React / Next.js (Recommended for Production)

- Framework: Next.js 14+ (App Router). Handles routing, SSR for product pages, and SEO out of the box.
- Styling: Tailwind CSS + CSS Modules for component-specific styles. Tailwind for utility classes, CSS Modules for complex animations and component-level specificity.
- Slider/Carousel: Swiper.js (https://swiperjs.com) — supports autoplay, fade, thumbnails, and is highly customizable. Used for Hero, Product Gallery, and Testimonials.
- Animations: Framer Motion (npm install framer-motion) for page transitions and entrance animations. CSS animations for repeating effects (floats, pulses).
- Icons: Lucide React or React Icons (for cart, wishlist, search, social icons).
- State Management: Zustand (lightweight) or React Context for cart and wishlist state.
- Forms: React Hook Form + Zod for checkout and contact form validation.

Option B — Plain HTML/CSS/JS (Simpler Build)

- HTML: Semantic HTML5 with BEM CSS class naming convention.
- CSS: Custom Properties (variables), Flexbox + CSS Grid, no framework needed.
- Slider: Swiper.js (vanilla JS version).
- Animations: Pure CSS + Intersection Observer API (no library required).
- Icons: SVG sprites or Font Awesome 6 Free.

Shared Dependencies (Both Options)

```
/* Google Fonts */
@import
url('https://fonts.googleapis.com/css2?family=Nunito:wght@400;600;700;800;900&family=Nuni
to+Sans:wght@400;600&display=swap');


/* Swiper.js (via CDN or npm) */
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/swiper@11/swiper-bundle.min.css">
<script src="https://cdn.jsdelivr.net/npm/swiper@11/swiper-bundle.min.js"></script>
```

E.2 — Project Folder Architecture

Use the following folder structure for a clean, scalable codebase:

```
/src
  /styles
    tokens.css        ← All CSS custom properties (colors, fonts, spacing)
    reset.css         ← Normalize + box-sizing reset
    global.css        ← Body, typography base styles
    animations.css    ← All @keyframes
  /components
    /layout
      Header.jsx      ← Sticky header + nav + icons
      Footer.jsx      ← 4-col footer + newsletter
      SidePanel.jsx   ← Right info panel
      SearchOverlay.jsx
      FloatingChat.jsx
    /ui
      Button.jsx      ← Primary, Secondary, Outlined variants
      ProductCard.jsx
      CategoryCard.jsx
      PortfolioBlogCard.jsx
      QuantityStepper.jsx
      Badge.jsx
    /sections
      HeroSlider.jsx
      CategoriesSection.jsx
      ProductGrid.jsx
      FeaturesStrip.jsx
      TestimonialsSlider.jsx
      BlogSection.jsx
      BrandMarquee.jsx
  /pages
    index.jsx         ← Home 1
    shop.jsx
    product/[slug].jsx
    cart.jsx
    checkout.jsx
    order-success.jsx
    wishlist.jsx
    blog-portfolio-3-cols.jsx
    contact.jsx
```

E.3 — Step-by-Step Execution Order

Follow this sequence strictly. Skipping steps creates compounding issues.

Phase 1 — Foundation (Day 1–2)

17. Set up project: npx create-next-app@latest amartoy (or plain HTML boilerplate).

18. Create tokens.css with all CSS custom properties from Section A. Import it globally.
19. Create reset.css and apply box-sizing: border-box, margin: 0, body font defaults.
20. Set up Google Fonts import in _document.js or <head>.
21. Create animations.css with all @keyframes.
22. Create the .container class and breakpoint utilities.

Phase 2 — Global Shell (Day 2–4)

23. Build Header component: Logo, nav links with dropdowns, 3 icon buttons. Wire scroll behavior.
24. Build SidePanel component: dark overlay + panel slide-in. Wire to header icon.
25. Build SearchOverlay component.
26. Build Footer component.
27. Build FloatingChat widget.
28. Test all global components on a blank page. Verify responsive behavior at all breakpoints.

Phase 3 — Reusable UI Components (Day 4–6)

29. Build Button component with all variants (primary, secondary, outlined, icon-only).
30. Build ProductCard component (image, wishlist, sale badge, name, price, buy button).
31. Build CategoryCard component (image zoom, gradient overlay).
32. Build PortfolioBlogCard component (meta slide-up overlay).
33. Build QuantityStepper component.
34. Build Badge component (sale, stock, category label).
35. Test all components in a Storybook or isolated page.

Phase 4 — Home Page (Day 6–9)

36. Build HeroSlider with Swiper.js. Implement 3 slides, autoplay, decorative stars/clouds.
37. Build CategoriesSection: 4-column grid + animate on scroll.
38. Build first ProductGrid (4 items, "Popular in Store").
39. Build About section: split layout, overlapping images, floating badge.
40. Build second ProductGrid (8 items).
41. Build FeaturesStrip (4 icons).
42. Build Video section with play button pulse animation.
43. Build TestimonialsSlider with Swiper.js.
44. Build Blog preview section (4 posts).
45. Build BrandMarquee with CSS animation.
46. Wire all Intersection Observer animations.

Phase 5 — Shop & E-Commerce Pages (Day 9–14)

47. Build Shop page: sidebar + 3-col product grid + sort dropdown + pagination.
48. Build Product Single page: gallery with thumbnails + details panel + tabs + related products.
49. Build Cart page: table + totals box + coupon input.
50. Build Checkout page: form + order summary box.
51. Build Order Success page: animated checkmark + order info.
52. Build Wishlist page: table layout.

Phase 6 — Blog & Contact (Day 14–16)

53. Build Blog Portfolio 3-Columns page: full-width grid, portfolio cards.
54. Build Contact page: 2-column split, floating shapes, form, contact details.

Phase 7 — Polish & QA (Day 16–18)

55. Audit all pages at 320px, 375px, 768px, 1024px, 1280px, 1440px viewports.
56. Test all hover states, animations, and transitions.
57. Verify keyboard navigation (Tab, Enter on all interactive elements).
58. Check color contrast ratios (WCAG AA — minimum 4.5:1 for body text).
59. Optimize images (WebP format, lazy loading with loading="lazy" on all images below the fold).
60. Verify smooth scroll behavior and sticky header.
61. Final cross-browser test: Chrome, Firefox, Safari, Edge.

E.4 — Performance Considerations

- Use next/image (or native lazy loading) for all product and blog images to avoid layout shift.
- Load Swiper.js only on pages that use it (dynamic import in Next.js).
- CSS animations use transform and opacity only — never animate layout properties (width, height, top, left) for 60fps performance.
- Use will-change: transform on elements that animate on every frame (hero character, floating shapes).
- Preconnect to Google Fonts: <link rel="preconnect" href="https://fonts.googleapis.com">.
- Use font-display: swap to avoid invisible text during font load.

E.5 — Accessibility Checklist

- All interactive elements have clear :focus-visible styles (orange outline with offset).
- All images have descriptive alt attributes.

- Navigation dropdowns are keyboard-accessible (arrow keys + Escape to close).
- Side panel traps focus when open (focus-trap-react or manual tabindex management).
- Cart count badge uses aria-label="X items in cart".
- Wishlist heart uses aria-pressed="true/false" and aria-label.
- Form inputs are connected to labels via htmlFor / for attributes (not just placeholder).
- Color contrast for primary orange (#FF6B35) on white: approx 3.1:1 — use for large text/icons only. For body text always use #1C1C1C on white (21:1 ratio).

— End of AmarToy Front-End Implementation Master Plan —

All sections (A through E) are intended to be used as a living blueprint.