Pipfix Report

Here are the Pythons and Pips detected on your system.

Overall

```
Object {
  "defaults": Object {
    "pip": "/usr/local/bin/pip --> /usr/local/Cellar/python/3.6.4_3/bin/python",
    "pip2": "/usr/local/bin/pip2 --> /usr/bin/python",
    "pip3": "/Library/Frameworks/Python.framework/Versions/3.6/bin/pip3 --> /usr/local/bin/python3",
    "python": "/usr/bin/python <-- /usr/local/bin/pip2",
    "python2": "",
    "python3": "/usr/local/bin/python3 <-- /Library/Frameworks/Python.framework/Versions/3.6/bin/pip3",
  },
  "pips": Array [
    "/usr/local/bin/pip",
    "/usr/local/bin/pip2",
    "/usr/local/bin/pip3",
    "/usr/local/Cellar/python@2/2.7.14_1/bin/pip2",
    "/Library/Frameworks/Python.framework/Versions/3.6/bin/pip3",
  "pythons": Array [
    "/usr/bin/python",
    "/usr/local/bin/python3",
    "/usr/local/Cellar/python@2/2.7.14_1/bin/python2",
    "/usr/local/Cellar/python/3.6.4_3/bin/python",
  "sites": Array [
    "/Library/Python/2.7/site-packages",
    "/usr/local/lib/python3.6/site-packages",
    "/Library/Frameworks/Python.framework/Versions/3.6/lib/python3.6/site-packages",
    "/usr/local/lib/python2.7/site-packages",
Site Relationships Detail
  "/Library/Frameworks/Python.framework/Versions/3.6/lib/python3.6/site-packages": Object {
    "pips": Array [
      "/Library/Frameworks/Python.framework/Versions/3.6/bin/pip3",
    "pythons": Array [
      "/usr/local/bin/python3",
    ],
  "/Library/Python/2.7/site-packages": Object {
    "pips": Array [
      "/usr/local/bin/pip2",
    "pythons": Array [
      "/usr/bin/python",
  },
  "/usr/local/lib/python2.7/site-packages": Object {
    "pips": Array [
      "/usr/local/Cellar/python@2/2.7.14 1/bin/pip2",
    "pythons": Array [
      "/usr/local/Cellar/python@2/2.7.14_1/bin/python2",
    ],
  },
  "/usr/local/lib/python3.6/site-packages": Object {
    "pips": Array [
      "/usr/local/bin/pip",
```

2.7.10


},

],

"/usr/local/bin/pip3",

"/usr/local/Cellar/python/3.6.4_3/bin/python",

"pythons": Array [




Object {

```
"is default for": Array [
    "python",
  "path": "/usr/bin/python",
  "paths_all": Array [
    "/usr/bin/python",
  "pip": Object {
    "installed": true,
    "path": "/usr/bin/python -m pip",
    "site": "/Library/Python/2.7/site-packages",
    "version": "9.0.1",
  "pips": Array [
    "/usr/local/bin/pip2",
  "runs_ok": true,
  "sys.path": "13 entries",
  "version": "2.7.10",
}
sys path
Array [
  "/Users/andy/pipfix",
  "/Library/Python/2.7/site-packages/pip-9.0.1-py2.7.egg",
  "/System/Library/Frameworks/Python.framework/Versions/2.7/lib/python27.zip",
  "/System/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7",
  "/System/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/plat-darwin",
  "/System/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/plat-mac",
  "/System/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/plat-mac/lib-scriptpackages",
  "/System/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib-tk",
  "/System/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib-old",
  "/System/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib-dynload",
  "/Library/Python/2.7/site-packages",
  "/System/Library/Frameworks/Python.framework/Versions/2.7/Extras/lib/python",
  "/System/Library/Frameworks/Python.framework/Versions/2.7/Extras/lib/python/PyObjC",
/usr/local/bin/pip2
```

```
Object {
  "is default for": Array [
    "pip2",
  "path": "/usr/local/bin/pip2",
  "paths_all": Array [
    "/usr/local/bin/pip2",
  "pythons": Array [
    "/usr/bin/python",
  "runs ok": true,
  "site": "/Library/Python/2.7/site-packages",
  "version": "9.0.1",
}
```

3.6.4



```
Object {
  "is_default_for": Array [],
  "path": "/usr/local/Cellar/python/3.6.4_3/bin/python",
  "paths all": Array [
    "/usr/local/Cellar/python/3.6.4_3/bin/python",
    "/usr/local/Cellar/python/3.6.4_3/Frameworks/Python.framework/Versions/3.6/bin/python3.6",
    "/usr/local/Cellar/python/3.6.4_3/bin/python3",
  "pip": Object {
    "installed": true,
    "path": "/usr/local/Cellar/python/3.6.4_3/bin/python -m pip",
    "site": "/usr/local/lib/python3.6/site-packages",
    "version": "9.0.1",
  "pips": Array [
    "/usr/local/bin/pip",
    "/usr/local/bin/pip3",
  "runs_ok": true,
  "sys.path": "6 entries",
  "version": "3.6.4",
sys path
Array [
  "/Users/andy/pipfix",
  "/usr/local/Cellar/python/3.6.4 3/Frameworks/Python.framework/Versions/3.6/lib/python36.zip",
  "/usr/local/Cellar/python/3.6.4 3/Frameworks/Python.framework/Versions/3.6/lib/python3.6",
  "/usr/local/Cellar/python/3.6.4 3/Frameworks/Python.framework/Versions/3.6/lib/python3.6/lib-dynload",
  "/usr/local/lib/python3.6/site-packages",
  "/usr/local/Cellar/python/3.6.4 3/Frameworks/Python.framework/Versions/3.6/lib/python3.6/site-packages",
/usr/local/bin/pip
Object {
  "is_default_for": Array [
    "pip",
  "path": "/usr/local/bin/pip",
  "paths_all": Array [
    "/usr/local/bin/pip",
    "/usr/local/Cellar/python/3.6.4_3/bin/pip",
  "pythons": Array [
```

/usr/local/bin/pip3

}

"runs_ok": true,

"version": "9.0.1",


```
Object {
   "is_default_for": Array [],
   "path": "/usr/local/bin/pip3",
   "paths_all": Array [
       "/usr/local/bin/pip3",
```

"/usr/local/Cellar/python/3.6.4_3/bin/python",

"site": "/usr/local/lib/python3.6/site-packages",

```
"/usr/local/Cellar/python/3.6.4_3/bin/pip3",
],
"pythons": Array [
   "/usr/local/Cellar/python/3.6.4_3/bin/python",
],
"runs_ok": true,
"site": "/usr/local/lib/python3.6/site-packages",
"version": "9.0.1",
```

3.6.4



Python Analysis

Object {

```
"is_default_for": Array [
    "python3",
  "path": "/usr/local/bin/python3",
  "paths_all": Array |
    "/usr/local/bin/python3",
    "/Library/Frameworks/Python.framework/Versions/3.6/bin/python3.6",
    "/Library/Frameworks/Python.framework/Versions/3.6/bin/python3",
  "pip": Object {
    "installed": true,
    "path": "/usr/local/bin/python3 -m pip",
    "site": "/Library/Frameworks/Python.framework/Versions/3.6/lib/python3.6/site-packages",
    "version": "9.0.1",
  "pips": Array [
    "/Library/Frameworks/Python.framework/Versions/3.6/bin/pip3",
  "runs_ok": true,
  "sys.path": "5 entries",
  "version": "3.6.4",
}
sys path
Array [
  "/Users/andy/pipfix",
  "/Library/Frameworks/Python.framework/Versions/3.6/lib/python36.zip",
  "/Library/Frameworks/Python.framework/Versions/3.6/lib/python3.6",
  "/Library/Frameworks/Python.framework/Versions/3.6/lib/python3.6/lib-dynload",
  "/Library/Frameworks/Python.framework/Versions/3.6/lib/python3.6/site-packages",
]
```

/Library/Frameworks/Python.framework/Versions/3.6/bin/pip3

```
Object {
    "is_default_for": Array [
        "pip3",
],
    "path": "/Library/Frameworks/Python.framework/Versions/3.6/bin/pip3",
    "paths_all": Array [
        "/Library/Frameworks/Python.framework/Versions/3.6/bin/pip3",
],
    "pythons": Array [
        "/usr/local/bin/python3",
],
    "runs_ok": true,
```

```
2.7.14
                                                                                                                           ?? no pip in path will invoke
                                                                                                          /usr/local/Cellar/python@2/2.7.14_1/bin/pip2
                        ?? no python in path will invoke
      /usr/local/Cellar/python@2/2.7.14_1/bin/python2
           /usr/local/Cellar/python@2/2.7.14_1/Frameworks/Python.framework/Versions/2.7/bin/python2.7
                                       /usr/local/lib/python2.7/site-packages
Python Analysis
Object {
    "is default_for": Array [],
    "path": "/usr/local/Cellar/python@2/2.7.14 1/bin/python2",
    "paths all": Array [
        "/usr/local/Cellar/python@2/2.7.14 1/bin/python2",
        "/usr/local/Cellar/python@2/2.7.14 1/Frameworks/Python.framework/Versions/2.7/bin/python2.7",
     'pip": Object {
        "installed": true,
        "path": "/usr/local/Cellar/python@2/2.7.14 1/bin/python2 -m pip",
        "site": "/usr/local/lib/python2.7/site-packages",
        "version": "9.0.1",
     'pips": Array [
        "/usr/local/Cellar/python@2/2.7.14 1/bin/pip2",
    "runs ok": true,
    "sys.path": "11 entries",
    "version": "2.7.14",
}
sys path
Array [
    "/Users/andy/pipfix",
    "/usr/local/Cellar/python@2/2.7.14_1/Frameworks/Python.framework/Versions/2.7/lib/python27.zip",
    "/usr/local/Cellar/python@2/2.7.14_1/Frameworks/Python.framework/Versions/2.7/lib/python2.7", and the continuous continuous and the continuous continuou
    "/usr/local/Cellar/python@2/2.7.14_1/Frameworks/Python.framework/Versions/2.7/lib/python2.7/plat-darwin",
    "/usr/local/Cellar/python@2/2.7.14_1/Frameworks/Python.framework/Versions/2.7/lib/python2.7/plat-mac",
    "/usr/local/Cellar/python@2/2.7.14 1/Frameworks/Python.framework/Versions/2.7/lib/python2.7/plat-mac/lib-scriptpackages",
    "/usr/local/Cellar/python@2/2.7.14_1/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib-tk",
    "/usr/local/Cellar/python@2/2.7.14_1/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib-old",
    "/usr/local/Cellar/python@2/2.7.14_1/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib-dynload",
    "/usr/local/lib/python2.7/site-packages",
    "/usr/local/Cellar/python@2/2.7.14_1/Frameworks/Python.framework/Versions/2.7/lib/python2.7/site-packages",
]
/usr/local/Cellar/python@2/2.7.14_1/bin/pip2
Object {
    "is_default_for": Array [],
    "path": "/usr/local/Cellar/python@2/2.7.14_1/bin/pip2",
    "paths_all": Array [
        "/usr/local/Cellar/python@2/2.7.14_1/bin/pip2",
    "pythons": Array [
        "/usr/local/Cellar/python@2/2.7.14 1/bin/python2",
    ],
    "runs ok": true,
    "site": "/usr/local/lib/python2.7/site-packages",
    "version": "9.0.1",
```

"site": "/Library/Frameworks/Python.framework/Versions/3.6/lib/python3.6/site-packages",

"version": "9.0.1",


Here are the Pythons and Pips detected on your system.

Overall

```
Object {
  "defaults": Object {
    "pip": "/usr/local/bin/pip --> /usr/local/Cellar/python/3.6.4 3/bin/python",
    "pip2": "/usr/local/bin/pip2 --> /usr/bin/python",
    "pip3": "/Library/Frameworks/Python.framework/Versions/3.6/bin/pip3 --> /usr/local/bin/python3",
    "python": "/usr/bin/python <-- /usr/local/bin/pip2",
    "python2": "",
    "python3": "/usr/local/bin/python3 <-- /Library/Frameworks/Python.framework/Versions/3.6/bin/pip3",
  "pips": Array [
    "/usr/local/bin/pip",
    "/usr/local/bin/pip2",
    "/usr/local/bin/pip3",
    "/usr/local/Cellar/python@2/2.7.14_1/bin/pip2",
    "/Library/Frameworks/Python.framework/Versions/3.6/bin/pip3",
  "pythons": Array [
    "/usr/bin/python",
    "/usr/local/bin/python3",
    "/usr/local/Cellar/python@2/2.7.14_1/bin/python2",
    "/usr/local/Cellar/python/3.6.4 3/bin/python",
  "sites": Array [
    "/Library/Python/2.7/site-packages",
    "/usr/local/lib/python3.6/site-packages",
    "/Library/Frameworks/Python.framework/Versions/3.6/lib/python3.6/site-packages",
    "/usr/local/lib/python2.7/site-packages",
}
Site Relationships Detail
Object {
  "/Library/Frameworks/Python.framework/Versions/3.6/lib/python3.6/site-packages": Object {
```

```
"/Library/Frameworks/Python.framework/Versions/3.6/bin/pip3",
  "pythons": Array [
    "/usr/local/bin/python3",
  ],
},
"/Library/Python/2.7/site-packages": Object {
  "pips": Array [
    "/usr/local/bin/pip2",
  "pythons": Array [
    "/usr/bin/python",
  ],
"/usr/local/lib/python2.7/site-packages": Object {
  "pips": Array [
    "/usr/local/Cellar/python@2/2.7.14 1/bin/pip2",
  ],
   "pythons": Array [
    "/usr/local/Cellar/python@2/2.7.14_1/bin/python2",
  ],
},
"/usr/local/lib/python3.6/site-packages": Object {
  "pips": Array [
    "/usr/local/bin/pip",
    "/usr/local/bin/pip3",
  "pythons": Array [
    "/usr/local/Cellar/python/3.6.4_3/bin/python",
  ],
},
```

2.7.10




Object {

```
"is default for": Array [
    "python",
  "path": "/usr/bin/python",
  "paths_all": Array [
    "/usr/bin/python",
  "pip": Object {
    "installed": true,
    "path": "/usr/bin/python -m pip",
    "site": "/Library/Python/2.7/site-packages",
    "version": "9.0.1",
  "pips": Array [
    "/usr/local/bin/pip2",
  "runs_ok": true,
  "sys.path": "13 entries",
  "version": "2.7.10",
}
sys path
Array [
  "/Users/andy/pipfix",
  "/Library/Python/2.7/site-packages/pip-9.0.1-py2.7.egg",
  "/System/Library/Frameworks/Python.framework/Versions/2.7/lib/python27.zip",
  "/System/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7",
  "/System/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/plat-darwin",
  "/System/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/plat-mac",
  "/System/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/plat-mac/lib-scriptpackages",
  "/System/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib-tk",
  "/System/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib-old",
  "/System/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib-dynload",
  "/Library/Python/2.7/site-packages",
  "/System/Library/Frameworks/Python.framework/Versions/2.7/Extras/lib/python",
  "/System/Library/Frameworks/Python.framework/Versions/2.7/Extras/lib/python/PyObjC",
/usr/local/bin/pip2
```

```
Object {
  "is default for": Array [
    "pip2",
  "path": "/usr/local/bin/pip2",
  "paths_all": Array [
    "/usr/local/bin/pip2",
  "pythons": Array [
    "/usr/bin/python",
  "runs ok": true,
  "site": "/Library/Python/2.7/site-packages",
  "version": "9.0.1",
}
```

3.6.4



```
Object {
  "is_default_for": Array [],
  "path": "/usr/local/Cellar/python/3.6.4_3/bin/python",
  "paths all": Array [
    "/usr/local/Cellar/python/3.6.4_3/bin/python",
    "/usr/local/Cellar/python/3.6.4_3/Frameworks/Python.framework/Versions/3.6/bin/python3.6",
    "/usr/local/Cellar/python/3.6.4_3/bin/python3",
  "pip": Object {
    "installed": true,
    "path": "/usr/local/Cellar/python/3.6.4_3/bin/python -m pip",
    "site": "/usr/local/lib/python3.6/site-packages",
    "version": "9.0.1",
  "pips": Array [
    "/usr/local/bin/pip",
    "/usr/local/bin/pip3",
  "runs_ok": true,
  "sys.path": "6 entries",
  "version": "3.6.4",
sys path
Array [
  "/Users/andy/pipfix",
  "/usr/local/Cellar/python/3.6.4 3/Frameworks/Python.framework/Versions/3.6/lib/python36.zip",
  "/usr/local/Cellar/python/3.6.4 3/Frameworks/Python.framework/Versions/3.6/lib/python3.6",
  "/usr/local/Cellar/python/3.6.4 3/Frameworks/Python.framework/Versions/3.6/lib/python3.6/lib-dynload",
  "/usr/local/lib/python3.6/site-packages",
  "/usr/local/Cellar/python/3.6.4 3/Frameworks/Python.framework/Versions/3.6/lib/python3.6/site-packages",
/usr/local/bin/pip
Object {
  "is_default_for": Array [
    "pip",
  "path": "/usr/local/bin/pip",
  "paths_all": Array [
    "/usr/local/bin/pip",
    "/usr/local/Cellar/python/3.6.4_3/bin/pip",
  "pythons": Array [
```

/usr/local/bin/pip3

}

"runs_ok": true,

"version": "9.0.1",


```
Object {
   "is_default_for": Array [],
   "path": "/usr/local/bin/pip3",
   "paths_all": Array [
       "/usr/local/bin/pip3",
```

"/usr/local/Cellar/python/3.6.4_3/bin/python",

"site": "/usr/local/lib/python3.6/site-packages",

```
"/usr/local/Cellar/python/3.6.4_3/bin/pip3",
],
"pythons": Array [
   "/usr/local/Cellar/python/3.6.4_3/bin/python",
],
"runs_ok": true,
"site": "/usr/local/lib/python3.6/site-packages",
"version": "9.0.1",
```

3.6.4



Python Analysis

Object {

```
"is_default_for": Array [
    "python3",
  "path": "/usr/local/bin/python3",
  "paths_all": Array |
    "/usr/local/bin/python3",
    "/Library/Frameworks/Python.framework/Versions/3.6/bin/python3.6",
    "/Library/Frameworks/Python.framework/Versions/3.6/bin/python3",
  "pip": Object {
    "installed": true,
    "path": "/usr/local/bin/python3 -m pip",
    "site": "/Library/Frameworks/Python.framework/Versions/3.6/lib/python3.6/site-packages",
    "version": "9.0.1",
  "pips": Array [
    "/Library/Frameworks/Python.framework/Versions/3.6/bin/pip3",
  "runs_ok": true,
  "sys.path": "5 entries",
  "version": "3.6.4",
}
sys path
Array [
  "/Users/andy/pipfix",
  "/Library/Frameworks/Python.framework/Versions/3.6/lib/python36.zip",
  "/Library/Frameworks/Python.framework/Versions/3.6/lib/python3.6",
  "/Library/Frameworks/Python.framework/Versions/3.6/lib/python3.6/lib-dynload",
  "/Library/Frameworks/Python.framework/Versions/3.6/lib/python3.6/site-packages",
]
```

/Library/Frameworks/Python.framework/Versions/3.6/bin/pip3

```
Object {
    "is_default_for": Array [
        "pip3",
],
    "path": "/Library/Frameworks/Python.framework/Versions/3.6/bin/pip3",
    "paths_all": Array [
        "/Library/Frameworks/Python.framework/Versions/3.6/bin/pip3",
],
    "pythons": Array [
        "/usr/local/bin/python3",
],
    "runs_ok": true,
```

```
2.7.14
                                                                                                                         ?? no pip in path will invoke
                                                                                                        /usr/local/Cellar/python@2/2.7.14_1/bin/pip2
                        ?? no python in path will invoke
      /usr/local/Cellar/python@2/2.7.14_1/bin/python2
           /usr/local/Cellar/python@2/2.7.14_1/Frameworks/Python.framework/Versions/2.7/bin/python2.7
                                      /usr/local/lib/python2.7/site-packages
Python Analysis
Object {
    "is default_for": Array [],
    "path": "/usr/local/Cellar/python@2/2.7.14 1/bin/python2",
    "paths all": Array [
        "/usr/local/Cellar/python@2/2.7.14 1/bin/python2",
        "/usr/local/Cellar/python@2/2.7.14 1/Frameworks/Python.framework/Versions/2.7/bin/python2.7",
     'pip": Object {
        "installed": true,
        "site": "/usr/local/lib/python2.7/site-packages",
        "version": "9.0.1",
     'pips": Array [
        "/usr/local/Cellar/python@2/2.7.14 1/bin/pip2",
    "runs ok": true,
    "sys.path": "11 entries",
    "version": "2.7.14",
}
sys path
Array [
    "/Users/andy/pipfix",
    "/usr/local/Cellar/python@2/2.7.14_1/Frameworks/Python.framework/Versions/2.7/lib/python27.zip",
    "/usr/local/Cellar/python@2/2.7.14_1/Frameworks/Python.framework/Versions/2.7/lib/python2.7", and the continuous continuous and the continuous continuou
    "/usr/local/Cellar/python@2/2.7.14_1/Frameworks/Python.framework/Versions/2.7/lib/python2.7/plat-darwin",
    "/usr/local/Cellar/python@2/2.7.14_1/Frameworks/Python.framework/Versions/2.7/lib/python2.7/plat-mac",
    "/usr/local/Cellar/python@2/2.7.14 1/Frameworks/Python.framework/Versions/2.7/lib/python2.7/plat-mac/lib-scriptpackages",
    "/usr/local/Cellar/python@2/2.7.14_1/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib-tk",
    "/usr/local/Cellar/python@2/2.7.14_1/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib-old",
    "/usr/local/Cellar/python@2/2.7.14_1/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib-dynload",
    "/usr/local/lib/python2.7/site-packages",
    "/usr/local/Cellar/python@2/2.7.14_1/Frameworks/Python.framework/Versions/2.7/lib/python2.7/site-packages",
]
/usr/local/Cellar/python@2/2.7.14_1/bin/pip2
Object {
    "is_default_for": Array [],
    "path": "/usr/local/Cellar/python@2/2.7.14_1/bin/pip2",
    "paths_all": Array [
        "/usr/local/Cellar/python@2/2.7.14_1/bin/pip2",
    "pythons": Array [
        "/usr/local/Cellar/python@2/2.7.14 1/bin/python2",
    ],
    "runs ok": true,
    "site": "/usr/local/lib/python2.7/site-packages",
    "version": "9.0.1",
```

"site": "/Library/Frameworks/Python.framework/Versions/3.6/lib/python3.6/site-packages",

"version": "9.0.1",