Native invocation failure: EXP-ECDLP-95f69f

Operational failure before compiler or scientific route; no mathematical observation or verdict.


Run RUN-ECDLP-f67842; hypothesis H-ECDLP-7bd5f5; goal GOAL-ECDLP-001.

Raw archive bf2a8dee1663d0b4f16d350c08117e27ba81b778.

Two primary route trials were requested. Route A metadata helper exited 1 with native infrastructure_error; its checker was not invoked. Route B was not launched because it depends on accepted route A. Eight native files were retained, with all six declared driver artifacts absent. Native elapsed 0.168486 seconds is derived as finished_at minus started_at. CPU, peak RSS, dirty state, scientific metrics and scientific certificate are unavailable, not zero.

Exact stderr: current invocation differs from the actual supervisor command

Actual command starts env and three GIT_CONFIG assignments. The frozen helper compares [sys.executable,*sys.argv] with the full env-prefixed supervisor array; these vectors have different prefixes. Actual command has no -B interpreter flag.



The original failure and never-launched dependent slot are not reused. Any correction requires an additive authorized plan and fresh identities. This failure is not a mathematical refutation. The command metadata and source-bound frozen helper explain the observed prefix incompatibility; no scientific workload, compiler or independent oracle was reached.

Canonical graph scope checked: knowledge/frontiers/ecdlp and the frozen experiment specification. No scientific graph changes follow from this operational error. A stopping-point diagram is used because no comparable scientific values were produced.

Exact parameters, source hashes, declared missing outputs, native environment and commands remain in report-data.json and command.json. No random draw was reached or invented. Sources: ../../runs/RUN-ECDLP-f67842/execution-receipt.json, launch.json, command.txt, environment.json, stderr.log; frozen envelope.py invocation_equal/context.

Exact supervisor and native commands


```
{
  "supervisor_argv": [
    "python3",
    "tools/experiment_execution.py",
    "run",
    "--plan",
    "experiments/EXP-ECDLP-95f69f/trial-plan.json",
    "--owner",
    "executor-ideas-20261018",
    "--epoch",
    "1"
  ],
  "native_driver_argv": [
    "env",
    "GIT_CONFIG_COUNT=1",
    "GIT_CONFIG_KEY_0=core.preloadIndex",
    "GIT_CONFIG_VALUE_0=false",
    "/opt/codex/runtimes/codex-primary-runtime/dependencies/python/bin/python3",
    "coordination/tasks/TASK-20261018-1cb336/envelope.py",
    "run",
    "--plan",
    "experiments/EXP-ECDLP-95f69f/trial-plan.json",
    "--out",
    "/workspace/crypto-autoresearcher/experiments/EXP-ECDLP-95f69f/runs/RUN-ECDLP-f67842",
    "--route",
    "a"
  ],
  "native_checker_argv": [
    "env",
    "GIT_CONFIG_COUNT=1",
    "GIT_CONFIG_KEY_0=core.preloadIndex",
    "GIT_CONFIG_VALUE_0=false",
    "/opt/codex/runtimes/codex-primary-runtime/dependencies/python/bin/python3",
    "coordination/tasks/TASK-20261018-1cb336/envelope.py",
    "check",
    "--plan",
    "experiments/EXP-ECDLP-95f69f/trial-plan.json",
    "--out",
    "/workspace/crypto-autoresearcher/experiments/EXP-ECDLP-95f69f/runs/RUN-ECDLP-f67842",
    "--route",
    "a"
  ]
}
```