Native worksheet execution: EXP-ECDLP-30277c


Descriptive finite worksheet observations only; no hypothesis verdict, asymptotic claim or deployed-curve result.

Source experiment: EXP-ECDLP-3365b4. Explicit descriptive successor 3365b4, original c9 ambiguous contract still unchanged. These deterministic readings remain historical in-sample calibration; no ambiguous original criterion is closed or re-scored. Complete lineage hashes remain in report-data.json.

Hypothesis H-ECDLP-3db46b; goal GOAL-ECDLP-001. Requested 2 trials.

Run — Native status — Driver wall seconds — CPU seconds — RSS bytes (floating values displayed to 6 significant digits; full precision retained in report-data.json)
RUN-ECDLP-7727d1 — output_validated — 8.42008 — 7.62557 — 168984576
RUN-ECDLP-2d3b31 — output_validated — 7.48834 — 6.61127 — 169029632

All values are recorded unless expressly labeled derived. Native elapsed is derived as finished_at minus started_at. Driver wall/CPU/RSS use each manifest's explicit boundaries, retained in report-data.json; RSS is a lifetime per-process peak, not aggregate memory. These deterministic route observations have one datum each, no sampled uncertainty or performance inference. No random draw is introduced; null seed and curve_id remain as recorded. A finite worksheet witness is not a formal, decomposition or discrete-log certificate. The authorized outer supervisor environment sets GIT_CONFIG_COUNT=1, GIT_CONFIG_KEY_0=core.preloadIndex and GIT_CONFIG_VALUE_0=false under DEC-20261018-1a5209; exact direct child argv and resource limits are unchanged. The exact outer command style is retained in report-data.json.



The single runtime prediction_match flag compares the original-compatible min(D,tau) arm and the other original predicates. The min(D+1,tau) arm is descriptive and has no separate runtime prediction flag. The original ambiguous c9 contract remains unchanged.

Canonical graph scope checked: knowledge/frontiers/ecdlp and the frozen specification. These finite records do not change a scientific status or graph. The pipeline diagram records what ran; the timing plot, where present, plots recorded driver intervals only and claims no speedup.

Complete commands, controls, parameters, code/dirty/environment identities, exact source hashes and raw publication commits are retained in report-data.json and the linked raw runs. Missing data remain null. No result of a control gate is promoted to a hypothesis verdict.

Recorded scalar metrics


```
[
  {
    "observed_scalar_fields": {
      "band_high": "697/500",
      "band_high_gap": "3/500",
      "band_low": "451/500",
      "band_low_gap": "1/500",
      "basin_sizes.0": 4,
      "basin_sizes.1": 2,
      "conventions.0.convention": "min(D,tau)",
      "conventions.0.cycle_constant": "81/32",
      "conventions.0.cycle_cost": "9/2",
      "conventions.0.cycle_gap": "713/800",
      "conventions.0.cycle_truncated_sum": 18,
      "conventions.0.lambda_costs.0": "5/2",
      "conventions.0.lambda_costs.1": "101/40",
      "conventions.0.lambda_costs.2": "11/4",
      "conventions.0.path_constant": "25/16",
      "conventions.0.path_cost": "5/2",
      "conventions.0.path_gap": "31/400",
      "conventions.0.path_truncated_sum": 15,
      "conventions.1.convention": "min(D+1,tau)",
      "conventions.1.cycle_constant": "121/32",
      "conventions.1.cycle_cost": "11/2",
      "conventions.1.cycle_gap": "1713/800",
      "conventions.1.cycle_truncated_sum": 22,
      "conventions.1.lambda_costs.0": "17/6",
      "conventions.1.lambda_costs.1": "1717/600",
      "conventions.1.lambda_costs.2": "187/60",
      "conventions.1.path_constant": "289/144",
      "conventions.1.path_cost": "17/6",
      "conventions.1.path_gap": "-1321/3600",
      "conventions.1.path_truncated_sum": 17,
      "cover_sizes.0": 4,
      "cover_sizes.1": 5,
      "cover_union": 6,
      "falsifier": "779/500",
      "intersection": 3,
      "one_minus_lower": "69281/109601",
      "one_minus_upper": "5611771/8877691",
      "path_cover_sets.0.0": 0,
      "path_cover_sets.0.1": 1,
      "path_cover_sets.0.2": 2,
      "path_cover_sets.0.3": 3,
      "rung_product": 1024,
      "series_partial": "109601/40320",
      "series_strict_bounds.0": true,
      "series_strict_bounds.1": true,
      "size_sum": 9,
      "spacing_ratio": "3/8",
      "twice_gap": "2/25",
      "uncovered": 2
    },
    "run_id": "RUN-ECDLP-7727d1",
    "scalar_metrics": {
      "implementations_agree": true,
      "measurement_valid": true,
      "prediction_match": true
    },
    "structured_metric_fields_retained_in_report_data": [
      "observations"
    ]
  },
  {
    "observed_scalar_fields": {
      "band_high": "697/500",
      "band_high_gap": "3/500",
      "band_low": "451/500",
      "band_low_gap": "1/500",
      "basin_sizes.0": 4,
      "basin_sizes.1": 2,
      "conventions.0.convention": "min(D,tau)",
      "conventions.0.cycle_constant": "81/32",
      "conventions.0.cycle_cost": "9/2",
      "conventions.0.cycle_gap": "713/800",
      "conventions.0.cycle_truncated_sum": 18,
      "conventions.0.lambda_costs.0": "5/2",
      "conventions.0.lambda_costs.1": "101/40",
      "conventions.0.lambda_costs.2": "11/4",
      "conventions.0.path_constant": "25/16",
      "conventions.0.path_cost": "5/2",
      "conventions.0.path_gap": "31/400",
      "conventions.0.path_truncated_sum": 15,
      "conventions.1.convention": "min(D+1,tau)",
      "conventions.1.cycle_constant": "121/32",
```

```
      "conventions.1.cycle_cost": "11/2",
      "conventions.1.cycle_gap": "1713/800",
      "conventions.1.cycle_truncated_sum": 22,
      "conventions.1.lambda_costs.0": "17/6",
      "conventions.1.lambda_costs.1": "1717/600",
      "conventions.1.lambda_costs.2": "187/60",
      "conventions.1.path_constant": "289/144",
      "conventions.1.path_cost": "17/6",
      "conventions.1.path_gap": "-1321/3600",
      "conventions.1.path_truncated_sum": 17,
      "cover_sizes.0": 4,
      "cover_sizes.1": 5,
      "cover_union": 6,
      "falsifier": "779/500",
      "intersection": 3,
      "one_minus_lower": "69281/109601",
      "one_minus_upper": "5611771/8877691",
      "path_cover_sets.0.0": 0,
      "path_cover_sets.0.1": 1,
      "path_cover_sets.0.2": 2,
      "path_cover_sets.0.3": 3,
      "rung_product": 1024,
      "series_partial": "109601/40320",
      "series_strict_bounds.0": true,
      "series_strict_bounds.1": true,
      "size_sum": 9,
      "spacing_ratio": "3/8",
      "twice_gap": "2/25",
      "uncovered": 2
    },
    "run_id": "RUN-ECDLP-2d3b31",
    "scalar_metrics": {
      "implementations_agree": true,
      "measurement_valid": true,
      "prediction_match": true
    },
    "structured_metric_fields_retained_in_report_data": [
      "observations"
    ]
  }
]
```


Structured fields are retained completely in report-data.json and report.md; no truncation or numerical inference changes the raw evidence.