Native worksheet execution: EXP-ECDLP-53b1c3


Descriptive finite worksheet observations only; no hypothesis verdict, asymptotic claim or deployed-curve result.

Source experiment: EXP-ECDLP-615fcf. Original approved frozen finite worksheet. These deterministic readings remain historical in-sample calibration; no ambiguous original criterion is closed or re-scored. Complete lineage hashes remain in report-data.json.

Hypothesis H-ECDLP-242aa4; goal GOAL-ECDLP-001. Requested 2 trials.

Run — Native status — Driver wall seconds — CPU seconds — RSS bytes (floating values displayed to 6 significant digits; full precision retained in report-data.json)
RUN-ECDLP-ef9a36 — output_validated — 8.27299 — 7.12395 — 168988672
RUN-ECDLP-449da5 — output_validated — 7.1482 — 6.37292 — 169000960

All values are recorded unless expressly labeled derived. Native elapsed is derived as finished_at minus started_at. Driver wall/CPU/RSS use each manifest's explicit boundaries, retained in report-data.json; RSS is a lifetime per-process peak, not aggregate memory. These deterministic route observations have one datum each, no sampled uncertainty or performance inference. No random draw is introduced; null seed and curve_id remain as recorded. A finite worksheet witness is not a formal, decomposition or discrete-log certificate. The authorized outer supervisor environment sets GIT_CONFIG_COUNT=1, GIT_CONFIG_KEY_0=core.preloadIndex and GIT_CONFIG_VALUE_0=false under DEC-20261018-1a5209; exact direct child argv and resource limits are unchanged. The exact outer command style is retained in report-data.json.



Canonical graph scope checked: knowledge/frontiers/ecdlp and the frozen specification. These finite records do not change a scientific status or graph. The pipeline diagram records what ran; the timing plot, where present, plots recorded driver intervals only and claims no speedup.

Complete commands, controls, parameters, code/dirty/environment identities, exact source hashes and raw publication commits are retained in report-data.json and the linked raw runs. Missing data remain null. No result of a control gate is promoted to a hypothesis verdict.

Recorded scalar metrics


```
[
  {
    "observed_scalar_fields": {
      "bound": 96,
      "commuting_counts.0": 4,
      "commuting_counts.1": 4,
      "commuting_counts.2": 4,
      "commuting_points.0.0": null,
      "commuting_points.0.1.0": 0,
      "commuting_points.0.1.1": 0,
      "commuting_points.0.2.0": 1,
      "commuting_points.0.2.1": 0,
      "commuting_points.0.3.0": 2,
      "commuting_points.0.3.1": 0,
      "commuting_points.1.0": null,
      "commuting_points.1.1.0": 0,
      "commuting_points.1.1.1": 0,
      "commuting_points.1.2.0": 1,
      "commuting_points.1.2.1": 0,
      "commuting_points.1.3.0": 2,
      "commuting_points.1.3.1": 0,
      "commuting_points.2.0": null,
      "commuting_points.2.1.0": 0,
      "commuting_points.2.1.1": 0,
      "commuting_points.2.2.0": 1,
      "commuting_points.2.2.1": 0,
      "commuting_points.2.3.0": 2,
      "commuting_points.2.3.1": 0,
      "curve_model": "y^2=x^3+8*x^2+2*x over F11",
      "double_T.0": 5,
      "double_T.1": 7,
      "gap": 288,
      "nearby_bound": 384,
      "point_count": 12,
      "witness_left.0": 7,
      "witness_left.1": 1,
      "witness_right.0": 7,
      "witness_right.1": 10
    },
    "run_id": "RUN-ECDLP-ef9a36",
    "scalar_metrics": {
      "implementations_agree": true,
      "measurement_valid": true,
      "prediction_match": true
    },
    "structured_metric_fields_retained_in_report_data": [
      "observations"
    ]
  },
  {
    "observed_scalar_fields": {
      "bound": 96,
      "commuting_counts.0": 4,
      "commuting_counts.1": 4,
      "commuting_counts.2": 4,
      "commuting_points.0.0": null,
      "commuting_points.0.1.0": 0,
      "commuting_points.0.1.1": 0,
      "commuting_points.0.2.0": 1,
      "commuting_points.0.2.1": 0,
      "commuting_points.0.3.0": 2,
      "commuting_points.0.3.1": 0,
      "commuting_points.1.0": null,
      "commuting_points.1.1.0": 0,
      "commuting_points.1.1.1": 0,
      "commuting_points.1.2.0": 1,
      "commuting_points.1.2.1": 0,
      "commuting_points.1.3.0": 2,
      "commuting_points.1.3.1": 0,
      "commuting_points.2.0": null,
      "commuting_points.2.1.0": 0,
      "commuting_points.2.1.1": 0,
      "commuting_points.2.2.0": 1,
      "commuting_points.2.2.1": 0,
      "commuting_points.2.3.0": 2,
      "commuting_points.2.3.1": 0,
      "curve_model": "y^2=x^3+8*x^2+2*x over F11",
      "double_T.0": 5,
      "double_T.1": 7,
      "gap": 288,
      "nearby_bound": 384,
      "point_count": 12,
      "witness_left.0": 7,
      "witness_left.1": 1,
      "witness_right.0": 7,
```

```
      "witness_right.1": 10
    },
    "run_id": "RUN-ECDLP-449da5",
    "scalar_metrics": {
      "implementations_agree": true,
      "measurement_valid": true,
      "prediction_match": true
    },
    "structured_metric_fields_retained_in_report_data": [
      "observations"
    ]
  }
]
```


Structured fields are retained completely in report-data.json and report.md; no truncation or numerical inference changes the raw evidence.